

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
June 19, 2008

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	7. Lease Name or Unit Agreement Name: <u>Eunice Monument South Unit</u>
2. Name of Operator <u>XTO Energy, Inc.</u>	8. Well Number <u>441</u>
3. Address of Operator <u>200 N. Loraine, Ste. 800 Midland, TX 79701</u>	9. OGRID Number <u>005380</u>
4. Well Location Unit Letter <u>E</u> : <u>1980'</u> feet from the <u>North</u> line and <u>660'</u> feet from the <u>West</u> line Section <u>21</u> Township <u>21S</u> Range <u>36E</u> NMPM County <u>Lea</u>	10. Pool name or Wildcat <u>Eunice Monument; Grayburg-San Andres</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

OTHER: RWTP

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING C  
COMMENCE DRILLING OPNS. ☐ P AND A  
CASING/CEMENT JOB ☐

OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimate of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO Energy, Inc would like to RWTP with the following procedure:

1. MIRU PU, POOH w/tbg.
  2. DO CIBP @ 3735', CO to 4061'.
  3. PB to +/- 3970' (91') w. 20/40 mesh sand. Tag.
  4. Spot 20' class 'C' cmt. + 2% bentonite on top of sand. Final PBTD: 3950'. WOC 4 hrs. Tag TOC @ 3950'.
  5. Acidize OH w/1500 gals 15% NEFE 90/10 acid. Flush w/90bbls brine water. Swab.
  6. RIH w/ 2-7/8" prod tbg. RWTP. RDMO PU.
- A closed loop system will be used to perform this operation.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Stephanie Rabadue TITLE Regulatory Analyst DATE 10/09/2013  
Type or print name Stephanie Rabadue E-mail address: stephanie\_rabadue@xtoenergy.com PHONE 432-620-6714

For State Use Only

APPROVED BY [Signature] TITLE Dist MGR DATE 10-17-2013  
Conditions of Approval (if any):


AFTER RETURNING THIS WELL TO PRODUCTION;  
OCD requires form C-103 with dates and description  
of work done. Also form C-104 with Transporters,  
Perfs producing from, Tubing size & Depth, and  
24 hour production test

OCT 17 2013

# Eunice Monument So. Unit #441

API #: 30-025-04737

Current



# Eunice Monument So. Unit #441

API #: 30-025-04737

proposed

GL: 3611'

10 3/4" OD, 40# Csg set @ 304'.  
Cmt w/250 sx. Circ cmt.

13 3/4" Hole

7 5/8" OD, 26# Csg set @ 1462'.  
Cmt w/325 sx. Did not circ cmt.

9 7/8" Hole

PN

5 1/2" OD, 17# Csg set @ 3771'.  
Cmt w/300 sx. Did not circ cmt.

6 3/4" Hole

GB Z1

GB Z2

GB Z2A

GB Z3

GB Z4

20' cmt cap

91' 20/40 mesh sand

TD:4161'

