

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OCD

OCT 16 2013

RECEIVED

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-27537
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> X
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name LATE - THOMAS
8. Well Number #003
9. OGRID Number 162683
10. Pool name or Wildcat JALMAT (GAS)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ X Other

2. Name of Operator
CIMAREX ENERGY CO. OF COLORADO

3. Address of Operator
600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS

4. Well Location

Unit Letter: J : 1980 feet from the SOUTH line and 2080 feet from the EAST line
Section 17 Township 24S Range 37E NMPM LEA County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3,267' - GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒ X
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 7" CIBP @ 2,800'; PUMP 60 SXS. CMT. @ 2,800'-2,600' (DV TOOL, B/ SALT); WOC X TAG CMT. PLUG.
- 2) CIRC. WELL W/ PXA MUD; PRES. TEST 7" CSG. TO 500#.
- 3) PERF. X ATTEMPT TO SQZ. 90 SXS. CMT. @ 1,295'-1,100' (T/SALT, T/ANHY.); WOC X TAG CMT. PLUG.
- 4) PERF. X ATTEMPT TO SQZ. 50 SXS. CMT. @ 480'-375' (9-5/8" CSG.SHOE); WOC X TAG CMT. PLUG.
- 5) PERF. X CIRC. TO SURF. 60 SXS CMT. @ 63'-34' 150' to SURFACE
- 6) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM WITH A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RULE 19.15.17.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David A. Eyler TITLE: AGENT

DATE: 10/14/13

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILAGRO-RES.COM

PHONE: 432.687.3033

For State Use Only

APPROVED BY: [Signature]

TITLE DIST. MGR

DATE 10-17-2013

Conditions of Approval (if any):

OIL CONSERVATION DIVISION - Hobbs office Must Be Notified
24 hours prior to the beginning of Plugging Operations.

OCT 17 2013




Completed: 10/11/1981
Orig Operator: Doyle Hartman

9-5/8" 40# csg @ 426'
Cmt w/225 sx, circ to surface

TOC = 2590' by TS

DV Tool @ 2718"

7" 26# J-55 csg @ 3350'
Cmt w/40 sx, TOC Unknown
DV Tool @ 2718'
Cmt 1st stage 100 sacks 50/50 Poz "C"
2nd stage 250 sacks "C" Econolite +
50 sacks "C" Neat



TD: 3350'
PBD: 3256'

Yates/7-Rivers Perfs: 2855 - 3117', 20 holes

Cimarex Energy Co. of Colorado

Late - Thomas #3

API 30-025-27537

1980' FSL & 2080' FEL, Sec 17, T24S, R37E

Lea County, NM

GL:3267' KB: 12' AGL

Cimarex Property #309529-097

CURRENT CONDITION SI

No tubing data are available for this well

No record of rods or tubing since original completion in 1981. Last rod pull was 10/15/1999
No tubing anchor was run in 1981
Original tubing 2-3/8" J-55 landed @ 3195'
Full 3/4" rod string

CIMAREX

Completed: 10/11/1981
Orig Operator: Doyle Hartman

Cimarex Energy Co. of Colorado

Late - Thomas #3

API 30-025-27537

1980' FSL & 2080' FEL, Sec 17, T24S, R37E

Lea County, NM

GL: 3267' KB: 12' AGL

Cimarex Property #309529-097

CURRENT CONDITION SI

No tubing data are available for this well

PERF. X CIRC. 50 150' - TO Surface
25 SXS. CMT. @ 62' - 3

9-5/8" 40# csg @ 426'
Cmt w/225 sx, circ to surface

PERF. X SQZ. 50 SXS. CMT. @ 480' - 375' - TAG

No record of rods or tubing since original completion in 1981. Last rod pull was 10/15/1999
No tubing anchor was run in 1981
Original tubing 2-3/8" J-55 landed @ 3195'
Full 3/4" rod string

PERF. X SQZ. 90 SXS. CMT. @ 1295' - 1100' - TAG

TOC = 2590' by TS

Pump. 60 SXS. CMT. @ 2800' - 2600' - TAG

DV Tool @ 2718"

SET 7" CIBP @ 2800'

Yates/7-Rivers Perfs: 2855 - 3117', 20 holes

7" 26# J-55 csg @ 3350'
Cmt w/40 sx, TOC Unknown
DV Tool @ 2718'
Cmt 1st stage 100 sacks 50/50 Poz "C"
2nd stage 250 sacks "C" Econolite +
50 sacks "C" Neat

TD: 3350'
PBD: 3256'

J PIWETZ 10/8/2013

DAE 10/14/13