

Results of Directional Survey

API number:	30-025-40582		
OGRID:		Operator:	COG PRODUCTION, LLC
		Property:	EATA FAJITA STATE # 1H

surface	ULSTR:	M	08	T 24S	R 33E
				190 FSL	660 FWL

BH Loc	ULSTR:	D	08	T 24S	R 33E
15607	MD	11002.5	TVD	359 FNL	615 FWL
				4921 FSL	

Top Perf/OH	ULSTR:	M	08	T 24S	R 33E
11230	MD	10991.0	TVD	549 FSL	718 FWL

Bot Perf/OH	ULSTR:	D	08	T 24S	R 33E
15502	MD	11003.6	TVD	464 FNL	622 FWL
				4816 FSL	

	MD	N/S	E/W	VD
	11198	328.19	57.12	10982.42
TOP PERFS/OH	11230	359.00	57.77	10991.02
	11230	359.00	57.77	10991.02
	15432	4556.52	-33.97	11004.00
BOT PERFS/OH	15502	4626.38	-38.37	11003.64
	15530	4654.33	-40.13	11003.49


NEXT TO LAST	15561	4685.26	-42.10	11003.11
LAST READING	15607	4731.16	-45.15	11002.47
TD	15607	4731.16	-45.15	11002.47

Surface Location	190	FS	660	FW
Projected BHL	4921	FS	615	FW
Location of				
Top Perfs/OH	549	FS	718	FW
Bottom Perfs/OH	4816	FS	622	FW

SUMMARY of Subsurface Locations

Surface Location	M-08-24S-33E	190	FS	660	FW	Vert. Depth
Top Perfs/OH	M-08-24S-33E	549	FS	718	FW	10991.02
Bottom Perfs/OH	D-08-24S-33E	4816	FS	622	FW	11003.64
Projected TD	D-08-24S-33E	4921	FS	615	FW	11002.47

NOV 05 2013



PO Box 1370
Artesia, NM 88211-1370
(575) 748-1288

COG OPER, LLC
RECEIVED
JUL 02 2013
ARTESIA WEST

HOBBS OCD

SEP 05 2013

June 22, 2013

COG, LLC
One Concho Center
600 W. Illinois Ave.
Midland, TX 79701

RECEIVED

RE: Eata Fajita State #1H
190' FNL & 660' FEL
Sec. 8, T24S, R33E
Lea County, New Mexico

Dear Sir,


The attached is the Deviation Survey for the above captioned well.

Very truly yours,

Chris Graham
Drilling Superintendent

State of New Mexico }
County of Eddy }

The foregoing was acknowledged before me this 22th day of June, 2013.



Eata Fajita State #1H

Date	Depth	Dev	Dir	TVD	Horiz Disp
5/25/2013	209	1.00			
5/25/2013	456	0.20			
5/25/2013	672	0.20			
5/26/2013	955	0.50			
5/28/2013	1376	1.50	237.70		
5/28/2013	1566	1.80	240.70		
5/28/2013	1945	2.20	240.50		
5/28/2013	2040	1.90	219.70		
5/28/2013	2135	2.40	213.00		
5/29/2013	2514	2.10	159.50		
5/29/2013	2703	2.00	113.90		
5/29/2013	2893	2.10	104.30		
5/29/2013	3083	2.10	116.30		
5/29/2013	3272	2.20	101.80		
5/29/2013	3367	2.30	95.60		
5/29/2013	3462	2.40	88.70		
5/30/2013	3651	2.80	92.80	3698.00	
5/30/2013	3841	2.70	89.30		
5/30/2013	3936	2.90	81.60		
5/30/2013	4031	3.10	82.00	4078.00	
5/31/2013	4125	2.90	82.20	4172.00	
5/31/2013	4220	2.70	79.20		
5/31/2013	4314	2.50	83.50		
5/31/2013	4409	2.50	101.00		
5/31/2013	4504	3.50	114.40		
6/1/2013	4599	4.00	115.70	4646.00	
6/1/2013	4748	3.30	127.10	4795.00	
6/3/2013	4806	3.10			
6/3/2013	4869	2.60			
6/3/2013	4901	2.70			
6/3/2013	4932	2.70			
6/3/2013	4965	2.60			
6/3/2013	4995	2.00			
6/3/2013	5176	1.60			
6/3/2013	5271	1.60			
6/3/2013	5365	1.20			
6/4/2013	5837	1.30			
6/4/2013	6141	1.00			
6/4/2013	6394	0.80			
6/4/2013	6638	0.80			
6/4/2013	6859	0.40			
6/4/2013	7112	0.50			
6/4/2013	7387	0.20			

Eata Fajita State #1H

Date	Depth	Dev	Dir	TVD	Horiz Disp
6/4/2013	7671	0.30			
6/5/2013	7879	0.30			
6/5/2013	8164	0.80			
6/5/2013	8439	1.20			
6/5/2013	8746	1.60			
6/5/2013	8872	1.80			
6/6/2013	8863	1.70			
6/6/2013	8964	1.70			
6/6/2013	9115	2.20			
6/6/2013	9131	2.10			
6/6/2013	9198	2.20			
6/6/2013	9292	2.00			
6/7/2013	9426	1.30			
6/7/2013	9680	1.10			
6/7/2013	9872	1.30			
6/10/2013	10026	2.70	221.30	10075.00	
6/10/2013	10121	3.40	232.00		
6/10/2013	10310	2.00	284.20		
6/11/2013	10405	1.80	349.90		
6/11/2013	10500	1.60	346.80		
6/11/2013	10531	4.10	348.70		
6/12/2013	10690	25.60	355.90	10678.35	60.89
6/12/2013	10721	28.80	0.10	10705.93	46.73
6/12/2013	10753	32.60	1.40	10733.41	30.40
6/12/2013	10784	36.50	1.50		
6/12/2013	10816	40.20	1.40		
6/12/2013	10848	44.10	0.80		
6/13/2013	10911	50.60	0.70	10850.39	74.81
6/13/2013	10942	53.90	0.80	10869.37	99.31
6/13/2013	10974	57.10	0.80	10887.49	
6/14/2013	11008	59.20	0.70		
6/14/2013	11103	65.70	359.20		
6/14/2013	11166	70.50	359.90		
6/14/2013	11227	75.40	1.80		
6/14/2013	11258	77.70	2.00		
6/14/2013	11290	80.10	1.50		
6/15/2013	11542	88.60	0.00		
6/15/2013	11637	88.70	359.90		
6/15/2013	11732	90.00	359.20		
6/15/2013	11826	91.60	0.00		
6/15/2013	11925	89.70	0.10		
6/15/2013	12115	89.70	359.50		
6/15/2013	12301	88.90	359.30		

Eata Fajita State #1H

Date	Depth	Dev	Dir	TVD	Horiz Disp
6/15/2013	12396	90.30	359.20		
6/15/2013	12491	90.70	359.10		
6/16/2013	12680	90.60	358.50		
6/16/2013	12775	91.20	357.60		
6/16/2013	12869	90.10	356.70		
6/16/2013	12964	90.20	356.30		
6/16/2013	13059	90.20	355.00		
6/16/2013	13157	90.70	356.10		
6/16/2013	13251	90.50	357.00		
6/16/2013	13346	90.00	358.60		
6/16/2013	13438	91.00	358.40		
6/16/2013	13533	90.30	359.00		
6/17/2013	13725	90.20	358.80		
6/17/2013	13817	90.10	358.10		
6/17/2013	13912	91.20	359.00		
6/17/2013	14010	91.50	359.50	11010.86	3135.11
6/17/2013	14105	91.60	359.70		
6/17/2013	14200	91.30	0.10		
6/17/2013	14386	88.40	357.90		
6/17/2013	14480	89.70	358.80		
6/18/2013	14579	90.10	359.60		
6/18/2013	14674	90.60	359.10		
6/18/2013	14768	90.80	358.50		
6/18/2013	14863	90.20	359.90		
6/18/2013	14958	90.60	359.60		
6/18/2013	15053	90.00	358.50		
6/18/2013	15148	90.20	358.20		
6/18/2013	15334	90.30	356.90		
6/18/2013	15429	90.00	356.30		
6/18/2013	15544	90.60	356.50		



A GYRO TECHNOLOGIES INC. COMPANY

PO Box 261021
Corpus Christi, Texas 78426
(361) 767-0602 • (800) 606-GYRO • Fax (361) 767-0612

June 12, 2013

HOBBS OCD

Concho Resources, Inc.
One Concho Center
600 W. Illinois Avenue
Midland, Texas 79701

SEP 05 2013

RECEIVED

Attn: Kanicia Castillo

RE: **Eata Fajita State No. 001H**


Please find enclosed a copy of the survey from 0.00' to 9900.00' ran on the above referenced well.


Sincerely,

Keith Havelka
Operations

STATE OF TEXAS §
COUNTY OF NUECES §

This instrument was acknowledged before me on the 12th day of June, A.D., 2013, by Keith Havelka.


Laura Ballew
Notary Public, State of Texas





Company: COG Operating LLC (Concho)
Lease/Well: Eata Fajita State/No. 001H
Location: S8 T24s R33e
Rig Name: Silver Oak 12
State/County: New Mexico/Lea
Latitude: 32.23, Longitude: -103.60
GRID North is 0.39 Degrees East of True North
VS-Azi: 0.00 Degrees



RKB : 18 Feet

HOBBS OCD

DRILLOG HA GYRO SURVEY CALCULATIONS

SEP 05 2013

Filename: ...jita state #1h gyro survey.ut

Minimum Curvature Method

Report Date/Time: 6/12/2013 / 14:04

RECEIVED

Vaughn Energy Services

Gardendale, Texas

432-563-5444

Surveyor: Dustin Wedel

Eata Fajita State No. 001H / API 30-025-40582

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	TVD FT	+N/-S FT	+E/-W FT	Closure Distance FT	Closure Direction Deg	Dogleg Severity Deg/100
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	****
100.00	0.50	137.63	100.00	-0.32	0.29	0.44	137.63	0.50
200.00	0.70	136.14	199.99	-1.08	1.01	1.48	137.02	0.20
300.00	0.33	112.54	299.99	-1.63	1.70	2.35	133.88	0.42
400.00	0.08	163.24	399.99	-1.81	1.98	2.69	132.38	0.29
500.00	0.19	203.03	499.99	-2.03	1.94	2.81	136.26	0.13
600.00	0.28	185.88	599.99	-2.42	1.85	3.05	142.57	0.12
700.00	0.22	156.12	699.99	-2.84	1.90	3.42	146.13	0.14
800.00	0.16	247.40	799.99	-3.06	1.85	3.58	148.83	0.27
900.00	0.55	249.42	899.98	-3.29	1.28	3.53	158.76	0.39
1000.00	0.88	234.70	999.98	-3.90	0.20	3.91	177.08	0.38
1100.00	0.86	244.13	1099.96	-4.67	-1.10	4.80	193.28	0.15
1200.00	0.93	242.35	1199.95	-5.37	-2.49	5.92	204.87	0.07
1300.00	1.16	235.15	1299.94	-6.32	-4.03	7.50	212.53	0.27
1400.00	1.32	232.63	1399.91	-7.60	-5.78	9.55	217.24	0.17
1500.00	1.33	238.01	1499.89	-8.92	-7.68	11.77	220.74	0.13
1600.00	1.69	235.33	1599.85	-10.37	-9.88	14.32	223.61	0.36
1700.00	2.09	234.50	1699.80	-12.27	-12.58	17.57	225.71	0.40
1800.00	2.23	232.36	1799.73	-14.52	-15.60	21.31	227.07	0.17


Measured Depth FT	Incl Angle Deg	Drift Direction Deg	TVD FT	+N/-S FT	+E/-W FT	Closure Distance FT	Closure Direction Deg	Dogleg Severity Deg/100
1900.00	2.06	230.09	1899.65	-16.86	-18.53	25.05	227.69	0.19
2000.00	2.02	229.95	1999.59	-19.15	-21.25	28.61	227.98	0.04
2100.00	2.07	203.57	2099.53	-21.94	-23.32	32.02	226.75	0.93
2200.00	2.22	200.23	2199.46	-25.41	-24.71	35.45	224.21	0.19
2300.00	2.06	184.52	2299.39	-29.02	-25.53	38.65	221.34	0.61
2400.00	1.52	169.92	2399.34	-32.11	-25.44	40.97	218.38	0.71
2500.00	1.68	162.59	2499.30	-34.81	-24.77	42.72	215.43	0.26
2600.00	1.68	143.06	2599.26	-37.38	-23.45	44.13	212.10	0.57
2700.00	1.78	115.73	2699.22	-39.23	-21.17	44.58	208.35	0.82
2800.00	1.89	106.20	2799.17	-40.36	-18.19	44.27	204.26	0.33
2900.00	1.98	108.45	2899.11	-41.37	-14.96	43.99	199.89	0.12
3000.00	2.09	103.43	2999.05	-42.34	-11.55	43.89	195.26	0.21
3100.00	1.96	113.19	3098.98	-43.44	-8.20	44.20	190.69	0.37
3200.00	2.07	111.54	3198.92	-44.77	-4.95	45.05	186.30	0.13
3300.00	2.10	98.26	3298.86	-45.70	-1.45	45.72	181.82	0.48
3400.00	2.33	93.88	3398.78	-46.10	2.39	46.16	177.04	0.29
3500.00	2.73	85.78	3498.68	-46.06	6.79	46.56	171.61	0.53
3600.00	3.15	83.09	3598.55	-45.56	11.89	47.09	165.37	0.44
3700.00	2.63	88.17	3698.43	-45.16	16.92	48.22	159.46	0.57
3800.00	2.69	88.83	3798.32	-45.03	21.56	49.93	154.42	0.07
3900.00	2.76	86.03	3898.20	-44.82	26.31	51.97	149.59	0.15
4000.00	2.87	80.64	3998.08	-44.25	31.17	54.13	144.83	0.29
4100.00	2.99	80.47	4097.95	-43.41	36.22	56.53	140.16	0.13
4200.00	2.97	82.04	4197.82	-42.62	41.35	59.38	135.86	0.09
4300.00	2.58	77.80	4297.70	-41.78	46.12	62.23	132.18	0.43
4400.00	2.92	90.00	4397.59	-41.31	50.87	65.53	129.07	0.67
4500.00	3.31	106.60	4497.44	-42.13	56.19	70.23	126.86	0.98
4600.00	3.88	116.62	4597.24	-44.47	61.98	76.29	125.66	0.84
4700.00	3.43	121.67	4697.04	-47.56	67.56	82.62	125.15	0.55
4800.00	3.32	121.63	4796.87	-50.65	72.57	88.50	124.91	0.11
4900.00	2.91	124.21	4896.72	-53.60	77.14	93.93	124.79	0.44
5000.00	2.37	128.25	4996.61	-56.31	80.86	98.54	124.85	0.57
5100.00	1.66	132.44	5096.55	-58.56	83.56	102.04	125.03	0.73
5200.00	1.28	133.76	5196.52	-60.31	85.43	104.58	125.22	0.38
5300.00	1.15	127.47	5296.49	-61.70	87.03	106.68	125.33	0.19
5400.00	1.21	122.78	5396.47	-62.88	88.72	108.75	125.33	0.12
5500.00	1.07	118.89	5496.45	-63.91	90.43	110.73	125.25	0.16
5600.00	1.05	116.79	5596.44	-64.77	92.07	112.57	125.13	0.05
5700.00	1.13	103.84	5696.42	-65.42	93.84	114.39	124.88	0.26

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	TVD FT	+N/-S FT	+E/-W FT	Closure Distance FT	Closure Direction Deg	Dogleg Severity Deg/100
5800.00	1.03	112.33	5796.40	-66.00	95.64	116.20	124.61	0.19
5900.00	0.97	119.08	5896.38	-66.75	97.21	117.92	124.48	0.13
6000.00	0.95	115.98	5996.37	-67.53	98.70	119.58	124.38	0.05
6100.00	0.92	97.54	6096.36	-68.00	100.24	121.13	124.15	0.30
6200.00	0.89	91.57	6196.35	-68.12	101.81	122.50	123.79	0.10
6300.00	0.53	75.17	6296.34	-68.03	103.03	123.46	123.43	0.41
6400.00	0.45	101.88	6396.33	-67.99	103.86	124.14	123.21	0.24
6500.00	0.52	105.73	6496.33	-68.20	104.69	124.94	123.08	0.08
6600.00	0.59	106.55	6596.33	-68.47	105.62	125.87	122.95	0.07
6700.00	0.70	66.50	6696.32	-68.37	106.67	126.70	122.66	0.45
6800.00	0.59	70.53	6796.31	-67.96	107.71	127.36	122.25	0.11
6900.00	0.60	68.29	6896.31	-67.59	108.69	127.99	121.88	0.03
7000.00	0.51	64.90	6996.30	-67.21	109.58	128.55	121.52	0.10
7100.00	0.56	88.70	7096.30	-67.01	110.48	129.21	121.24	0.23
7200.00	0.60	52.78	7196.29	-66.68	111.38	129.82	120.91	0.36
7300.00	0.33	335.13	7296.29	-66.10	111.68	129.77	120.62	0.62
7400.00	0.20	270.09	7396.29	-65.84	111.38	129.39	120.59	0.30
7500.00	0.17	132.00	7496.29	-65.94	111.32	129.39	120.64	0.34
7600.00	0.22	195.94	7596.29	-66.22	111.38	129.58	120.74	0.21
7700.00	0.23	236.34	7696.29	-66.52	111.16	129.54	120.90	0.15
7800.00	0.76	233.13	7796.29	-67.02	110.47	129.21	121.25	0.53
7900.00	0.63	209.99	7896.28	-67.90	109.67	128.98	121.76	0.30
8000.00	0.70	227.22	7996.27	-68.78	108.95	128.84	122.27	0.21
8100.00	1.00	227.39	8096.26	-69.78	107.86	128.47	122.90	0.30
8200.00	1.15	218.70	8196.24	-71.15	106.59	128.16	123.72	0.22
8300.00	1.29	227.57	8296.22	-72.70	105.14	127.82	124.66	0.23
8400.00	1.34	229.17	8396.19	-74.22	103.42	127.30	125.67	0.07
8500.00	1.14	234.57	8496.17	-75.56	101.72	126.72	126.61	0.24
8600.00	1.64	228.55	8596.14	-77.08	99.84	126.14	127.67	0.52
8700.00	1.63	246.38	8696.10	-78.60	97.47	125.21	128.88	0.51
8800.00	1.49	239.67	8796.06	-79.83	95.04	124.12	130.03	0.23
8900.00	1.84	221.76	8896.02	-81.68	92.85	123.66	131.34	0.62
9000.00	2.21	235.60	8995.96	-83.97	90.19	123.23	132.95	0.62
9100.00	1.87	230.73	9095.90	-86.09	87.33	122.63	134.59	0.39
9200.00	1.87	227.90	9195.84	-88.21	84.86	122.41	136.11	0.09
9300.00	1.73	222.78	9295.79	-90.41	82.63	122.48	137.57	0.21
9400.00	1.56	243.18	9395.75	-92.13	80.39	122.28	138.89	0.61
9500.00	1.19	233.74	9495.73	-93.36	78.35	121.88	140.00	0.43
9600.00	1.53	226.03	9595.70	-94.89	76.56	121.92	141.11	0.39

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	TVD FT	+N/-S FT	+E/-W FT	Closure Distance FT	Closure Direction Deg	Dogleg Severity Deg/100
9700.00	0.60	213.47	9695.68	-96.26	75.31	122.22	141.96	0.95
9800.00	0.88	182.92	9795.67	-97.47	74.98	122.97	142.43	0.47
9900.00	1.75	201.22	9895.64	-99.66	74.38	124.36	143.26	0.96



Vaughn Energy Services
Gardendale, Texas
432-563-5444
Surveyor: Dustin Wedel
Eata Fajita State No. 001H / API 30-025-40582



VES Survey Date: 06/09/2013

TERRA DIRECTIONAL
SERVICES LLC

State of New Mexico
County of Lea

I, Michael K. Baber, certify that: I am employed by Terra Directional Services LLC; that I did on the day(s) of May 27, 2013 through June 19, 2013 conduct or supervise the taking of a MWD survey from a depth of 10026 feet to a depth 15607 feet; that the data is true, correct, complete and within the limitations of the tool as set forth by Terra Directional Services LLC; that I am authorized and qualified to make this report; that this survey was conducted at the request of Concho Oil Gas Company for the Eata Fajita State 1H Well API 30-025-40582 in Lea County, New Mexico; and that I have reviewed this report and find that it conforms to the principles and procedures as set forth by Terra Directional Services LLC.




Michael K. Baber
MWD Operations Coordinator


8610 N New Braunfels, Suite 405

San Antonio, Texas 78217

(210) 826-2022



Harris County, TX





Customer Name: Concho Oil & Gas
Well Name: Eata Fajita State 1H
API Number: 30-025-40582
County / Parish: Eddy County, NM


M.W.D. Operator: J.Burleson
Directional Driller: S.Brandt
Total Magnetic Correction: 6.98
Job #: NM-317

Vertical Section: 359.59

Tie In Survey(s) Provided By:

VES

	Meas. Depth	Inc.	Azm.	T.V.D.	Ver. Sect.	+N / -S	+E / -W	Dist.	Angle	DLS
Tie - In										
0	9900.00	1.75	201.22	9895.64	-100.22	-99.69	74.28	124.36	143.26	0.96
1	10026.00	2.70	221.30	10021.55	-104.22	-103.71	71.62	126.04	145.37	0.96
2	10121.00	3.40	232.00	10116.41	-107.61	-107.13	67.93	126.85	147.62	0.95
3	10215.00	1.50	261.30	10210.32	-109.49	-109.03	64.52	126.69	149.39	2.36
4	10310.00	2.00	284.20	10305.28	-109.25	-108.81	61.68	125.08	150.45	0.89
5	10405.00	1.80	349.90	10400.24	-107.36	-106.94	59.81	122.53	150.78	2.18
6	10500.00	1.60	346.80	10495.20	-104.60	-104.18	59.25	119.84	150.37	0.23
7	10531.00	4.10	348.70	10526.16	-103.09	-102.67	58.93	118.38	150.15	8.07
8	10563.00	8.60	351.90	10557.95	-99.59	-99.18	58.37	115.08	149.52	14.10
9	10594.00	13.40	354.00	10588.37	-93.72	-93.31	57.67	109.69	148.28	15.54
10	10624.00	18.00	354.90	10617.25	-85.63	-85.23	56.89	102.47	146.28	15.35
11	10658.00	22.50	355.70	10649.14	-73.90	-73.50	55.93	92.36	142.73	13.26
12	10690.00	25.60	355.90	10678.35	-60.89	-60.50	54.98	81.75	137.73	9.69
13	10721.00	28.80	0.10	10705.93	-46.73	-46.34	54.51	71.55	130.37	12.03
14	10753.00	32.60	1.40	10733.44	-30.40	-30.01	54.74	62.43	118.74	12.05
15	10784.00	36.50	1.50	10758.96	-12.83	-12.44	55.18	56.57	102.70	12.58
16	10816.00	40.20	1.40	10784.06	7.01	7.40	55.69	56.18	82.43	11.56
17	10848.00	44.10	0.80	10807.78	28.47	28.87	56.09	63.09	62.77	12.25
18	10879.00	47.40	0.70	10829.40	50.67	51.07	56.38	76.08	47.83	10.65
19	10911.00	50.60	0.70	10850.39	74.81	75.22	56.68	94.18	37.00	10.00
20	10942.00	53.90	0.80	10869.37	99.31	99.72	57.00	114.86	29.75	10.65
21	10974.00	57.10	0.80	10887.49	125.68	126.09	57.37	138.53	24.46	10.00
22	11008.00	59.20	0.70	10905.43	154.55	154.97	57.75	165.38	20.44	6.18
23	11040.00	62.10	0.00	10921.12	182.44	182.85	57.91	191.81	17.57	9.26
24	11072.00	63.70	359.60	10935.69	210.92	211.34	57.81	219.10	15.30	5.12
25	11103.00	65.70	359.20	10948.94	238.95	239.36	57.52	246.18	13.51	6.56
26	11135.00	68.00	359.40	10961.52	268.37	268.78	57.16	274.79	12.01	7.21
27	11166.00	70.50	359.90	10972.50	297.35	297.77	56.98	303.17	10.83	8.20
28	11198.00	73.40	0.60	10982.42	327.77	328.19	57.12	333.12	9.87	9.30
29	11230.00	75.40	1.80	10991.02	358.58	359.00	57.77	363.62	9.14	7.22
30	11261.00	77.70	2.00	10998.23	388.70	389.13	58.77	393.55	8.59	7.45
31	11293.00	80.10	1.50	11004.39	420.08	420.52	59.72	424.74	8.08	7.66
32	11324.00	83.10	0.90	11008.92	450.73	451.17	60.37	455.20	7.62	9.86
33	11356.00	86.00	0.80	11011.96	482.58	483.02	60.84	486.84	7.18	9.07
34	11387.00	88.20	0.80	11013.53	513.53	513.98	61.27	517.62	6.80	7.10
35	11419.00	88.40	0.70	11014.48	545.51	545.96	61.69	549.44	6.45	0.70
36	11451.00	88.50	0.70	11015.34	577.49	577.95	62.08	581.27	6.13	0.31
37	11545.00	88.60	0.00	11017.72	671.45	671.92	62.65	674.83	5.33	0.75
38	11640.00	88.70	359.90	11019.96	766.42	766.89	62.57	769.44	4.66	0.15
39	11735.00	90.00	359.20	11021.04	861.41	861.88	61.82	864.09	4.10	1.55



[Signature]
Latiffany R Gooden TX

[Signature]

40	11829.00	91.60	0.00	11019.73	955.40	955.86	61.17	957.82	3.66	1.90
41	11925.00	89.70	0.10	11018.64	1051.39	1051.85	61.25	1053.63	3.33	1.98
42	12020.00	89.30	359.30	11019.47	1146.38	1146.85	60.75	1148.45	3.03	0.94
43	12115.00	89.20	359.50	11020.71	1241.37	1241.83	59.76	1243.27	2.76	0.24
44	12209.00	87.60	357.80	11023.33	1335.32	1335.76	57.55	1337.00	2.47	2.48
45	12304.00	88.90	359.30	11026.24	1430.25	1430.68	55.14	1431.75	2.21	2.09
46	12399.00	90.30	359.20	11026.90	1525.25	1525.67	53.90	1526.62	2.02	1.48
47	12494.00	90.70	359.10	11026.07	1620.24	1620.66	52.49	1621.51	1.86	0.43
48	12588.00	91.50	358.70	11024.26	1714.21	1714.62	50.69	1715.37	1.69	0.95
49	12683.00	90.60	358.50	11022.52	1809.18	1809.58	48.37	1810.22	1.53	0.97
50	12778.00	91.20	357.60	11021.03	1904.14	1904.51	45.14	1905.04	1.36	1.14
51	12872.00	90.10	356.70	11019.97	1998.04	1998.38	40.46	1998.79	1.16	1.51
52	12967.00	90.20	356.30	11019.72	2092.90	2093.20	34.66	2093.49	0.95	0.43
53	13062.00	90.20	355.00	11019.39	2187.68	2187.93	27.46	2188.10	0.72	1.37
54	13157.00	90.70	356.10	11018.64	2282.44	2282.64	20.09	2282.73	0.50	1.27
55	13251.00	90.50	357.00	11017.65	2376.30	2376.46	14.43	2376.50	0.35	0.98
56	13346.00	90.00	358.60	11017.24	2471.25	2471.39	10.78	2471.41	0.25	1.76
57	13441.00	91.00	358.40	11016.41	2566.22	2566.35	8.30	2566.36	0.19	1.07
58	13536.00	90.30	359.00	11015.33	2661.21	2661.32	6.14	2661.32	0.13	0.97
59	13631.00	90.30	358.90	11014.84	2756.20	2756.30	4.40	2756.30	0.09	0.11
60	13725.00	90.20	358.80	11014.43	2850.19	2850.28	2.51	2850.28	0.05	0.15
61	13820.00	90.10	358.10	11014.18	2945.17	2945.24	-0.06	2945.24	360.00	0.74
62	13915.00	91.20	359.00	11013.10	3040.15	3040.21	-2.46	3040.21	359.95	1.50
63	14010.00	91.50	359.50	11010.86	3135.12	3135.17	-3.70	3135.17	359.93	0.61
64	14105.00	91.60	359.70	11008.29	3230.08	3230.13	-4.37	3230.14	359.92	0.24
65	14200.00	91.30	0.10	11005.89	3325.05	3325.10	-4.53	3325.11	359.92	0.53
66	14294.00	89.10	359.30	11005.56	3419.04	3419.09	-5.02	3419.10	359.92	2.49
67	14389.00	88.40	357.90	11007.63	3514.00	3514.04	-7.34	3514.05	359.88	1.65
68	14484.00	89.70	358.80	11009.21	3608.96	3608.99	-10.08	3609.00	359.84	1.66
69	14579.00	90.10	359.60	11009.37	3703.96	3703.97	-11.41	3703.99	359.82	0.94
70	14674.00	90.60	359.10	11008.79	3798.96	3798.97	-12.48	3798.99	359.81	0.74
71	14768.00	90.80	358.50	11007.64	3892.94	3892.94	-14.45	3892.97	359.79	0.67
72	14863.00	90.20	359.90	11006.82	3987.93	3987.92	-15.78	3987.95	359.77	1.60
73	14958.00	90.60	359.60	11006.15	4082.93	4082.92	-16.19	4082.95	359.77	0.53
74	15053.00	90.00	358.50	11005.65	4177.92	4177.90	-17.77	4177.94	359.76	1.32
75	15148.00	90.20	358.20	11005.49	4272.90	4272.86	-20.50	4272.91	359.73	0.38
76	15242.00	90.50	357.70	11004.91	4366.86	4366.80	-23.86	4366.87	359.69	0.62
77	15337.00	90.30	356.90	11004.25	4461.78	4461.69	-28.34	4461.78	359.64	0.87
78	15432.00	90.00	356.30	11004.00	4556.65	4556.52	-33.97	4556.65	359.57	0.71
79	15530.00	90.60	356.50	11003.49	4654.50	4654.33	-40.13	4654.50	359.51	0.65
80	15561.00	90.80	356.20	11003.11	4685.44	4685.26	-42.10	4685.45	359.49	1.16
PTB	15607.00	90.80	356.20	11002.47	4731.36	4731.16	-45.15	4731.37	359.45	0.00

