

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 A. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd. Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-05929
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease NO.
7. Lease Name or Unit Agreement Name North Monument G/SA Ut. Blk 20
8. Well Number 7
9. OGRID Numer 873
10. Pool Name Eunice Monument; Grayburg/SA
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3561' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>
2. Name of Operator Apache Corporation
3. Address of Operator 303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705
4. Well Location Unit Letter G : 2314 feet from the N line and 2310 feet from the E line Section 6 Township 20S Range 37E NMPM County Lea

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	
OTHER: <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>
CASING/CEMENT JOB <input type="checkbox"/>
ALTERING CASING <input type="checkbox"/>
P AND A <input type="checkbox"/>
OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

Apache Corporation proposes to P&A the above mentioned well by the attached procedure. A closed loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17.

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Guinn Burks TITLE Reclamation Foreman DATE 10/28/13Type or print name Guinn Burks E-mail add. guinn.burks@apachecorp.com PHONE: 432-556-9143

For State Use Only

APPROVED BY: [Signature] TITLE Dist Mgr DATE 11-5-2013

Conditions of Approval (if any):

✓ P.M.



WELL BORE INFO.

LEASE NAME	NMGSAU BIK 20
WELL #	7
API #	30-025-05929
COUNTY	Lea

0

15" Hole
11 3/4" 47# @ 221'
w/ 200 sx to surf

571

1142

Perfd @ 1009' & CIRC 5 1/2" w/ cmt to surf

1713

2284

9 7/8" Hole
7 5/8" 26.4# @ 2257'
w/ 1050 sx to surf

2855

TOC @ 2840' by TS

3426

CIBP @ 3400' W/ 35' cmt
Grayburgs perms @ 3450'- 3588'
CIBP @ 3604'
Grayburg perms @ 3562' - 3728'

3997

CIBP @ 3750' w/ 20' cmt

4568


5139

5710

6 3/4" Hole
5 1/2" 15.5# @ 5710'
w/ 400 sx TOC @ 2790'

PBTD @ 3400'
TD @ 5710'

CIBP @ 5525' w/ 50 ft cmt
Blaine perms @ 5580'-5602'
Blaine perms @ 5655'-5706' sqzd w/ 75 sx





WELL BORE INFO.

LEASE NAME

NMGSAU BIK 20

WELL #

7

API #

30-025-05929


COUNTY

Lea

PROPOSED PROCEDURE

0

15" Hole
11 3/4" 47# @ 221'
w/ 200 sx to surf



4. PUH & spot 30 sx Class "C" cmt from 270' to surf.
(Water Board)

571

Perf'd @ 1009' & CIRC 5 1/2" w/ cmt to surf

1142

3. PUH & perf @ 1170' & attempt to sqz 70 sx Class "C"
cmt from 1170' -1070' WOC/TAG (Top of Salt)

1713

2284

9 7/8" Hole
7 5/8" 26.4# @ 2257'
w/ 1050 sx to surf

2. PUH & perf @ 2435' & sqz 100 sx Class "C" cmt from
2435' - 2170' WOC/TAG (Yates, Base of Salt & Shoe)

2855

TOC @ 2840' by TS

1. MIRU, RIH w/ tbg & verify CIBP @ 3400', CIRC w/
MLF.

3426

CIBP @ 3400' w/ 35' cmt
Grayburgs perfs @ 3450'- 3588'
CIBP @ 3604'
Grayburg perfs @ 3562' - 3728'

3997

CIBP @ 3750' w/ 20' cmt

4568

5139

CIBP @ 5525' w/ 50 ft cmt
Blinebry perfs @ 5580'-5602'
Blinebry perfs @ 5655'-5706' sqzd w/ 75 sx

5710

6 3/4" Hole
5 1/2" 15.5# @ 5710'
w/ 400 sx TOC @ 2790'

PBTB @ 3400'
TD @ 5710'