

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy 1270'	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Ranger Lake	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Rustler:	T. Dakota	
T. Tubb	T. Delaware Sd: 5214'	T. Morrison	
T. Drinkard	T. Bone Spring: 9144'	T. Todilto	
T. Abo	T. 1 st Bone Sd:	T. Entrada	
T. Wolfcamp 12265'	T. 2 nd Bone Sd:	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1: from _____, to _____, MD _____

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology
5214	9144	3930	DELAWARE SD & SH
9144	12265	3121	BONE SPRING LIME, SD & SH
12265	13900	1635	WOLFCAMP LM, DOL & SH

3710 S. FM 303 (806) 229-2087
Sundown, TX 79372

KENICO


OIL TOOLS

410 East Main (505) 748-1372
Artesia, NM 88210-2173

Company	MURCHISON OIL & GAS	Company Man	DARCY BASHAM	Date	8/15/2013
Well Name	JACKSON UNIT #6 SWD	Csg. Size & Wt.	7" 29#		
Job Description	8/2/2013 RIH W/ 7" ASI-X, SET @ 5043, TESTED BACKSIDE. POOH W/ PKR, RIH W/ AD-1, SET @ 5043 SWI. 8/3/2013 SQUEEZED HOLE W/ 100SX TO 3500PSI. 8/5/2013 RELEASED AD-1, POOH. 8/12/2013 INTENDED TO START IN W/ NP PKR. FINISHED PERFORATING. 8/13/2013 RIH W/ 7" NP, SET @ 5732. PKR SHEARED. 8/14/2013 TOH W/ PKR. 8/15/2013 RIH W/ REDRESSED PKR, SET @ 5732. TESTED BACKSIDE TO 1500PSI. GET OFF PKR, CIRCULATED PKR FLUID, LATCHED UP, TREED UP, TESTED BACKSIDE TO 1500PSI.				
Directions	HWY 31 TO 128, TO MM 28 T/R ON DIAMOND BACK RD, GO .3 MILES T/R, FMTR TO LOCATION				

Tool Type No. 1	7" 26-32# X 3 1/2 ASI-X W/ 2.81 X PROFILE (NP)	Tool Length	12.78	% Tool	
Tool Type No. 2	7" X 3 1/2 T-2 ON/OFF TOOL (NP)	KB	16.00	X/O	
Tool Type No. 3		KBC		Tbg. Grade	L-80
Tool Type No. 4		SN		Tbg. Size	3.500

Services	Description	Cost	Jts. On Loc.	181
SERVICE MAN	8/2, 8/3, 8/5, 8/12, 8/13, 8/14, 8/15/2013	\$ 4,900.00	Jts. In	176
Mileage \$2.00/m	170 MILES R/T X 7 DAYS	\$ 2,975.00	Tailpipe	
RENTAL	7" 17-26# X 2 7/8 ASI-X	\$ 1,150.00	Jts. Out	5
RENTAL	7" 20-26# X 2 7/8 AD-1	\$ 500.00	Average	
RENTAL	TBG SWIVEL	\$ 400.00	Subs	
SALE	2 BUCKETS OF DOPE	\$ 110.00	Tbg. Tally	
SALE	7" 26-32# X 3 1/2 ASI-X NP W/ CARBIDES NP	\$ 8,760.00	S.N.	
SALE	2.812 X PROFILE	\$ 1,800.00	% Tool	5719.70
SALE	7" X 3 1/2 T-2 ON/OFF TOOL NP	\$ 2,720.00	Top Pkr.	5721.82
SALE	3 1/2 MULESHOE	\$ 400.00	Btm Pkr.	5729.71
			MULE SHOE	5732.48
	Sub Total	\$ 23,715.00		
	7.4375% Tax	\$ 1,763.80		
	Total	\$ 25,478.80		



Comments	7" LINER @ 3535' 26 AND 29#	New Perfs	
	9 5/8 FROM SURFACE TO 7" LINER	Old Perfs	5816-6512 2SPF
	LEFT PKR WITH 30PTS COMPRESSION		
Billing Invoice #			
Serviceman	CHANCE HUDDLESTON		
Company Rep.	DARCY BASHAM	CIBP @	6829.5 CAPPED
		TD	
Sign		DV/T	
AFE #			

176 yls in well

GEORGE YOUNG SALES CO.

8750 Set packer P.O. BOX 436 • (575) 746-9333
ARTESIA, NEW MEXICO 88211-0436

Sold to Murchison Oil Gas Inc. Date 8-12-13

Lease Jackson well (SWD) Well # 6

Pipe Size 3 1/2 Weight plastic coated Thread

Tailed by

	FEET	IN	FEET	IN	FEET	IN	FEET	IN	FEET	IN
1	32	88	32	90	33	-	32	84	31	72
2	32	86	32	82	32	90	32	92	32	84
3	31	68	31	76	32	82	32	88	32	84
4	32	88	32	88	31	64	32	82	32	86
5	32	77	32	90	31	25	32	82	32	88
6	32	84	32	96	32	84	32	86	32	84
7	32	96	31	72	32	90	32	86	32	82
8	32	64	32	96	32	92	32	86	32	90
9	31	67	32	94	31	76	32	84	31	70
10	30	56	31	64	32	86	32	86	31	88
11	32	92	32	86	31	76	32	90	32	48
12	32	86	31	92	31	78	32	88	31	70
13	30	62	32	92	32	88	32	90	32	84
14	32	82	29	50	32	88	32	88	31	78
15	31	70	32	86	30	72	32	90	32	86
16	31	72	32	86	32	88	32	76	32	84
17	32	85	31	85	30	40	32	80	31	78
18	32	82	32	88	30	84	32	90	31	74
19	32	86	30	75	32	90	32	84	31	74
20	32	86	32	94	30	58	32	80	31	74

TOTAL
COLUMN 1

TOTAL
COLUMN 2

TOTAL
COLUMN 3

TOTAL
COLUMN 4

TOTAL
COLUMN 5

GRAND
TOTAL

The Above _____ Joints
Received In Good Order.

SIGNATURE

GEORGE YOUNG SALES CO.

P.O. BOX 436 • (575) 746-9333
ARTESIA, NEW MEXICO 88211-0436

Sold to _____ Date 8-12-13

Lease Jackson (SWD) Well # 6

Pipe Size 3 1/2 Weight _____ Thread _____

Tailed by

	FEET	IN	FEET	IN	FEET	IN	FEET	IN	FEET	IN
1	31	54	32	82	30	10	31	75	30	25
2	32	88	32	86	29	40	32	90		
3	32	88	32	84	31	65	32	90		
4	32	88	32	96	32	45	32	85		
5	30	62	31	62	32	85	31	75		
6	32	88	32	96	32	85	31	80		
7	32	92	32	86	32	90	32	85		
8	32	90	32	82	32	85	32	85		
9	32	86	32	90	31	65	32	80		
10	32	90	32	90	32	65	32	85		
11	31	82	32	84	32	85	32	85		
12	32	90	31	70	32	75	32	85		
13	30	68	31	76	32	90	32	85		
14	32	88	31	92	32	85	32	85		
15	32	84	31	68	32	80	31	75		
16	31	80	30	42	32	75	32	75		
17	32	88	30	58	32	85	32	90		
18	32	90	31	58	32	90	32	95		
19	32	80	32	94	32	90	32	85		
20	32	90	32	88	31	65	32	85		

TOTAL
COLUMN 1

TOTAL
COLUMN 2

TOTAL
COLUMN 3

TOTAL
COLUMN 4

TOTAL
COLUMN 5

GRAND
TOTAL

The Above _____ Joints
Received In Good Order.

SIGNATURE