

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-11612
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator OXY USA Inc.		6. State Oil & Gas Lease No. B229
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name Annott Ramsey WCT-E
4. Well Location Unit Letter O : 660 feet from the south line and 1980 feet from the east line Section 16 Township 25S Range 37E NMPM County Lea		8. Well Number 2
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3096		9. OGRID Number 16696
		10. Pool name or Wildcat Jalmat Tansill Yates 7R

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3153' OH-2894-3153"

9-5/8" 25.7# csg @ 280' w/ 250sx, 12-1/4" hole, TOC-Surf-Circ
7" 20# csg @ 2894' w/ 350sx, 8-3/4" hole, TOC-565'-Calc

- RIH & set CIBP @ 2844', M&P 25sx cmt to 2744'
- M&P 25sx cmt @ 2620-2520' WOC-Tag
- Perf @ 1020', sqz 40sx cmt to 920' WOC-Tag
- Perf @ 330' sqz 130sx cmt to surface
10# MLF between plugs
Above ground steel tanks will be utilized.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 12/19/13

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Neal Whitaker TITLE Compliance Officer DATE 12/26/2013

Conditions of Approval (if any):

OIL CONSERVATION DIVISION - Hobbs office **Must Be Notified**
24 hours prior to the beginning of Plugging Operations.

DEC 30 2013


OXY USA Inc. - Proposed
Arnot Ramsey NCT-E #2
API No. 30-025-11612

130sx @ 330'-Surface

40sx @ 1020-920' WOC-Tag

25sx @ 2620-2520' WOC-Tag

CIBP @ 2844' w/ 25sx



12-1/4" hole @ 280'
9-5/8" csg @ 280'
w/ 250sx-TOC-Surf-Circ

Perf @ 330'

Perf @ 1020'


8-3/4" hole @ 2902'
7" csg @ 2894'
w/ 350sx-TOC-565'-Calc

OH @ 2894-3153'

TD-3153'

OXY USA Inc. - Current
Arnot Ramsey NCT-E #2
API No. 30-025-11612

12-1/4" hole @ 280'
9-5/8" csg @ 280'
w/ 250sx-TOC-Surf-Circ



8-3/4" hole @ 2902'
7" csg @ 2894'
w/ 350sx-TOC-565'-Calc

OH @ 2894-3153'

TD-3153'