

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

HOBBS OCD

JAN 07 2014

RECEIVED

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-11015
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Myers Langlie Mattix Unit
8. Well Number 167
9. OGRID Number 192463
10. Pool name or Wildcat Langlie Mattix 7R On GB
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3278'

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other Injection

2. Name of Operator
OXY USA WTP Limited Partnership

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
 Unit Letter I; 1980 feet from the south line and 660 feet from the east line
 Section 5 Township 24S Range 37E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK PLUG AND ABANDON
 TEMPORARILY ABANDON CHANGE PLANS
 PULL OR ALTER CASING MULTIPLE COMPL
 DOWNHOLE COMMINGLE
 CLOSED-LOOP SYSTEM
 OTHER: MIT-TA Extension

SUBSEQUENT REPORT OF:

- REMEDIAL WORK ALTERING CASING
 COMMENCE DRILLING OPNS. P AND A
 CASING/CEMENT JOB
 OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD- 3633' PBTD- 3365' Refs/OH- 3488-3633' CIBP- 3400'

OXY USA WTP LP respectfully requests a 2 year extension on the temporary abandonment of this well for further evaluation of the waterflood unit. OXY implemented a project in the East Eumont Unit in 2013 that consisted of revitalizing the northern (active) portion of the unit. OXY drilled and completed four new wells that decreased the Primary production spacing from 40 acre to 20 acre spacing. OXY is currently engaged in a program to continue to test the potential of the East Eumont Unit. The continued program entails: monitoring the production on the 4 new wells; cleaning out and stimulating 3 injection wells to ensure sufficient flooding; and recompleting 4 wells in the inactive portion of the field. Also OXY has identified 10 (6 in the Myers Langlie Mattix Unit) wells to plug and abandon. From the results of the continued East Eumont program, OXY will evaluate and determine the potential for reactivation of the Myers Langlie Mattix Unit and of this well.

1. Notify NMOC of casing integrity test 24hrs in advance.
 2. RU pump truck, circulate well with treated water, pressure test casing to 500# for 30 min.

Condition of Approval: notify

OCD Hobbs office 24 hours

prior of running MIT Test & Chart

Spud Date:

[Empty box for Spud Date]

Rig Release Date:

[Empty box for Rig Release Date]

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 1/6/14

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717


For State Use Only

APPROVED BY: Maley Brown TITLE Compliance Officer DATE 1/8/2014

Conditions of Approval (if any):

JAN 08 2014

OXY USA WTP LP - Current
Myers Langlie Mattix Unit #167
API No. 30-025-11015



10" hole @ 1207'
8-5/8" csg @ 1207'
w/ 250sx-TOC-Surf-Circ

8" hole @ 1390'
7" csg @ 987-1390'
w/ 29sx-TOC-987'

7/78-Perf @ 2290' sqz 350sx cmt to surf

6-3/4" hole @ 3488'
5-1/2" csg @ 3488'
w/ 100sx-TOC-2331'-CBL

8/98-CIBP @ 3400' w/ 35' cmt to 3365'

OH @ 3488-3633'

TD-3633'