

N.M. Oil Cons. DIV-Dist. 2
UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
1301 W. Grand Avenue
Altoia, NM 88210

FORM APPROVED
OMB No. 1004-0135
Expires: January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMNM07338A
6. If Indian, Allottee or Tribe Name
7. If Unit or CA/Agreement, Name and/or No.
8. Well Name and No.
Perry Federal #1
9. API Well No.
30-005-00514
10. Field and Pool, or Exploratory Area
Little Lucky Lake Devonian
11. County or Parish, State
Chaves, NM

SUBMIT IN TRIPLICATE - Other instructions on reverse side


1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other
2. Name of Operator
Nadel and Gussman Permian LLC
3a. Address
601 N. Marienfeld, Suite #508
3b. Phone No. (include area code)
432-682-4429
4. Location of Well (Footage, Sec., T, R., M., or Survey Description)
1980 FNL, 1980 FEL UL G, Sec. 29, T 13S, R 30E

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

3. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

9/07/05 MIRU Mayo Marrs csg pullers.
9/08/05 Cut and pulled 3815' of 5-1/2" csg
9/08/05 Spot 70 sx plug @ 3830' - 3785'
9/12/05 Spot 25 sx plug @ 3785' - 3700'
Spot a 40 sx plug @ 3342' - 3247' and tag
Spot a 40 sx plug @ 2250' - 2150'
Spot a 40 sx plug @ 515-395' and tag
9/13/05 Spot a 25 sx plug @ 60' to surface



14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Kern E. McCready

Title Operations Engineer

Signature

K. E. McCready

Date 9/16/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by *(Signature)*

Name *Thomas A. Guez*

Title *PE*

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office *RFO*

Date

10/12/05

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on next page)

GWW

SEP 1 2007

MAYO MARRS CASING PULLING INC.
BOX 863
KERMIT, TEXAS 79745

JIB# _____
Nadel and Gussman Permian. LLC

NADEL and GUSSMAN

Lease: PERRY FEDERAL # 1

Project: P & A - CEMENTING REPORT

09-08-05 - PULLED 3,815' OF 5 1/2" CASING
09-08-05 - SPOT 70 SXS @ 3830'-3785' & TAG
09-12-05 - SPOT 25 SXS @ 3785'-3700'
09-12-05 - SPOT 40 SXS @ 3342'-3247' & TAG
09-12-05 - SPOT 40 SXS @ 2250'-2150'
09-12-05 - SPOT 40 SXS @ 515'-395' & TAG
09-13-05 - SPOT 25 SXS @ 60' TO SURFACE

INSTALL DRY HOLE MARKER
CIRCULATE 10# MUD

NADEL and GUSSMAN PERMIAN

PEERY FEDERAL #1

1980 FNL, 1980 FEL, Unit G, Sec 29, 15S, 30E, Chaves County NM
API # 30 - 005 - 00514

Current Status - Plugged

elev: 3968', DF: 3981'

13-3/8", 48#, SMLS @ 468'
600 sx, circulated
17-1/2" hole


9-5/8", 36#, J-55 @ 3292'
1200 sx, cement circulated
12-1/4" hole

Casing cut @ 7307' when plugged
Tie back liner run 12/93:

5-1/2", 17#, J-55, 7304' to surface
casing patch and 100 sx cement

DV Tool @ ~ 9500',
900 sx, 2nd stage

5-1/2", 17&20#, N-80 @ 12,298'
1325 sx, TOC @ 7305' by T.S.
7-7/8" hole



25 sx cmt plug 60' - surf
40 sx cmt plug @ 515'- 395' tagged
Sqz perfs @ 475'
350 sx, cement circulated

SQZ perfs @ 1500'

40 sx plug @ 2250' - 2150'

Queen Perfs: 2197'-2206'

2 SPF through 9-5/8", 20/24 frac
40 sx plug @ 3342'- 3247' tagged

25 sx cmt plug 3785' - 3700'
70 sx cmt plug @ 3830' - 3785'

Fish in hole: 3830' - ~ 8000' +/-
2-7/8" tubing & Guiberson Uni-V Compression packer

Devonian Perfs: 11,008'-11,028'

Retainer @11,044', SQZ w/ 300 sx, 3/71

Devonian Perfs: 11050'-11134'

Baker model D packer @ 11,950' w/ plug, capped w/ 35 sx

Ellenberger Perfs: 12,068' - 12,106'

PBTD @ 11,044'

TD @ 12,298'

P&A by Texaco on 3-23-82 after unsuccessful Queen workover