

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103

June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

JAN 13 2014

WELL API NO. 30-025-40924
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Dragon 36 State
8. Well Number 2H
9. OGRID Number 7377
10. Pool name or Wildcat Red Hills: Upper Bone Spring Shale
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3491' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other	2. Name of Operator EOG Resources, Inc.	3. Address of Operator P.O. Box 2267 Midland, TX 79702
4. Well Location Unit Letter <u>M</u> : <u>220</u> feet from the <u>South</u> line and <u>580</u> feet from the <u>West</u> line Section <u>36</u> Township <u>24S</u> Range <u>33E</u> NMPM County <u>Lea</u>		
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3491' GR		

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☒
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

EOG Resources requests an amendment to our approved APD to reflect a change in SHL, TMD, and project area.

The SHL will change to 220' FSL & 580' FWL, U/L M, Section 36, T24S, R33E.

The new TMD is 14190' TMD, 9463' TVD.

The project area is reducing from 640 acres to 160 acres.

Revised C-102, directional plan, and drill plan are attached.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Stan Wagner TITLE Regulatory Analyst DATE 1/08/2014

Type or print name Stan Wagner E-mail address: [REDACTED] PHONE 432-686-3689

For State Use Only

APPROVED BY [Signature] TITLE Petroleum Engineer DATE JAN 21 2014

Conditions of Approval (if any):

JAN 21 2014

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6179
District IV
1220 S. St. Francis Dr., Sante Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Sante Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

HOBBS OGD
JAN 13 2014
RECEIVED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-40924	² Pool Code 97900	³ Pool Name Red Hills; Upper Bone Spring Shale
⁴ Property Code 39643	⁵ Property Name DRAGON 36 STATE	
⁷ OGRID No. 7377	⁸ Operator Name EOG RESOURCES, INC.	⁶ Well Number #2H ⁹ Elevation 3491'

¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	36	24-S	33-E	-	220'	SOUTH	580'	WEST	LEA

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	36	24-S	33-E	-	230'	NORTH	883'	WEST	LEA

¹² Dedicated Acres 160	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

BOTTOM HOLE LOCATION NEW MEXICO EAST NAD 1927 X=748155 Y=430337 LAT.: N 32.1805711 LONG.: W 103.5312538 LOWER MOST PERF. NEW MEXICO EAST NAD 1927 X=748156 Y=430237 LAT.: N 32.1802954 LONG.: W 103.5312538 SURFACE LOCATION NEW MEXICO EAST NAD 1927 X=747889 Y=425506 LAT.: N 32.1672957 LONG.: W 103.5322306 UPPER MOST PERF. NEW MEXICO EAST NAD 1927 X=748191 Y=425618 LAT.: N 32.1675970 LONG.: W 103.5312528	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Stan Wagner</i> 1/08/14 Signature Date Stan Wagner Printed Name E-mail Address	
	18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief. 12/09/2013 Date of Survey MICHAEL BROWN Signature and Seal of Professional Surveyor NEW MEXICO 18329 PROFESSIONAL SURVEYOR	
	Certificate Number	
	dm	

Permit Information:

Well Name: Dragon 36 State No. 2H

Location:

SL: 220' FSL & 580' FWL, Section 36, T-24-S, R-33-E, Lea Co., N.M.

BHL: 230' FNL & 883' FWL, Section 36, T-24-S, R-33-E, Lea Co., N.M.

Casing Program:

Hole Size	Interval	Csg OD	Weight	Grade	Conn	DF _{min} Collapse	DF _{min} Burst	DF _{min} Tension
17.5"	0 – 1260'	13.375"	54.5#	J55	STC	1.125	1.25	1.60
12.25"	0-4000'	9.625"	40#	J55	LTC	1.125	1.25	1.60
12.25"	4000' – 5100'	9.625"	40#	HCK-55	LTC	1.125	1.25	1.60
8.75"	0'-14,190'	5.5"	17#	HCP-110	LTC	1.125	1.25	1.60

Cement Program:


Depth	No. Sacks	Wt. ppg	Yld Ft ³ /ft	Slurry Description
1260'	500	13.5	1.73	Class C + 4.0% Bentonite + 0.6% CD-32 + 0.5% CaCl ₂ + 0.25 lb/sk Cello-Flake (TOC @ Surface)
	200	14.8	1.34	Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate
5,100'	800	12.7	2.22	Class 'C' + 1.50% R-3 + 0.25 lb/sk Cello-Flake + 2.0% Sodium Metasilicate + 10% Salt + 0.005 lb/sk Static Free
	200	14.8	1.32	Tail: Class 'C' + 0.25 lb/sk Cello Flake + 0.005 lb/sk Static Free
14,190'	375	10.8	3.67	60:40:0 Class C + 15.0 pps BA-90 + 4% MPA-5 + 3.0% SMS + 5.0% A-10 + 1.0% BA-10A + 0.80% ASA-301 + 2.55% R-21 + 8.0 pps LCM-1
	400	11.8	2.38	50:50:10 Class H + 0.80% FL-52 + 0.30% ASA-301 + 0.40% SMS + 2.0% Salt + 0.30% R-21 + 3.0 pps LCM-1 + 0.25 pps Celloflake
	1300	14.2	1.28	50:50:2 Class H + 0.65% FL-52 + 0.45% CD-32 + 0.10% SMS + 2.0% Salt

Mud Program:

Depth	Type	Weight (ppg)	Viscosity	Water Loss
0 – 1260'	Fresh - Gel	8.6-8.8	28-34	N/c
1260' – 5,100'	Brine	10.0-10.2	28-34	N/c
5,100' – 9,004'	Cut Brine	8.4-9.0	28-34	N/c
KOP – 14,190' Lateral	Cut Brine	9.0-9.5	40-42	8-10

**220' FSL
580' FWL
Section 36
T-24-S, R-33-E**

API: 30-025-40924



Drawn By: Matthew Shetter
Date Created: January 07, 2014 04:26:28 PM
Checked By: _____
Checked Date: _____
Approved By: _____
Approved Date: _____



EOG Dragon 36 State 2H Rev2 mcs 7Jan14 Proposal Geodetic Report



(Def Plan)

Report Date: January 07, 2014 - 04:20 PM
Client: EOG Resources
Field: NM Lea County (NAD 27)
Structure / Slot: EOG Dragon 36 State 2H / EOG Dragon 36 State 2H
Well: EOG Dragon 36 State 2H
Borehole: Original Borehole
UWI / API#: Unknown / Unknown
Survey Name: EOG Dragon 36 State 2H Rev2 mcs 7Jan14
Survey Date: January 15, 2013
Tort / AHD / DDI / ERD Ratio: 115.216' / 4912.002' / 5.927' / 0.517
Coordinate Reference System: NAD27 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 10' 2.26748" W 103° 31' 56.03201"
Location Grid N/E Y/X: N 425506.000 RUS, E 747889.000 RUS
CRS Grid Convergence Angle: 0.4265°
Grid Scale Factor: 0.99997947

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 3.069° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3521.000 ft above
Seabed / Ground Elevation: 3491.000 ft above
Magnetic Declination: 7.471°
Total Gravity Field Strength: 986.4733mgm (8.80665 Bases)
Total Magnetic Field Strength: 48410.002 nT
Magnetic Dip Angle: 60.060°
Declination Date: January 15, 2013
Magnetic Declination Model: BOGM 2012
North Reference: Grid North
Grid Convergence Used: 0.4265°
Total Corr Mag North-Grid North: 7.0445°
Local Coord Referenced To: Structure Reference Point

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	TVDSS (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
SHL	0.00	0.00	33.35	0.00	-3521.00	0.00	0.00	0.00	N/A	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
	100.00	0.00	33.35	100.00	-3421.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
	200.00	0.00	33.35	200.00	-3321.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
	300.00	0.00	33.35	300.00	-3221.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
	400.00	0.00	33.35	400.00	-3121.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
	500.00	0.00	33.35	500.00	-3021.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
	600.00	0.00	33.35	600.00	-2921.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
	700.00	0.00	33.35	700.00	-2821.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
	800.00	0.00	33.35	800.00	-2721.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
	900.00	0.00	33.35	900.00	-2621.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
1000.00	0.00	33.35	1000.00	-2521.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
1100.00	0.00	33.35	1100.00	-2421.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
1200.00	0.00	33.35	1200.00	-2321.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
1300.00	0.00	33.35	1300.00	-2221.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
1400.00	0.00	33.35	1400.00	-2121.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
1500.00	0.00	33.35	1500.00	-2021.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
1600.00	0.00	33.35	1600.00	-1921.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
1700.00	0.00	33.35	1700.00	-1821.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
1800.00	0.00	33.35	1800.00	-1721.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
1900.00	0.00	33.35	1900.00	-1621.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
2000.00	0.00	33.35	2000.00	-1521.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
2100.00	0.00	33.35	2100.00	-1421.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
2200.00	0.00	33.35	2200.00	-1321.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
2300.00	0.00	33.35	2300.00	-1221.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
2400.00	0.00	33.35	2400.00	-1121.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
2500.00	0.00	33.35	2500.00	-1021.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
2600.00	0.00	33.35	2600.00	-921.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
2700.00	0.00	33.35	2700.00	-821.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
2800.00	0.00	33.35	2800.00	-721.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
2900.00	0.00	33.35	2900.00	-621.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
3000.00	0.00	33.35	3000.00	-521.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
3100.00	0.00	33.35	3100.00	-421.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
3200.00	0.00	33.35	3200.00	-321.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
3300.00	0.00	33.35	3300.00	-221.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
3400.00	0.00	33.35	3400.00	-121.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
3500.00	0.00	33.35	3500.00	-21.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
3600.00	0.00	33.35	3600.00	79.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
3700.00	0.00	33.35	3700.00	179.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
3800.00	0.00	33.35	3800.00	279.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
3900.00	0.00	33.35	3900.00	379.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
4000.00	0.00	33.35	4000.00	479.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
4100.00	0.00	33.35	4100.00	579.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
4200.00	0.00	33.35	4200.00	679.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
4300.00	0.00	33.35	4300.00	779.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
4400.00	0.00	33.35	4400.00	879.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
4500.00	0.00	33.35	4500.00	979.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
4600.00	0.00	33.35	4600.00	1079.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
4700.00	0.00	33.35	4700.00	1179.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
4800.00	0.00	33.35	4800.00	1279.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
4900.00	0.00	33.35	4900.00	1379.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
5000.00	0.00	33.35	5000.00	1479.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
5100.00	0.00	33.35	5100.00	1579.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
5200.00	0.00	33.35	5200.00	1679.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
5300.00	0.00	33.35	5300.00	1779.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
5400.00	0.00	33.35	5400.00	1879.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
5500.00	0.00	33.35	5500.00	1979.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
5600.00	0.00	33.35	5600.00	2079.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
5700.00	0.00	33.35	5700.00	2179.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
5800.00	0.00	33.35	5800.00	2279.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
5900.00	0.00	33.35	5900.00	2379.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
6000.00	0.00	33.35	6000.00	2479.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03	
6100.00	0.00	33.35	610												

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	TVDSS (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ft)	Easting (ft)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	8500.00	0.00	33.35	8500.00	4979.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
	8600.00	0.00	33.35	8600.00	5079.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
	8700.00	0.00	33.35	8700.00	5179.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
	8800.00	0.00	33.35	8800.00	5279.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
	8900.00	0.00	33.35	8900.00	5379.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
KOP/ Build 12°100' DLS to 80°Inc	9000.00	0.00	33.35	9000.00	5479.00	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
	9004.80	0.00	33.35	9004.80	5483.80	0.00	0.00	0.00	0.00	0.00	0.00	425506.00	747889.00	N 32 10 2.27	W 103 31 56.03
	9100.00	11.42	33.35	9099.37	5578.37	8.17	7.90	5.20	12.00	9.46	33.35	425513.90	747884.20	N 32 10 2.35	W 103 31 55.97
	9200.00	23.42	33.35	9194.61	5673.61	33.98	32.87	21.63	12.00	39.35	33.35	425538.87	747910.63	N 32 10 2.59	W 103 31 55.78
	9300.00	35.42	33.35	9281.55	5760.55	76.33	73.83	48.59	12.00	88.39	33.35	425579.83	747937.59	N 32 10 2.99	W 103 31 55.46
Turn & Land 12°100' DLS to 359.57°Az	9400.00	47.42	33.35	9358.40	5835.40	133.36	129.00	84.90	12.00	154.43	33.35	425634.99	747973.89	N 32 10 3.54	W 103 31 55.03
	9500.00	59.42	33.35	9415.88	5894.88	202.58	195.96	128.97	12.00	234.59	33.35	425701.95	748017.96	N 32 10 4.20	W 103 31 54.51
	9600.00	71.42	33.35	9457.39	5936.39	280.97	271.78	178.87	12.00	325.36	33.35	425777.78	748067.86	N 32 10 4.94	W 103 31 53.93
	9671.47	80.00	33.35	9475.01	5954.01	340.72	329.58	216.91	12.00	394.55	33.35	425835.57	748105.90	N 32 10 5.51	W 103 31 53.48
	9700.00	80.92	30.01	9479.74	5958.74	365.42	353.53	231.68	12.00	422.68	33.24	425859.52	748120.68	N 32 10 5.75	W 103 31 53.31
Hold 90.5° UpDip	9800.00	84.38	18.42	9492.57	5971.57	457.78	443.82	272.24	12.00	520.67	31.53	425949.81	748161.24	N 32 10 6.64	W 103 31 52.83
	9900.00	88.06	6.97	9499.18	5978.18	555.96	540.59	294.11	12.00	615.77	28.53	426046.98	748183.10	N 32 10 7.60	W 103 31 52.56
	9964.93	90.50	359.57	9500.00	5979.00	620.83	605.76	297.81	12.00	675.01	26.18	426111.75	748186.80	N 32 10 8.24	W 103 31 52.52
	10000.00	90.50	359.57	9499.57	5978.69	655.84	640.83	297.54	0.00	706.54	24.91	426145.81	748180.54	N 32 10 8.59	W 103 31 52.52
	10100.00	90.50	359.57	9498.82	5977.82	755.65	740.82	296.79	0.00	798.06	21.83	426248.80	748185.78	N 32 10 9.58	W 103 31 52.52
	10200.00	90.50	359.57	9497.94	5976.94	855.46	840.81	296.04	0.00	891.41	19.40	426346.80	748185.03	N 32 10 10.57	W 103 31 52.52
	10300.00	90.50	359.57	9497.06	5976.06	955.27	940.81	295.28	0.00	986.06	17.43	426446.79	748184.28	N 32 10 11.56	W 103 31 52.52
	10400.00	90.50	359.57	9496.19	5975.19	1055.08	1040.80	294.53	0.00	1081.67	15.80	426546.78	748183.53	N 32 10 12.54	W 103 31 52.52
	10500.00	90.50	359.57	9495.31	5974.31	1154.89	1140.79	293.78	0.00	1178.01	14.44	426646.77	748182.77	N 32 10 13.53	W 103 31 52.52
	10600.00	90.50	359.57	9494.44	5973.44	1254.70	1240.79	293.03	0.00	1274.92	13.29	426746.76	748182.02	N 32 10 14.52	W 103 31 52.52
	10700.00	90.50	359.57	9493.56	5972.56	1354.51	1340.78	292.27	0.00	1372.27	12.30	426846.75	748181.27	N 32 10 15.51	W 103 31 52.52
	10800.00	90.50	359.57	9492.69	5971.69	1454.32	1440.77	291.52	0.00	1469.97	11.44	426946.74	748180.52	N 32 10 16.50	W 103 31 52.52
	10900.00	90.50	359.57	9491.81	5970.81	1554.12	1540.77	290.77	0.00	1567.96	10.69	427046.73	748179.76	N 32 10 17.49	W 103 31 52.52
	11000.00	90.50	359.57	9490.94	5969.94	1653.93	1640.76	290.02	0.00	1668.20	10.02	427146.72	748179.01	N 32 10 18.48	W 103 31 52.52
	11100.00	90.50	359.57	9490.06	5969.06	1753.74	1740.75	289.26	0.00	1764.62	9.43	427246.72	748178.26	N 32 10 19.47	W 103 31 52.52
	11200.00	90.50	359.57	9489.18	5968.18	1853.55	1840.75	288.51	0.00	1863.22	8.91	427346.71	748177.51	N 32 10 20.46	W 103 31 52.52
	11300.00	90.50	359.57	9488.31	5967.31	1953.36	1940.74	287.76	0.00	1961.96	8.43	427446.70	748176.75	N 32 10 21.45	W 103 31 52.52
	11400.00	90.50	359.57	9487.43	5966.43	2053.17	2040.73	287.01	0.00	2060.82	8.01	427546.69	748176.00	N 32 10 22.44	W 103 31 52.52
	11500.00	90.50	359.57	9486.56	5965.56	2152.98	2140.73	286.25	0.00	2159.78	7.62	427646.68	748175.25	N 32 10 23.43	W 103 31 52.52
	11600.00	90.50	359.57	9485.68	5964.68	2252.79	2240.72	285.50	0.00	2258.84	7.26	427746.67	748174.49	N 32 10 24.42	W 103 31 52.52
	11700.00	90.50	359.57	9484.81	5963.81	2352.60	2340.71	284.75	0.00	2357.97	6.94	427846.66	748173.74	N 32 10 25.41	W 103 31 52.52
	11800.00	90.50	359.57	9483.93	5962.93	2452.41	2440.71	284.00	0.00	2457.18	6.64	427946.65	748172.99	N 32 10 26.40	W 103 31 52.52
	11900.00	90.50	359.57	9483.06	5962.06	2552.22	2540.70	283.24	0.00	2556.44	6.36	428046.64	748172.24	N 32 10 27.39	W 103 31 52.52
	12000.00	90.50	359.57	9482.18	5961.18	2652.03	2640.69	282.49	0.00	2655.76	6.11	428146.64	748171.48	N 32 10 28.38	W 103 31 52.52
	12100.00	90.50	359.57	9481.30	5960.30	2751.84	2740.69	281.74	0.00	2755.13	5.87	428246.63	748170.73	N 32 10 29.37	W 103 31 52.52
	12200.00	90.50	359.57	9480.43	5959.43	2851.65	2840.68	280.99	0.00	2854.54	5.65	428346.62	748169.98	N 32 10 30.36	W 103 31 52.52
	12300.00	90.50	359.57	9479.55	5958.55	2951.46	2940.67	280.23	0.00	2954.00	5.44	428446.61	748169.23	N 32 10 31.35	W 103 31 52.52
	12400.00	90.50	359.57	9478.68	5957.68	3051.27	3040.67	279.48	0.00	3053.49	5.25	428546.60	748168.47	N 32 10 32.34	W 103 31 52.52
	12500.00	90.50	359.57	9477.80	5956.80	3151.08	3140.66	278.73	0.00	3153.01	5.07	428646.59	748167.72	N 32 10 33.32	W 103 31 52.52
	12600.00	90.50	359.57	9476.93	5955.93	3250.89	3240.65	277.98	0.00	3252.55	4.90	428746.58	748166.97	N 32 10 34.31	W 103 31 52.52
	12700.00	90.50	359.57	9476.05	5955.05	3350.70	3340.65	277.22	0.00	3352.13	4.74	428846.57	748166.22	N 32 10 35.30	W 103 31 52.52
	12800.00	90.50	359.57	9475.18	5954.18	3450.51	3440.64	276.47	0.00	3451.73	4.59	428946.56	748165.46	N 32 10 36.29	W 103 31 52.52
	12900.00	90.50	359.57	9474.30	5953.30	3550.32	3540.63	275.72	0.00	3551.35	4.45	429046.55	748164.71	N 32 10 37.28	W 103 31 52.52
	13000.00	90.50	359.57	9473.42	5952.42	3650.13	3640.63	274.97	0.00	3651.00	4.32	429146.55	748163.96	N 32 10 38.27	W 103 31 52.52
	13100.00	90.50	359.57	9472.55	5951.55	3749.94	3740.62	274.21	0.00	3750.66	4.19	429246.54	748163.21	N 32 10 39.26	W 103 31 52.52
	13200.00	90.50	359.57	9471.67	5950.67	3849.75	3840.61	273.46	0.00	3850.34	4.07	429346.53	748162.45	N 32 10 40.25	W 103 31 52.52
	13300.00	90.50	359.57	9470.80	5949.80	3949.56	3940.61	272.71	0.00	3950.03	3.96	429446.52	748161.70	N 32 10 41.24	W 103 31 52.52
	13400.00	90.50	359.57	9469.92	5948.92	4049.37	4040.60	271.96	0.00	4049.74	3.85	429546.51	748160.95	N 32 10 42.23	W 103 31 52.52
	13500.00	90.50	359.57	9469.05	5948.05	4149.18	4140.59	271.20	0.00	4149.47	3.75	429646.50	748160.20	N 32 10 43.22	W 103 31 52.52
	13600.00	90.50	359.57	9468.17	5947.17	4248.99	4240.59	270.45	0.00	4249.20	3.65	429746.49	748159.44	N 32 10 44.21	W 103 31 52.52
	13700.00	90.50	359.57	9467.30	5946.30	4348.80	4340.58	269.70	0.00	4348.95	3.56	429846.48	748158.69	N 32 10 45.20	W 103 31 52.52
	13800.00	90.50	359.57	9466.42	5945.42	4448.60	4440.57	268.95	0.00	4448.71	3.47	429946.47	748157.94	N 32 10 46.19	W 103 31 52.52
	13900.00	90.50	359.57	9465.54	5944.54	4548.41	4540.57	268.19	0.00	4548.48	3.38	430046.47	748157.19	N 32 10 47.18	W 103 31 52.52
	14000.00	90.50	359.57	9464.67	5943.67	4648.22	4640.56	267.44	0.00	4648.26	3.30	430146.46	748156.43	N 32 10 48.17	W 103 31 52.52
	14100.00	90.50	359.57	9463.79	5942.79	4748.03	4740.55	266.69	0.00	4748.05	3.22	430246.45	748155.68	N 32 10 49.16	W 103 31 52.52
EOG Dragon 36 State 2H PBHL	14190.56	90.50	359.57	9463.00	5942.00	4838.42	4831.11	266.01	0.00	4838.43	3.15	430337.00	748155.00	N 32 10 50.05	W 103 31 52.52

Survey Type: Def Plan