Office	State of New Mexico	
District I ~ (575) 393-6161 Energy, Minerals and Natural Resources 1625 N. French Dr., Hobbs, NM 8824040BBS OCD		Revised July 18, 2013 WELL API NO.
OIL CONSERVATION DIVISION		30-025-04167
District III - (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 874 LAN 27 2014 1220 South St. Francis Dr. Santa Fe, NM 87505		5. Indicate Type of Lease STATE FEE FEE
1000 Rio Brazos Rd., Aztec, NM 874 LOPAN 20 CONTROL Santa Fe, NM 87505		6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM		
87505 SUNDRY NOTICES AND REPORTS ON WELLS		7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		North Monument G/SA Unit (302708)
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other		8. Well Number 008
2. Name of Operator		9. OGRID Number
Apache Corporation 3. Address of Operator		873 / 10. Pool name or Wildcat
303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705		Eunice Monument; G-SA (23000)
4. Well Location		(====)
Unit Letter H : 1980 feet from the North line and 660 feet from the East line		
	ship 20S Range 36E	NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	
	3581' GR	
12. Check Appropriate Bo	x to Indicate Nature of Notice,	Report or Other Data
NOTICE OF INTENTION TO	o· Sub:	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ REMEDIAL WORK		
TEMPORARILY ABANDON		LLING OPNS. P AND A
PULL OR ALTER CASING MULTIPLE CO	MPL CASING/CEMENT	IJOB
DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM		
CLOSED-LOOP SYSTEM OTHER:	OTHER: Workove	er 🗸
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date		
of starting any proposed work). SEE RULE proposed completion or recompletion.	19.15.7.14 NMAC. For Multiple Cor	npletions: Attach wellbore diagram of
Amerada Hess did the following to the well in 2005.		
06/15/2005 TIH w/ casing guns, perf OH @ 3807'-38	10', 3815'-3817', 3824'-3826', 3834'-3	838', 3842'-3860', then perfed casing @
3758'-3762', 3764'-3767', & 3784'-3787' w/ 2 SPF.		
06/16/2005 Tag PBTD @ 3880'. Wash OH & perfs w/ 1500 gals 15% HCI NMGSAU blend acid. 06/17/2005 Pumped 1344 gals acid over casing perfs. Swab.		
06/20/2005 Swab.		
06/22/2005 Scale squeeze.		
07/21/2005 TIH w/ 2-7/8" tbg. SN @ 3880'. 07/22/2005 RDPU and clean loc. POP.		
Spud Date: 11/14/1935	Rig Release Date: 12/14/1935	
I hereby certify that the information above is true and	complete to the best of my knowledge	and belief
Thereby certify that the information above is true and	complete to the best of my knowledge	and boner.
K)u	Demodet of Tools II	04/04/0044
SIGNATURE	TITLE Regulatory Tech II	DATE 01/24/2014
Type or print name Fatima Vasquez	E-mail address: Fatima.Vasquez@a	pachecorp.com PHONE: (432) 818-1015
For State Use Only	Petroleum Engine	
APPROVED BY:	Petroleum Enginee	DATE JAN 28 201
Conditions of Approval (#any):	11156	DATE -