

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. / 30-025-00642
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐ HOBBS OCD		5. Indicate Type of Lease STATE FEE ☒
2. Name of Operator COG OPERATING LLC		6. State Oil & Gas Lease No.
3. Address of Operator 600 W. ILLINOIS AVE., MIDLAND, TEXAS 79701		7. Lease Name or Unit Agreement Name MILLER B
4. Well Location Unit Letter: A ; 660 feet from the NORTH line and 660 feet from the EAST line Section 23 Township 17S Range 32E NMPM LEA County		8. Well Number 001
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4,077' - GR		9. OGRID Number 229137
		10. Pool name or Wildcat MALJAMAR; GRAYBURG-S.A.

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 5-1/2" CIBP @ 4,050'; PUMP 80 SXS. CMT. @ 4,050'-3,725' (T/S.A., T/GRBG.); CIRC. WELL W/ PXA FLUID.
- 2) PUMP 40 SXS. CMT. @ 2,442'-2,180' (T/YATES, B/SALT); WOC X TAG CMT. PLUG.
- 3) PUMP 25 SXS. CMT. @ 1,213'-1,110' (T/SALT); WOC X TAG TOP OF CMT. PLUG.
- 4) PERF. X CIRC. TO SURF., FILLING ALL ANNULI, 100 SXS. CMT. @ 280'-3'.
- 5) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM W/ A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RULE 19.15.17.

Spud Date:

Rig Release Date:

RECEIVED

JAN 17 2014

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

NMOCD ARTESIA

SIGNATURE

TITLE: AGENT

DATE: 01/15/14

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILAGRO-RES.COM

PHONE: 432.687.3033

For State Use Only

APPROVED BY:

TITLE: Compliance Officer

DATE: 1/28/2014

Conditions of Approval (if any):

OIL CONSERVATION DIVISION - Hobbs office Must Be Notified
24 hours prior to the beginning of Plugging Operations.

JAN 29 2014

30-025-00642

COG Operating LLC

Lease & Well #


Miller B #1

Spud - 5/8/60

Elevation - 4086 DF'

A-23-175-38E
660 FNL ; 660 FEL.

KB -



8 5/8" 32# @ 227', 100 sx cmt

Top of cmt @ 545' FS.

GB/SA

4105 - 4226

Frac w/35,000 gal lg, 50,000 # sd

4324 - 4333

Frac w/12,000 gal LC, 12,000 # sd

5 1/2" 14 # csg @ 4399', cmt w/1,200 sx C 10% gel

Top of cmt @ 545".

COG Operating LLC

Lease & Well # Miller B #1

Spud - 5/8/60

Elevation - 4086 DF'

KB -

