

Submit 1 Copy To Appropriate District  
Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103

Revised August 1, 2011

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-25757
5. Indicate Type of Lease STATE FEE X
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name DELLA B BOREN
8. Well Number 004
9. OGRID Number 162683
10. Pool name or Wildcat EUNICE, SOUTH; 7-RIVERS-QUEEN

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well X Gas Well Other	
2. Name of Operator CIMAREX ENERGY CO. OF COLORADO	
3. Address of Operator 600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701	
4. Well Location Unit Letter G: 1980 feet from the NORTH line and 1980 feet from the EAST line Section 20 Township 22S Range 36E NMPM LEA County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,544' - GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON X  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A  
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- SET 5-1/2" CIBP @ 3,700'; PUMP 25 SXS. CMT. @ 3,700'-3,570'; CIRC. WELL W/ PXA MUD.
- PUMP 60 SXS. CMT. @ 1,852'-1,477' (B/SALT, T/SALT, T/ANHY.); WOC X TAG CMT. PLUG. → @ 1450'
- MIX X CIRC. TO SURF. 70 SXS. CMT. @ 507'-3' (8-5/8" CSG. SHOE).
- DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.
- 

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM WITH A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RUNLE 19.15.17.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

*David A. Eyler*

TITLE:

AGENT

DATE: 02/28/14

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILAGRO-RES.COM

PHONE: 432.687.3033

For State Use Only

APPROVED BY:

*Beth Swannick*

TITLE

*Staff Manager*

DATE

*3-04-2014*

Conditions of Approval (if any):

OIL CONSERVATION DIVISION - Hobbs office Must Be Notified  
24 hours prior to the beginning of Plugging Operations.

MAR 04 2014

**CIMAREX**

Spudded 7/17/1982  
8-5/8 24# csg @ 457'  
Cmt w/530 sx "C", circ to surface

**Cimarex Energy Co. of Colorado**

Della B Boren #4

API 30-025-25757


1980' FNL & 1980' FEL, Sec 20, T22S R36E

Lea County, NM

GL:3544', KB:3558

J PIWETZ

1/23/2014



CIRC. 70 SXS. CMT. @ 507'-3'

Pump 60 SXS. CMT. @ 1852'-1477'-TAG

Pump 25 SXS. @ 3700'-3570'

SET 5 1/2" CIBP @ 3700'

Queen Perfs: 3721 - 3888' (7/82)


Tag Fill @ 3897' (10/19/2007)

5-1/2" 14# J-55 csg @ 4000'  
Cmt w/915 sx, Circ 125 sx

PBTD: 3979'  
TD: 4000'

**CIMAREX**

Spudded 7/17/1982  
8-5/8 24# csg @ 457'  
Cmt w/530 sx "C", circ to surface



5-1/2" 14# J-55 csg @ 4000'  
Cmt w/915 sx, Circ 125 sx

PBTD: 3979'  
TD: 4000'

**Cimarex Energy Co. of Colorado****Della B Boren #4**

API 30-025-25757

1980' FNL &amp; 1980' FEL, Sec 20, T22S R36E

Lea County, NM

GL:3544', KB:3558

JL 6

J PIWETZ

1/23/2014

**8-3/4" hole to 4000'****TUBING DETAIL (1/6/2012)**

122 jts 2-3/8" J-55 tbg = 3872'

1 2-3/8" API SN

1 2-3/8" x 4' Perf Sub

1 2-3/8" BPMA

TLA 33887.4' KB (KB = 14' AGL)

**ROD DETAIL (1/7/2012)**

1 2" x 1-1/4" x 14' RHBC Pump + 10' GA

1 1" x 1' lift pony

1 Right hand release tool

4 1-1/2" K-bars

106 3/4" x 25' Grade K rods

42 7/8" x 25' Grade K rods

1 2' x 7/8" pony rod

1 2" x 1-1/4" x 16' PSPR + 1 1-1/2" x 8' PRL

**Queen Perfs: 3721 - 3888' (7/82)**

Tag Fill @ 3897' (10/19/2007)