

HOBBS OGD

MAR 06 2014

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

RECEIVED

WELL API NO.
30-025-308915. Indicate Type of Lease
STATE X FEE

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

MITCHELL "16" STATE

8. Well Number
0029. OGRID Number
16268310. Pool name or Wildcat
YOUNG; WOLFCAMP

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG-BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well X Gas Well Other

2. Name of Operator
CIMAREX ENERGY CO. OF COLORADO3. Address of Operator
600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701

4. Well Location

Unit Letter A : 469 feet from the NORTH line and 554 feet from the EAST line
Section 16 Township 18S Range 32E NMPM LEA County11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3,799' - GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON X
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐



SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A
CASING/CEMENT JOB ☐OTHER: ☐

OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 5-1/2" CIBP @ 10,450'; PUMP 30 SXS.CMT. @ 10,450'-10,230' (T/WC); CIRC. WELL W/ PXA MUD.
 2) PUMP 25 SXS.CMT. @ 8,595'-8,415' (DV TOOL); WOC X TAG. 3) PUMP 25 SXS.CMT. @ 6,670'-6,510' (T/B.S.).
 4) PUMP 25 SXS.CMT. @ 5,491'-5,341' (T/DLWR.). 5) PUMP 25 SXS. CMT. @ 4,500'-4,360' (T/S.A.).
 6) PUMP 25 SXS.CMT. @ 2,960'-2,840' (8-5/8" CSG.SHOE); WOC X TAG CMT. PLUG.
 7) CUT X PULL 5-1/2" CSG. @ +/-2,150'.
 8) PUMP 55 SXS.CMT. @ 2,210'-2,090' (5-1/2" CSG.CUT, B/SALT); WOC X TAG CMT. PLUG.
 9) PUMP 50 SXS.CMT. @ 1,215'-1,105' (T/SALT); WOC X TAG CMT. PLUG.
 10) PUMP 35 SXS.CMT. @ 401'-301' (13-3/8" CSG.SHOE); WOC X TAG CMT. PLUG.
 11) MIX X CIRC. TO SURF. 35 SXS.CMT. @ 62'-3' 100'
 12) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.
 DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM WITH A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RUNLE 19.15.17.



ud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE:

AGENT

DATE: 03/04/14

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILAGRO-RES.COM

PHONE: 432.687.3033

For State Use Only

APPROVED BY:

TITLE

Compliance Officer

DATE

03/07/2014

Conditions of Approval (if any):

MAR 10 2014

OIL CONSERVATION DIVISION - Hobbs office Must Be Notified 24 hours prior to the beginning of Plugging Operations.

**Cimarex Energy Co. of Colorado**

Mitchell 16 State No. 002

UL A Sec 16 T18S R32E 469' FNL & 554' FEL

API #30-025-30891

Tyler Duncan


6/3/2013

Calc TOC @ 2,400'
(Drilling report states a CBL was run
CBL is missing from well file)

DV Tool @ 8,505'

DV & Guide shoe @ 10,863'-10,874'
5 1/2" 17# K-55 & N-80 @ 10,873'

8/2004 Fill Tagged @ 11,058' KB



13 3/8" 48# H-40 @ 351' 240 sx cmt Circulated

8 5/8" 24# K-55 @ 2900' 1445 sx cmt circulated

Run: 8/10/2012

Rod Description	Count	length	OD	depth	grade	Coupling	Condition
1.5 x 26' polished rod	1	26	1.5	26			
w/ 16' liner							
1" x 4' pony rod	1	4	1	30			
1" Grade 97 Rods	4	100	1	130	97 SHSM		Used
1 1/4" Fiberglass	137	5,137.50	1.3	5267.5	SHSM		Used
7/8" Grade 97 Rods	214	5,350.00	0.9	10618	97 SHSM		Used
1 1/2" Sinker Bar	12	300	1.5	10918	SB	FHT	Used
1" Guided pony rod	1	4	1	10922			
2.5 x 1.25 x 24 RHBC							
with lift sub and 26K	1	25.5	0	10947			
shear tool							

Wolfcamp 10,474'-10,500' (7/21/1991)

Wolfcamp 10,608'-10,624' (7/21/1991)

Wolfcamp 10,6460'-10,690' (7/11/1991)

Wolfcamp 10,736'-10,760' (7/11/1991)

Wolfcamp 10,816'-10,844' (6/21/1990)

Wolfcamp Open Hole
10,874'-11,100'

DAE 03/02/14