

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

HOBBS OGD
 MAR 10 2014

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-20264 ✓
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator OXY USA Inc.		6. State Oil & Gas Lease No. E-881
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name Aztec State ✓
4. Well Location Unit Letter <u>N</u> : <u>990</u> feet from the <u>south</u> line and <u>2310</u> feet from the <u>west</u> line Section <u>B</u> Township <u>17S</u> Range <u>33E</u> NMPM County <u>Lea</u>		8. Well Number <u>4</u> ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>4201'</u>		9. OGRID Number 16696 ✓
		10. Pool name or Wildcat Maljamar GBSA

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
---	--	---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-4418' Perfs-4234-4362'
 8-5/8" 24# csg @ 312' w/ 225sx, 11" hole, TOC-Surf-Circ
 5-1/2" 14# csg @ 4415' w/ 350sx, 7-7/8" hole, TOC-2397'-Calc
 1. RIH & set CIBP @ 4184', M&P 30sx cmt to 3970'
 2. Perf @ 2550', sqz 35sx cmt to 2450' WOC-Tag
 3. Perf @ 1520', sqz 35sx cmt to 1420' WOC-Tag
 4. Perf @ 362' sqz 115sx cmt to surface
 10# MLF between plugs
 Above ground steel tanks will be utilized.

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 3/6/14

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only
 APPROVED BY: Maley Brown TITLE Compliance Officer DATE 3/12/2014

Conditions of Approval (if any):
 OIL CONSERVATION DIVISION - Hobbs office **Must Be Notified**
 24 hours prior to the beginning of Plugging Operations.
 MAR 13 2014


OXY USA Inc. - Proposed
Aztec State #4
API No. 30-025-20266

115sx @ 362'-Surface

35sx @ 1520-1420' WOC-Tag

35sx @ 2550-2450' WOC-Tag

CIBP @ 4184' w/ 30sx to 3970'



Perf @ 362'

Perf @ 1520'

Perf @ 2550'


Perfs @ 4234-4362'

11" hole @ 312'
8-5/8" csg @ 312'
w/ 225sx-TOC-Surf-Circ

7-7/8" hole @ 4418'
5-1/2" csg @ 4415'
w/ 350sx-TOC-2397'-Calc

TD-4418'

OXY USA Inc. - Current
Aztec State #4
API No. 30-025-20266



11" hole @ 312'
8-5/8" csg @ 312'
w/ 225sx-TOC-Surf-Circ ✓

7-7/8" hole @ 4418'
5-1/2" csg @ 4415'
w/ 350sx-TOC-2397'-Calc ✓

Perfs @ 4234-4362'

TD-4418'