

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

HOBBSOCD

OIL CONSERVATION DIVISION

MAR 14 2014
South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-34144 ✓
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator OXY USA Inc. ✓		6. State Oil & Gas Lease No. E 1673
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name State 33 ✓
4. Well Location Unit Letter F : 1980 feet from the north line and 2310 feet from the west line Section 33 Township 21S Range 3SE NMPM County Lea		8. Well Number 2 ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3621		9. OGRID Number 16696
		10. Pool name or Wildcat Granada Ridge Morrow East

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☒ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: 5 YRS MIT ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-12707' PBTD-12620' Perfs-12526-12658'

OXY USA Inc. respectfully requests to temporarily abandon this well. It is currently being evaluated for possible future recompletion.

1. RIH & set CIBP @ +/-12476'
2. Notify NMOCD of casing integrity test 24hrs in advance.
3. RU pump truck, circulate well with treated water, pressure test casing to 500# for 30 min.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 3/12/14

Type or print name David Stewart E-mail address: david.stewart@oxy.com PHONE: 432-685-5717

For State Use Only


APPROVED BY: Mark Whitaker TITLE Compliance Officer DATE 03/18/2014

CONDITION OF APPROVAL: Notify OCD DISTRICT OFFICE 24 HOURS prior to STARTING THE WORKOVER..

CONDITION OF APPROVAL: Notify OCD DISTRICT OFFICE 24 HOURS prior to running the TA Pressure Test.

MAR 18 2014

OXY USA Inc. - Proposed
State 33 #2
API No. 30-025-34144



17-1/2" hole @ 1118'
13-3/8" csg @ 1118'
w/ 950sx-TOC-Surf-Circ

12-1/4" hole @ 4850'
9-5/8" csg @ 4850'
w/ 1705sx-TOC-Surf-Circ

8-3/4" hole @ 11115'
7" csg @ 11115'
w/ 1250sx-TOC-2798'-Calc


6-1/8" hole @ 12671'
4-1/2" liner @ 10731-12666'
w/ 220sx-TOC-10731'-Circ

CIBP @ 12476'

Perfs @ 12526-12535' Sqz w/ 100sx cmt - 2005
Perfs @ 12654-12658'
OH @ 12666-12707'

TD-12707'

OXY USA Inc. - Current
State 33 #2
API No. 30-025-34144



17-1/2" hole @ 1118'
13-3/8" csg @ 1118'
w/ 950sx-TOC-Surf-Circ

12-1/4" hole @ 4850'
9-5/8" csg @ 4850'
w/ 1705sx-TOC-Surf-Circ

8-3/4" hole @ 11115'
7" csg @ 11115'
w/ 1250sx-TOC-2798'-Calc

6-1/8" hole @ 12671'
4-1/2" liner @ 10731-12666'
w/ 220sx-TOC-10731'-Circ

2-7/8" tbg & pkr @ 12561'

Perfs @ 12526-12535' Sqz w/ 100sx cmt - 2005
Perfs @ 12654-12658'
OH @ 12666-12707'