

Submit 1 Copy To Appropriate District Office  
 District I - (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II - (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III - (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV - (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources  
**HOBBS OCD**  
**OIL CONSERVATION DIVISION**  
 APR 07 2014 220 South St. Francis Dr.  
 Santa Fe, NM 87505

Form C-103  
 Revised July 18, 2013

**RECEIVED**

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-08198 ✓
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Injection		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator OXY USA Inc.		6. State Oil & Gas Lease No. E9789-1
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name Monsanto State ✓
4. Well Location Unit Letter <u>0</u> : <u>660</u> feet from the <u>south</u> line and <u>1980</u> feet from the <u>east</u> line Section <u>16</u> Township <u>25S</u> Range <u>32E</u> NMPM County <u>Lea</u>		8. Well Number <u>3</u> ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>3430'</u>		9. OGRID Number 16696 ✓
		10. Pool name or Wildcat Paduca Delaware ✓

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-4736' PBD-4693' Perfs-4601-4654'

8-5/8" 24# csg @ 359' w/ 240sx, 12-1/4" hole, TOC-Surf-Circ  
 4-1/2" 9.5# csg @ 4736' w/ 150sx, 7-7/8" hole, TOC-4077'-Calc

1. RIH & set CIBP @ 4551', M&P 30sx cmt to 4280' WOC-Tag  
 2. Perf @ 2785'. sqz 45sx cmt to 2655' WOC-Tag  
 3. Perf @ ~~1165'~~, sqz 40sx cmt to ~~1045'~~ WOC-Tag **850' - 730'**  
 4. Perf @ 406' sqz 145sx cmt to surface  
 10# MLF between plugs  
 Above ground steel tanks will be utilized.

Spud Date:  Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 4/4/14

Type or print name David Stewart E-mail address: david\_stewart@oxy.com PHONE: 432-685-5717


For State Use Only  
 APPROVED BY: Maley Brown TITLE Compliance Officer DATE 4/8/2014  
 Conditions of Approval (if any)

APR 14 2014

OXY USA Inc. - Proposed  
Monsanto State #3  
API No. 30-025-08198

145sx @ 406'-Surface

12-1/4" hole @ 359'  
8-5/8" csg @ 356'  
w/ 240sx-TOC-Surf-Circ




Perf @ 406'

40sx @ ~~1165-1045'~~ WOC-Tag  
850 - 730'



Perf @ ~~1165'~~  
850'


45sx @ 2785-2655'



Perf @ 2785'

CIBP @ 4551' w/ 30sx to 4280' WOC-Tag

7-7/8" hole @ 4736'  
4-1/2" csg @ 4736'  
w/ 150sx-TOC-4077'-Calc




Perfs @ 4601-4654'

PB-4693'

TD-4736'

OXY USA Inc. - Current  
Monsanto State #3  
API No. 30-025-08198

12-1/4" hole @ 359'  
8-5/8" csg @ 356'  
w/ 240sx-TOC-Surf-Circ



7-7/8" hole @ 4736'  
4-1/2" csg @ 4736'  
w/ 150sx-TOC-4077'-Calc

2-3/8" tbg w/ pkr @ 4533'

Perfs @ 4601-4654'

PB-4693'

TD-4736'