

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-07739
1. Type of Well: Oil Well ☒ Gas Well ☐ Other Water Injection		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator Chevron U.S.A. INC.		6. State Oil & Gas Lease No.
3. Address of Operator 15 Smith Road Midland, TX 79705		7. Lease Name or Unit Agreement Name FRED TURNER
4. Well Location Unit Letter <u>O</u> : <u>660'</u> feet from the <u>SOUTH</u> line and <u>1980'</u> feet from the <u>EAST</u> line Section <u>6</u> Township <u>20-S</u> Range <u>38-E</u> NMPM County <u>Lea</u>		8. Well Number: <u>2</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3568' GL		9. OGRID Number: <u>4323</u>
		10. Pool name or Wildcat NASINE, PADDOCK-BLINBRY, WEST

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:
REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD 6098', PBTD 6085' PERFS: 3522', 5457' - 5467', 5510' - 5517' 5576' - 6074'
10-3/4" 32.75# csg @ 268', w/275 sks, 17-1/2" hole, Circ to Surface
7" 20# csg. @ 4011' w/850 sks 11" hole, TOC 3515'
4-1/2" LINER. TOL @ 3678'

1. MIRUWSU. NDWH. NUBOPE.

2. Tag CIBP @ 5516" w/50 sks of Class C cement, WOC & TAG, (will cover all perfs that are supposed to be squeezed)

3. Pressure Test casing to 500 psi and record/report findings

4. Set Plug w/30 sks of Class C cement, @ 4111' - 3911', (Shoe) **WOC & TAG**

5. Perf & Sqz w/ 60 sks, @ 2666' - 2466', WOC & TAG (Top of Salt) **805**

6. Perf & Sqz w/60 sks of Class C cement, @ ~~1733' - 1533'~~, WOC & TAG, (Top & Bottom of Salt) **1583' - 1383'**

7. Perf & Circulate w/175 sks of C cement 400'-Surface. (Shoe)

8. Cut off wellhead and anchors 3' below grade. Weld on dry hole marker. Clean location.

9. CLOSED LOOP SYSTEM USED.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Representative DATE 04/23/14

Type or print name Robert Holden E-mail address: rholden@keyenergy.com PHONE: 432-523-5155

For State Use Only
APPROVED BY: Mary Brown TITLE Dist. Supervisor DATE 4/29/2014

Conditions of Approval (if any):

APR 30 2014


Current



Schematic by Wellbore

APL-30-025-07739

Well Name: *CHK*FRED TURNER 2-6	Lease: TURNER FRED	Field Name: WEST NADINE, BLINEBRY	Business Unit: Mid-Continent
Ground Elevation (ft): 3,568.00	Original RKB (ft): 3,573.00	Current RKB Elevation	Water Depth (ft): Th Elev (ft):





Proposed Schematic by Wellbore

API-30-025-07739

Well Name CHK FRED TURNER 2-6	Lease TURNER FRED	Field Name WEST NADINE, BLINEBRY	Business Unit Mid-Continent
Ground Elevation (ft) 3,568.00	Original RKB (ft) 3,573.00	Current RKB Elevation	Water Depth (ft) TH Elev (ft)

