District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes 🗷 No 🗆

Type of action: Registration of a pit	or below-grade tank Closure of a pit or below-gr	ade tank
Operator: FOG Resources Inc. Telephor	ne: 432 . 686 . 3689 e-mail address: So	<u> </u>
Facility or well name: Emogrado lo Fed Com API #:	50.625.36919 (Dor Qtr/Qtr _ B	Sec 6 T 13 R 35
County:Latitude		34 NAD: 1927 🗆 1983 🗆
Surface Owner: Federal 🔀 State 🗌 Private 🔲 Indian 🗍		(27720)
Pit	Below-grade tank	A25202, 2030
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	-/2 ³
Workover Emergency	Construction material:	24 25 26 27 28 20 30 33 N
Lined Unlined	Double-walled, with leak detection? Yes If no	ot, explain why not.
Liner type: Synthetic Thickness 2 mil Clay		19 A 38 6/
Pit Volume 2600bl	Landar 60 fee	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	. 47
high water elevation of ground water.) 52 4.	50 feet or more, but less than 100 feet	(10 points) St be Et 21 LLOI
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(O points)
	Ranking Score (Total Points)	10
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Indi	cate disposal location: (check the onsite box if
your are burying in place) onsite offsite If offsite, name of facility_	(3) Attach a general	description of remedial action taken including
remediation start date and end date. (4) Groundwater encountered: No		
(5) Attach soil sample results and a diagram of sample locations and excava	ations.	
Additional Comments: Plan to de-wales.	Lvillian pit, excavat	es contente al
oit and lines, how to a Oc		al facility. Okas
documitation of diseased.	Rackfill oit me	illa Clean Soul
kend and Contour.	. 0	
Notity the OCD+BLM before	station and file so	don station of closure
will start soon after any vov	al so	early Novice of Costag
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that	the above-described pit or below-grade tank
		and over approved pair Li.
Date: 10/17/05	\mathcal{P}_{0} \mathcal{P}_{0} \mathcal{P}_{0}	
Printed Name/Title Eddie W Song Strong Sources deep	Signature Signature	
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to	the operator of its responsibility for compliance with	s of the prior tank contaminate ground water or any other federal, state, or local laws and/or
regulations.		
Approval:		1
Printed Name/Title GARY W. WINK STAFF MGI	R Signature Las, W. Win	Date: 10/18/05
	7	

New Mexico Office of the State Engineer Well Reports and Downloads

NAD27 X: Y	Y: Zone: Search Radius:
County: Basin:	Number: Suffix:
Owner Name: (First)	(Last) Non-Domestic O Domestic • All
Vell / Surface Data Report	Avg Depth to Water Report Water Column Report

AVERAGE DEPTH OF WATER REPORT 10/06/2005

								(Depth	Water in	Feet)
Bsn	Tws	Rng	Sec	Zone	x	¥	Wells	Min	Max	Avg
L	138	35E	03				1	42	42	42
L	138	35E	11				1	60	60	60
L	13S	35E	12				1	40	40	40
L	138	35E	13				1	50	50	50
L	138	35E	20				1	45	45	45
L	138	35E	21				1	48	48	48
L	13S	35E	24				1	57	57	57
L	138	35E	35				1	68	68	68

Record Count: 8

Empanada 6 Federal No.1

