

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-28608
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> HOBBS OCD		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Endurance Resources LLC		6. State Oil & Gas Lease No. V-732
3. Address of Operator 203 W Wall Suite 1000 Midland TX 79701		7. Lease Name or Unit Agreement Name New Mexico DL State
4. Well Location Unit Letter H : 1980 feet from the north line and 330 feet from the east line Section 18 Township 23S Range 33E NMPM Lea County NM		8. Well Number 3
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3706' GR		9. OGRID Number 270329
		10. Pool name or Wildcat Cruz; Delaware

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Set CIBP @ 5100', cap with 100' cement (top perfs).
Top perforation 5118' Top Delaware 5118'

Circulate heavy mud. Spot 25 sacks cement @ 3600'. Spot 25 sacks cement @ 1300' (Top salt).

Perforate and squeeze cement @ 925'. Circulate to surface. Cut off wellhead and install dry hole marker.

The Oil Conservation Division

MUST BE NOTIFIED 24 Hours


Prior to the beginning of operations

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE **Geologist**

DATE **April 30, 2014**


Type or print name **Randall L Harris**

E-mail address: **randall@enduranceresourcesllc.com**

PHONE: **432/242-4680**

For State Use Only

APPROVED BY:



TITLE

Dist. Supervisor

DATE

5/6/2014


Conditions of Approval (if any):

MAY 06 2014

ENDURANCE RESOURCES LLC

NEW MEXICO DL STATE 3


30-025-28608



8 5/8" @ 632' CMT CIRC

— TOC 950'

1300' —
T/SALT



5118 —
T/DELAWARE

5118-5192 PERFS

5 1/2" @ 5301 1300 SX CMT