

Submit 1 Copy To Appropriate District Office  
District I – (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised August 1, 2011

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-03240
1. Type of Well: Oil Well      Gas Well      Other INJECTION WELL		5. Indicate Type of Lease STATE XX FEE
2. Name of Operator State of New Mexico formerly Xeric Oil & Gas Corp.		6. State Oil & Gas Lease No.
3. Address of Operator 1625 N. French Drive      Hobbs, New Mexico      88240		7. Lease Name or Unit Agreement Name West Pearl Queen Unit
4. Well Location Unit Letter <u>I</u> : <u>1980</u> feet from the <u>S</u> line and <u>660</u> feet from the <u>E</u> line Section <u>29</u> Township <u>19S</u> Range <u>35E</u> NMPM      County <u>Lea</u>		8. Well Number      119
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 25482
		10. Pool name or Wildcat Pearl Queen

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON XX	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHMENTS: PROCEDURE & SCHEMATIC

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mary Brown TITLE Compliance Officer DATE 7/16/2013  
Type or print name \_\_\_\_\_ E-mail address: \_\_\_\_\_ PHONE: 575-393-6161

**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
Conditions of Approval (if any): \_\_\_\_\_

State of New Mexico formerly XERIC OIL & GAS

LEASE NAME WEST PEARL QUEEN UNIT #119 API 30-0 25 - 03240

U.L. I Section 29 - T 19 S-R 35 E FROM 1980 ~~N~~ / S L, 660 E / ~~W~~ L.

**SPECIAL NOTE**—Mud Laden Fluid will consist of 9.5# brine with 12.5# Salt Gel per BBL (25 sacks of gel/ per 100 BBLS Brine). All cement plugs will be 25 sacks of cement or 100', whichever is greater. **Unless otherwise specified in the approved procedure**, cement plugs shall consist of class "C" for depths to 7500'. Class "H" will be used for plugs deeper than 7500'.

1. MIRU plugging unit. Lay down production equipment.
2. Set CIBP @ 4700 '. Circulate MLF. Spot 25 sxs cmt on CIBP. **PRESSURE TEST CSG.**
3. ~~Perf/Sqz or Spot~~ 25 sxs cmt @ 3300 '. If perf, WOC & TAG.
4. Perf /Sqz or ~~Spot~~ 25 sxs cmt @ 1840 '. If perf, WOC and TAG.
5. Perf/Sqz or ~~Spot~~ @ 200 ', w/ sufficient volume to circ cmt to surface inside/outside of csg strings.
6. Cutoff wellhead and anchors, install marker.

-----SPECIAL NOTES-----

# PLUGGING & ABANDONMENT WORKSHEET

OPERATOR STATE OF NM FORMERLY XERTIC OIL & GAS  
LEASENAME WEST PEARL QUEEN UNIT

WELL # 119  
SECT 29 TWN 19S RNG 35E  
FROM 1980 W/S L W60 E/W L  
TD: \_\_\_\_\_ FORMATION @ TD \_\_\_\_\_  
PBD: \_\_\_\_\_ FORMATION @ PBD \_\_\_\_\_

PERF: SQZ  
@ 200'

13 3/8  
@ 100'  
TOC SURF  
CIRC

PERF: SQZ  
@ 1840'  
→

3300' →

SPOT 25 SX5  
CMT

SET CIRP  
@ 4700'

SPOT 25 SX5  
CMT

4752'-4898'

5 1/2  
@ 4943  
TOC 2558?  
CALC

TD 4998

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	13 3/8	100'	SURF	CIRC
INTMED 1				
INTMED 2				
PROD	5 1/2	4943	2558	CALC?
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @		TOP - BOTTOM	
INTMED 1			PERFS	-
INTMED 2			OPENHOLE	-
PROD				

## \* REQUIRED PLUGS DISTRICT I

PLUG	TYPE	SACKS	DEPTH
EXAMPLE			
PLUG #1	OH	25 SX5	9850'
PLUG #2	SHOE	50 SX5	8700'-8900'
PLUG #3	CIRP/35'		5300'
PLUG #4	CIRP	25 SX5	5300'
PLUG #5	STUB	50 SX5	4600'-4700'
PLUG #6	RETAIN SQZ	200 SX5	400'
PLUG #7	SURF	10 SX5	0-10'
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			
PLUG #31			
PLUG #32			
PLUG #33			
PLUG #34			
PLUG #35			
PLUG #36			
PLUG #37			
PLUG #38			
PLUG #39			
PLUG #40			
PLUG #41			
PLUG #42			
PLUG #43			
PLUG #44			
PLUG #45			
PLUG #46			
PLUG #47			
PLUG #48			
PLUG #49			
PLUG #50			
PLUG #51			
PLUG #52			
PLUG #53			
PLUG #54			
PLUG #55			
PLUG #56			
PLUG #57			
PLUG #58			
PLUG #59			
PLUG #60			
PLUG #61			
PLUG #62			
PLUG #63			
PLUG #64			
PLUG #65			
PLUG #66			
PLUG #67			
PLUG #68			
PLUG #69			
PLUG #70			
PLUG #71			
PLUG #72			
PLUG #73			
PLUG #74			
PLUG #75			
PLUG #76			
PLUG #77			
PLUG #78			
PLUG #79			
PLUG #80			
PLUG #81			
PLUG #82			
PLUG #83			
PLUG #84			
PLUG #85			
PLUG #86			
PLUG #87			
PLUG #88			
PLUG #89			
PLUG #90			
PLUG #91			
PLUG #92			
PLUG #93			
PLUG #94			
PLUG #95			
PLUG #96			
PLUG #97			
PLUG #98			
PLUG #99			
PLUG #100			

PLUG	TYPE	SACKS	DEPTH
PLUG #1	OH	25 SX5	9850'
PLUG #2	SHOE	50 SX5	8700'-8900'
PLUG #3	CIRP/35'		5300'
PLUG #4	CIRP	25 SX5	5300'
PLUG #5	STUB	50 SX5	4600'-4700'
PLUG #6	RETAIN SQZ	200 SX5	400'
PLUG #7	SURF	10 SX5	0-10'
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			
PLUG #31			
PLUG #32			
PLUG #33			
PLUG #34			
PLUG #35			
PLUG #36			
PLUG #37			
PLUG #38			
PLUG #39			
PLUG #40			
PLUG #41			
PLUG #42			
PLUG #43			
PLUG #44			
PLUG #45			
PLUG #46			
PLUG #47			
PLUG #48			
PLUG #49			
PLUG #50			
PLUG #51			
PLUG #52			
PLUG #53			
PLUG #54			
PLUG #55			
PLUG #56			
PLUG #57			
PLUG #58			
PLUG #59			
PLUG #60			
PLUG #61			
PLUG #62			
PLUG #63			
PLUG #64			
PLUG #65			
PLUG #66			
PLUG #67			
PLUG #68			
PLUG #69			
PLUG #70			
PLUG #71			
PLUG #72			
PLUG #73			
PLUG #74			
PLUG #75			
PLUG #76			
PLUG #77			
PLUG #78			
PLUG #79			
PLUG #80			
PLUG #81			
PLUG #82			
PLUG #83			
PLUG #84			
PLUG #85			
PLUG #86			
PLUG #87			
PLUG #88			
PLUG #89			
PLUG #90			
PLUG #91			
PLUG #92			
PLUG #93			
PLUG #94			
PLUG #95			
PLUG #96			
PLUG #97			
PLUG #98			
PLUG #99			
PLUG #100			