
Submit 3 Copies To Appropriate District	State of New M			Fc	orm C-103
Office District I	Energy, Minerals and Nat	ural Resources	TWELL ADING		June 19, 2008
1625 N. French Dr., Hobbs, NM 87240 District II OH. CONCEDIVATION DIVISION			WELL API NO. 30-025-21458		
1301 W. Grand Ave., Artesia, NM 88210  1220 South St. Francis Dr.			5. Indicate Type of Lease		
District III 1220 South St. Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505			STATE X FEE		
District IV 1220 S. St. Francis Dr., Santa Fe, NM			6. State Oil & Gas Lease No.		
87505				23267	
SUNDRY NOTIO (DO NOT USE THIS FORM FOR PROPO DIFFERENT RESERVOIR. USE "APPLIC PROPOSALS.)	CES AND REPORTS ON WE DSALS TO DRILL OR TO DEEPEN CATION FOR PERMIT" (FORM	OR PLUG BACK TO A	B	e or Unit Agreeme n Queen Unit	nt Name:
1. Type of Well: Oil Well Gas Well Other WIW MAY 0 2 2014			8. Well Number		
2. Name of Operator			9. OGRID Nu	nber	
Energen Resources Corporation			162928		
3. Address of Operator			10. Pool name or Wildcat		
3300 N. "A" St., Bldg 4, Ste. 100, Midland, TX 79705 4. Well Location			Langlie Mattix 7 RVRS/Queen/GB		
Unit Letter L:	1980 feet from the Sc	outh line and	<b>660</b> fee	t from the Wes	st line
Section 26	Township 238	Range 36E	NMPM	County	Lea
	11. Elevation (Snow whethe	<i>r D</i> R, KK <i>B</i> , K1, GK, e	<i>ic.)</i>	n •	
10 01 -1- 4		NI. CNI.	D / 0/1	- D .	<del></del>
12. Cneck A	ppropriate Box to Indicate	e Nature of Notice,	Report, or Oti	ier Data	
NOTICE OF INTENTION TO: SUB			SEQUENT REPORT OF:		
PERFORM REMEDIAL WORK	PLUG AND ABANDON L	REMEDIAL WORK		ALTERÍNG	CASING
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILL	.ING OPNS. 🔲	P AND A	
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMENT	JOB 🔲		
DOWNHOLE COMMINGLE					
OTHER:		OTHER: pressure	Test		х
13. Describe proposed or complete of starting any proposed work). or recompletion.					
4/23/14 - Ran Pressure T	est. See attached chart				
6 15	D: D 1	<b>.</b>			
Spud Date:	Kig Kei	ease Date:			
I hereby certify that the information	ahove is true and complete to the	ue hest of my knowled	re and belief	<del></del>	
n /		ic best of my knowledg	ge and bener.		
SIGNATURE Bunda 1	Ractyles Tr		ory Analyst	DATE <b>04</b>	/30/2014
Type or print name Brenda F Rath	jen E-	brenda.rathjene mail address:		PHONE <u><b>432</b></u>	!-688-3323
For State Use Only	)				
APPROVED BY Silve	wanshe +	TIE Stuff W	Pana-o-	DATE 5/23	V 7014
Conditions of Approval (if any):	II	TLE		<sub>DATE</sub> <i>5/23</i> 27. 2014	
Conditions of Approxim (if mily).			YAM '	於 1、 EU 14	h V



ENERGEN Resources

ENERGEN Resources

LUX 18 in Sector

LUX 18 in Sector

LUX 18 in Sector

API #30-025-21458

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL |660' FWL | UL-Ly sec 26 | T235 | R36E

1980' FSL | UL-Ly sec 26 | T235 | R36E

1980' FSL | UL-Ly sec 26 | T235 | R36E

1980' FSL | UL-Ly sec 26 | T235 | R36E

1980' FSL | UL-Ly sec 26 | T235 | R36E

1980' FSL | UL-Ly sec 26 | T235 | R36E

1980' FSL | UL-Ly sec 26 | T235 | R36E

1980' FSL | UL-Ly sec 26 | T235 | R36E

1980' FSL | UL-Ly sec 26 | T235 | R36E

1980' FSL | UL-Ly sec 26 | T235 | R36E

1980' FSL | UL-Ly sec 26 | T235 | R36E

1980' FSL | UL-Ly sec 26 | T235 | R36E

1980' FSL | UL-Ly sec 26 | T235 | R36E

1980' FSL | UL-Ly sec 26 | T235 | R36E

1980' FSL | UL-Ly sec 26 | T235 | R36E

1980' FSL | UL-Ly sec 26

M = 5 Services

Calibrated 1-8.14

Calibrated 1000

Lomin / 1000

Fran Lyan