

District I - (575) 393-6161

1625 N. French Dr., Hobbs, NM 88241

District II - (575) 748-1283

811 S. First St., Artesia, NM 88210

District III - (505) 334-6178

1000 Rio Brazos Rd., Aztec, NM 87410

District IV - (505) 476-3460

1220 S. St. Francis Dr., Santa Fe, NM

87505

Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

HOBBS OCD

MAY 23 2014

RECEIVED

WELL API NO.

30-025-27036

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

S.J. Carr

8. Well Number 10

9. OGRID Number

16696

10. Pool name or Wildcat

Langlie Mott & TRONGB

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

OXY USA Inc.

3. Address of Operator

P.O. Box 50250 Midland, TX 79710

4. Well Location

Unit Letter M : 660 feet from the South line and 330 feet from the West line
Section 10 Township 24S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3264'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐CLOSED-LOOP SYSTEM ☐OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ P AND A ☐CASING/CEMENT JOB ☐OTHER: MIT/CIBP/TA ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

This Approval of Temporary
Abandonment Expires 4/30/2018

4/23/14 - MIRU PU, NDWH, NU BOP. Unset pkr, POOH w/ tbg & pkr. RIH & set CIBP @ 3208', RIH & dump bail 2sx cmt. Circ hole w/ MLF, Test csg to 650# for 30min, wouldn't hold. RIH w/ pkr & set @ 1595', pressure test, wouldn't hold. RIH & set pkr @ 3166', pressure test, held 650# for 30min, POOH. RIH & set CIBP @ 3159', dump bail 5sx cmt on top, POOH. ND BOP, NU WH. RU pump truck 4/30/14, circ hole w/ pkr fluid, run MIT to 640# for 30min, held good.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 5/21/14Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mary Brown TITLE Dist Supervisor DATE 5/28/2014

Conditions of Approval (if any):

MAY 28 2014

PM
OCDV

OXY USA Inc.
S. J. Carr #10
API No. 30-025-27036



