

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO.

30-025-21731

5. Indicate Type of Lease

STATE ☐FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Dallas

8. Well Number # 1

9. OGRID Number

245872

10. Pool name or Wildcat

Bagley; Permo Penn, North

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

Judah Oil, LLC

3. Address of Operator

PO Box 870 Artesia, NM 88211-870

4. Well Location

Unit Letter M : 660 feet from the South line and 660 feet from the West lineSection 15 Township 11S Range 33E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐PLUG AND ABANDON ☒TEMPORARILY ABANDON ☐CHANGE PLANS ☐PULL OR ALTER CASING ☐MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐CLOSED-LOOP SYSTEM ☒OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐P AND A ☐CASING/CEMENT JOB ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

No earthen pits will be constructed all well fluids will be circulated to steel pit

12 3/4" 33# CSA 359' in 15" hole X Cemented with 300sx X Cement circulated to surface

8 5/8" 24#-32# CSA 3750' in 11" hole X Cemented with 350sx X TOC 3002' by Temp Survey

5 1/2" 17# CSA 10040' in 7 7/8" hole X Cemented with 400sx X TOC 7850' by Temp Survey

Perforations 9756-9899' X Top of Salt 1696' X Base of Salt 2370'

Set CIBP at 9700' X Cap CIBP w/ 25sx Cement X Tag plug X Displace well with gelled brine

Cut and pull 5 1/2" casing at 7300'

Spot 35 sx cmt at 7350' X WOC X Tag cmt plug at 7250' or above

Spot 35 sx cmt plug at 5800'

Spot 40 sx cmt plug at 3800' (Intermediate Shoe Plug) X WOC X Tag cmt plug at 3700' or above

Cut and pull 8 5/8" casing at 2450'

Spot 50 sx at 2500' X WOC X Tag cmt plug at 2400' or above (Base of Salt and Stub Plug)


Spot 50 sx at 1750' X Spot 55sx at 410' X WOC X Tag cmt plug at 310' or above (Top of Salt X Surface Shoe)

Circulate cement to surface from 60'

Cut off well head X Install PA marker X Clean location and prepare for release

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE Agent for Judah Oil, LLC

DATE

5/22/14

Type or print name Billy E. Prichard

E-mail address: billy@pwllc.net

PHONE: 4329347680

For State Use Only

APPROVED BY:



TITLE

Dist Supervisor


DATE

5/28/2014


Conditions of Approval (if any)

MAY 29 2014

Judah Oil, LLC
Dallas # 1
API # 30-025-21731
Prior to PA



Judah Oil, LLC
Dallas # 1
API # 30-025-21731
After PA



BEP

Drawing not to scale