

Office

District I - (575) 393-6161

1625 N. French Dr., Hobbs, NM 88240

District II - (575) 748-1283

811 S. First St., Artesia, NM 88210

District III - (505) 334-6178

1000 Rio Brazos Rd., Aztec, NM 87410

District IV - (505) 476-3460

1220 S. St. Francis Dr., Santa Fe, NM 87505

87505

HOBBS OGD

JUN 10 2014

RECEIVED

Energy, Minerals and Natural Resources

CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Revised August 1, 2011

WELL API NO.

30-025-32333

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

NM-015221

7. Lease Name or Unit Agreement Name
Santa Fe

8. Well Number 133

9. OGRID Number

217817

10. Pool name or Wildcat
Vacuum; Drinkard/Blinebry

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

ConocoPhillips Company

3. Address of Operator

P. O. Box 51810
Midland, TX 79710

4. Well Location

Unit Letter O : 435' feet from the South line and 1930' feet from the East line

Section 31 Township 17S Range 35E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3968' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: remove BP between zones

☒

OTHER:

☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Conocophillips would like to remove BP @ 7520' above the Drinkard perms and DHC production. This procedure is to be performed once the DHC C-103 has been aprvd. NOI for DHC was filed 06/04/2014.

Procedure:


1. MIRU pulling unit. Kill well.
 2. Unseat pump & TOO H w/rods & pump. NDWH & NUBOP. Test BOP
 3. Release tubing anchor & TOO H w/tbg.
 4. RIH w/drill bit & drill out CBP @ 7520' above Drinkard perms.
 5. RIH to PBTD & circ well clean.
 6. TOO H w/drill bit & lay down.
 7. TIH w/tbg. Set OESN @ 7850'. Set Tac @ 6698'.
 8. NDBOP & NUWH. Tie in rods.
 9. Place well on production in the Blinebry & Drinkard as commingled
- Attached is current and proposed wellbore schematic.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE Staff Regulatory Technician

DATE


Type or print name Rhonda Rogers

E-mail address: rogersr@conocophillips.com

PHONE: (432)688-9174

For State Use Only

APPROVED BY:



TITLE

Petroleum Engineer

DATE

06/11/14

Conditions of Approval (if any):

JUN 12 2014

Proposed Rod and Tubing Configuration SANTA FE 133

VERTICAL - MAIN HOLE

6/5/2014 12:07:08 PM

D
(K
B)

Vertical schematic (actual)

Vertical schematic (proposed)

8-1: Polished Rod; 1 1/2;
4.0; 36.00

8-2: Sucker Rod Norris
97 1- 2'; 4"; 7/8; 32.0;
6.00

8-3: GUIDED Sucker
Rod; 7/8; 38.0; 25.00

8-4: Sucker Rod Norris
97; 7/8; 63.0; 3,370.00

8-5: Tubing; 2 7/8; 2.441;
11.5; 6,616.00

8-6: Sucker Rod Norris;
97; 3/4; 3,433.0; 3,975.00

8-7: Tubing Marker Sub;
2 7/8; 2.441; 6,627.5;
8.40

8-8: Tubing; 2 7/8; 2.441;
6,635.9; 62.78

8-9: Anchor 5 1/2 X 2
7/8; 5.00; 2.441; 6,698.7;
2.75

8-10: Tubing; 2 7/8; 2.441;
6,701.5; 1,116.00

8-11: Sucker Rod w/
guides; 3/4; 7,408.0;
200.00

8-12: Rod Centralizer; 1
1/2; 7,608.0; 2.00

8-13: Sinker Bar; 1 1/2;
7,610.0; 25.00

8-14: Rod Centralizer; 1
1/2; 7,635.0; 2.00

8-15: Sinker Bar; 1 1/2;
7,637.0; 25.00

8-16: Rod Centralizer; 1
1/2; 7,662.0; 2.00

8-17: Sinker Bar; 1 1/2;
7,664.0; 25.00

8-18: Rod Centralizer; 1
1/2; 7,689.0; 2.00

8-19: Sinker Bar; 1 1/2;
7,691.0; 25.00

8-20: Rod Centralizer; 1
1/2; 7,716.0; 2.00

8-21: Sinker Bar; 1 1/2;
7,718.0; 25.00

8-22: Rod Centralizer; 1
1/2; 7,743.0; 2.00

8-23: Sinker Bar; 1 1/2;
7,745.0; 25.00

8-24: Rod Centralizer; 1
1/2; 7,770.0; 2.00

8-25: Sinker Bar; 1 1/2;
7,772.0; 25.00

8-26: Rod Centralizer; 1
1/2; 7,797.0; 2.00

8-27: Sinker Bar; 1 1/2;
7,799.0; 25.00

8-28: Rod Centralizer; 1
1/2; 7,824.0; 2.00

8-29: Tubing TK 99; 2 7/8;
2.441; 7,817.4; 32.55

8-30: Rod Insert Pump; 1
1/2; 7,826.0; 24.00

8-31: Pump Seating
Nipple; 2 7/8; 2.280;
7,850.0; 1.10

8-32: Tubing Lift Sub; 2
7/8; 2.441; 7,851.1; 2.30

8-33: Cavin Desander
Model D2703; 2 7/8;
7,853.4; 4.20

8-34: Tubing Fiberglass;
2 7/8; 2.280; 7,857.6;
65.84

8-35: Bull Plug; 2 7/8;
7,923.4; 0.37

Tubing Description

Tubing - Production

Jts.

Item Des.

OD
Nominal
(in.)

Nominal ID
(in.)

Wt
(lb/ft)

Grade

Len.
(ft)

Btm
(ftKB)

213

Tubing

2 7/8

2.441

6.50

J-55

6,616.00

6,627.5

1

Tubing Marker Sub

2 7/8

2.441

6.50

J-55

8.40

6,635.9

2

Tubing

2 7/8

2.441

6.50

J-55

62.78

6,698.7

1

Anchor 5 1/2 X 2 7/8

4.995

2.441

2.75

6,701.5

37

Tubing

2 7/8

2.441

6.50

J-55

1,116.00

7,817.5

1

Tubing TK 99

2 7/8

2.441

6.50

J-55

32.55

7,850.0

1

Pump Seating Nipple

2 7/8

2.280

1.10

7,851.1

1

Tubing Lift Sub

2 7/8

2.441

6.50

J-55

2.30

7,853.4

1

Cavin Desander
Model D2703

2 7/8

4.20

7,857.6

2

Tubing Fiberglass

2 7/8

2.280

6.50

J-55

65.84

7,923.4

1

Bull Plug

2 7/8

0.37

7,923.8

Rod Description

Rod

Jts.

Item Des.

OD (in.)

API Grade

Len. (ft)

Btm (ftKB)

1

Polished Rod

1 1/2

36.00

32.0

2

Sucker Rod Norris 97 1 - 2'

7/8

SPCL
APP

6.00

38.0

1

GUIDED Sucker Rod

7/8

SPCL
APP

25.00

63.0

116

Sucker Rod Norris 97

7/8

SPCL
APP

3,370.00

3,433.0

159

Sucker Rod Norris 97

3/4

SPCL
APP

3,975.00

7,408.0

8

Sucker Rod w guides

3/4

D

200.00

7,608.0

1

Rod Centralizer

1 1/2

C

2.00

7,610.0

1

Sinker Bar

1 1/2

C

25.00

7,635.0

1

Rod Centralizer

1 1/2

C

2.00

7,637.0

1

Sinker Bar

1 1/2

C

25.00

7,662.0

1

Rod Centralizer

1 1/2

C

2.00

7,664.0

1

Sinker Bar

1 1/2

C

25.00

7,689.0

1

Rod Centralizer

1 1/2

C

2.00

7,691.0

1

Sinker Bar

1 1/2

C

25.00

7,716.0

1

Rod Centralizer

1 1/2

C

2.00

7,718.0

1

Sinker Bar

1 1/2

C

25.00

7,743.0

1

Rod Centralizer

1 1/2

C

2.00

7,745.0

1

Sinker Bar

1 1/2

C

25.00

7,770.0

1

Rod Centralizer

1 1/2

C

2.00

7,772.0

1

Sinker Bar

1 1/2

C

25.00

7,797.0

1

Rod Centralizer

1 1/2

C

2.00

7,799.0

7-1: Polished Rod; 1 1/2; 4.0; 36.00

7-2: CASINO JOINTS; 13.38; 12.49; 10.8;
38.17

7-3: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-4: Sucker Rod Norris 97 1- 2'; 4"; 7/8; 32.0;
6.00

7-5: GUIDED Sucker Rod; 7/8; 40.4; 25.00

7-6: CASINO JOINTS; 13.38; 12.49; 10.8;
38.17

7-7: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-8: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-9: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-10: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-11: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-12: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-13: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-14: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-15: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-16: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-17: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-18: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-19: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-20: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-21: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-22: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-23: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-24: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-25: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-26: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-27: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-28: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-29: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-30: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-31: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-32: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-33: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-34: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-35: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-36: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-37: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-38: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-39: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-40: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-41: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-42: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-43: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-44: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-45: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-46: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-47: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-48: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-49: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-50: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-51: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-52: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-53: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-54: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-55: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-56: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-57: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-58: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-59: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-60: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-61: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-62: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-63: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-64: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-65: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-66: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-67: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-68: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-69: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-70: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-71: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-72: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-73: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-74: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-75: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-76: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-77: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-78: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-79: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-80: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-81: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-82: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-83: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-84: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-85: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-86: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-87: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-88: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-89: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-90: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-91: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-92: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-93: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-94: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-95: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-96: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-97: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-98: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-99: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-100: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-101: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-102: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-103: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-104: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-105: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-106: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-107: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-108: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-109: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-110: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-111: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-112: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-113: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-114: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-115: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-116: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-117: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-118: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-119: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-120: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-121: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-122: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-123: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-124: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-125: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-126: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-127: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-128: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-129: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-130: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-131: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-132: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-133: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-134: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-135: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-136: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-137: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-138: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-139: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-140: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-141: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-142: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-143: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-144: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-145: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-146: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-147: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-148: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-149: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-150: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-151: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-152: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-153: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-154: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-155: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-156: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-157: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-158: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-159: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-160: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-161: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-162: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-163: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-164: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-165: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-166: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-167: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-168: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-169: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-170: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-171: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-172: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-173: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-174: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-175: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-176: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-177: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-178: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-179: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-180: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-181: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-182: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-183: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-184: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-185: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-186: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-187: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-188: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-189: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-190: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-191: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-192: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-193: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-194: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-195: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-196: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-197: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-198: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-199: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-200: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-201: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-202: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-203: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-204: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-205: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-206: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-207: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-208: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-209: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-210: CASINO JOINTS; 8.99; 7.92; 11.9;
59.00

7-211: CASINO JOINTS; 8.99; 7.92; 11.9;

Proposed Rod and Tubing Configuration SANTA FE 133

VERTICAL - MAIN HOLE, 6/5/2014 12:07:08 PM

