

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87412
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

HOBBS OCD
JUN 19 2014

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator: OXY USA Inc.

3. Address of Operator: P.O. Box 50250 Midland, TX 79710

4. Well Location
 Unit Letter N: 990 feet from the South line and 2310 feet from the West line
 Section 8 Township 17S Range 33E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.): 4201

WELL API NO. 30-025-26264

5. Indicate Type of Lease
 STATE FEE

6. State Oil & Gas Lease No. E 881

7. Lease Name or Unit Agreement Name Aztec State

8. Well Number 4

9. OGRID Number 16696

10. Pool name or Wildcat Maljamar GBSA

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

| | | | |
|---|--|---|--|
| NOTICE OF INTENTION TO: PERFORM E-PERMITTING - CSNG <input type="checkbox"/> IN <input type="checkbox"/> TEMPORAL <u>P&A</u> P.M. TA <input type="checkbox"/> PULL OR A COMP <input type="checkbox"/> NEW WELL <input type="checkbox"/> DOWNHOL LOC CHG <input type="checkbox"/> CLOSED-LI <input type="checkbox"/> OTHER: <input type="checkbox"/> | | SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/> | |
|---|--|---|--|

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 6/4/2014 Dig out cellar, MIRU PU, NDWH, NU BOP
- 6/5/2014 POOH w/ 2015' tbg, RIH w/ pkr to 2015', attempt to EIR into perms, due to tbg fish @ 3220', EIR @ 2BPM w/ comm between tbg & csg.
- 6/6/2014 Wait on orders
- 6/9/2014 RIH w/ pkr to 2708', EIR @ 2BPM w/ comm. Between tbg & csg., Move pkr to 2865', pressure up to 1500#, falling off slowly, could not break down perms, POOH w/ pkr. RIH w/ tbg & tag @ 3228', rec approval from Mark Whitaker-NMOCD to spot cmt on top of fish. M&P 25sx CL C cmt, PUH, WOC.
- 6/10/2014 RIH & tag cmt @ 2923', POOH. RIH & set pkr @ 2487', RIH & perf @ 2550'. EIR @ 2BPM w/ comm. Between tbg & csg. M&P 40sx CL C cmt w/ 2% CaCl2, PUH.
- 6/11/2014 RIH & tag cmt @ 2456', POOH. RIH & set pkr @ 944', RIH & perf @ 1470', EIR @ 1.5BPM @ 1000#, M&P 40sx CL C cmt w/ 2% CaCl2, SI-600#, WOC. RIH & tag cmt @ 1433', contact NMOCD-Mark Whitaker, appr spotting plug on tag. M&P 25sx CL C cmt, POOH, WOC.
- 6/12/2014 RIH & tag cmt @ 1165', POOH. RIH & isolate csg @ 30', RIH & perf @ 362', EIR @ 2BPM @ 400#, M&P 75sx CL C cmt w/ 2@ CaCl2, displ to 200', WOC. RIH & tag cmt @ 210', M&P 30sx CL C cmt, circ to surface, ND BOP, top off csg, RDPU.

Spud Date:

[Empty box for Spud Date]

Rig Release Date:

[Empty box for Rig Release Date]

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 6/16/14

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mary Brown TITLE Dist. Supervisor DATE 6/23/2014

Conditions of Approval (if any):

JUN 23 2014

OXY USA Inc. - Final
Aztec State #4
API No. 30-025-20266

30sx @ 210'-Surface
75sx @ 362-210' Tagged


25sx @ 1433-1165' Tagged

40sx @ 1470-1433' Tagged

40sx @ 2550-2456' Tagged

25sx @ 3228-2923'

Tbg fish @ 3228'



11" hole @ 312'
8-5/8" csg @ 312'
w/ 225sx-TOC-Surf-Circ

Perf @ 362'

Perf @ 1470'

Perf @ 2550'

Perfs @ 4234-4362'

7-7/8" hole @ 4418'
5-1/2" csg @ 4415'
w/ 350sx-TOC-2397'-Calc

TD-4418'