

Submit 3 Copies To Appropriate District Office
 District I
 1625 N. French Dr., Hobbs, NM 88240
 District II
 1301 W. Grand Ave., Artesia, NM 88210
 District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 June 19, 2008

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-23516
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name NM 83 State SWD
8. Well Number 001
9. OGRID Number 151323
10. Pool name or Wildcat Tres Papalotes

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other SWD **HOBS OCD**

2. Name of Operator
Pride Energy Company **JUN 25 2014**

3. Address of Operator
P. O. Box 701950, Tulsa, OK 74170-1950 **RECEIVED**

4. Well Location
 Unit Letter J : 2086 feet from the S line and 2086 feet from the E line
 Section 33 Township 14S Range 34E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
GR: 4,115'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- POOH with tubing and packer
- Verify depth of cement plug at 5,890' **CIRC M.L.F.**
- Spot 55 sxs cement @ 4,590'. WOC & TAG. **SPOT 50 SXS CMT @ 2900'**
- Perforate and squeeze 8 5/8" casing with 65 sxs cement @ 456'. WOC and TAG. **SPOT 50 SXS CMT @ 1850'**
- Perforate at ¹⁰⁰50' and circulate sufficient cement inside and out to surface.
- Cut off wellhead below ground level and install marker.

**The Oil Conservation Division
 MUST BE NOTIFIED 24 Hours
 Prior to the beginning of operations**

Spud Date: Rig Release Date:


I hereby certify that the information above is true and complete to the best of my knowledge and belief.
 By: Pride Production Co., Inc.
 Title: General Partner
 By: Matthew L. Pride
 Title: President
 DATE: 6/23/14

SIGNATURE Matthew L. Pride TITLE: _____ DATE: _____
 Type or print name Matthew L. Pride E-mail address: mattp@pride-energy.com PHONE: 918-524-9200

For State Use Only
 APPROVED BY: Maley Brown TITLE: Dist. Supervisor DATE: 6/25/2014
 Conditions of Approval (if any): _____

JUL 01 2014 ky110.sk

Before Plugged and Abandoned



Proposed Plugged and Abandoned

Wellbore Schematic per proposed P&A

New Mexico 83 State #1 SWD

6/23/2014

API # 30-025-23516

2086' FSL & 2086' FEL

Unit J, Sec 33-T14S-R34E

Lea Co, NM

Field: Tres Papalotes

Cement plug ¹⁰⁰ 50' to surface

Plug: 65 sxs 356' - 456'

KB: 4115.0'

DF: 0.0'


GL: 4115.0'

Datum: 0.0' above GL

13 3/8" TOC @ surface

13 3/8" 48# @ 406'


w/ 450 sx in 17 1/2" hole



8 3/8" TOC @ 910' (est)

SPOT 50 SXS CMT @ 1850'

SPOT 50 SXS CMT @ 2900'



Plug: 55 sxs 4,490' - 4,590'

8 3/8" 24# & 32# @ 4540'
w/ 500 sx in 11" hole

Open Hole 4540' - 10,601'

PBTD = 5,890'

Plug #4: 25 sx 5,890' - 5,990'
5,890' - 5,990'


hole filled w/ 9.2# per gal.
drl'g. mud

Plug #3: 25 sx 7,895' - 8,018'

Plug #2: 25 sx 9,585' - 9,700'

Plug #1: 50 sx 10,150' - 10,400'

TD = 10,601'



PRIDE ENERGY COMPANY

(918) 524-9200 ♦ Fax (918) 524-9292 ♦ www.pride-energy.com

Physical Address: 4641 E. 91st St.
Tulsa, OK 74137

Mailing Address: P.O. Box 701950
Tulsa, OK 74170-1950
Email Address: mattp@pride-energy.com

June 24, 2014

New Mexico Oil Conservation Division
1625 N. French Drive
Hobbs, NM 88280

(575) 393-6161, ext. 102

and

Via E-mail: maxeygbrown@state.nm.us

and

Certified Mail

Return Receipt #

91 7199 9991 7032 3920 2718

ATTN: Maxey G. Brown
District Supervisor

- RE: 1. South Four Lakes Unit, Well No. 003
Unit Letter D
Section 1-12S-34E
2. South Four Lakes Unit, Well No. 001
Unit Letter B
Section 2-12S-34E
3. J.P. Collier, Well No. 003
Unit Letter C
Section 10-11S-33E
4. NM 83 State SWD, Well No. 001
Unit Letter J
Section 33-14S-34E
All in Lea County, New Mexico

Dear Maxey,

In reference to the above described wells, please find attached a Form C-103 (Notice of Intention to Plug and Abandon), for each of these wells. Upon your review and approval, please e-mail a copy of the approved Form C-103's to my attention. Three originals are being mailed to you today.

Thank you Maxey, and if there are any questions feel free to contact me at (918) 524-9200.

Sincerely,

Pride Energy Company



Matthew L. Pride