

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-21035
5. Indicate Type of Lease STATE <input type="checkbox"/> X FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-1732
7. Lease Name or Unit Agreement Name Sunshine State
8. Well Number 2
9. OGRID Number 181109
10. Pool name or Wildcat Penrose Skelly Grayburg
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well X Gas Well Other **HOBBS OCD**

2. Name of Operator
Cameron Oil and Gas Inc. **JUL 10 2014**

3. Address of Operator
PO Box 1455 Roswell NM 88202-1455 **RECEIVED**

4. Well Location
 Unit Letter D : 990 feet from the North line and 884 feet from the West line
 Section 19 Township 21S Range 37E NMPM Lea County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/> X	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

5-23-14 Squeezed hole in 41/2" casing at 1150' with 200sxs of class c cement to 750psi, held OK
 5-27-14 drilled out cement casing held to 500 psi Ok.
 5-29-14 returned well to production.

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE G. David Sweeney *G. David Sweeney* TITLE Vice
 President DATE 5-30-14

M. Brown
 7/10/2014

Type or print name G. David Sweeney E-mail address: dsweeney@cameronoil.com
 PHONE: 575-627-3284 or 575-420-1108

For State Use Only

Sent to donna.mull@state.nm.us


JUL 10 2014

Approval (if any): [Signature] TITLE Dist. Supervisor DATE 7 0

AP 1 - 30-025-21035

WELL BORE SKETCH

OPERATOR/LEASE/WELL Cameron Oil & Gas Inc SUNSHINE STATE #2
See 19-T-215 R-37E DATE 7-9-14
FIELD/POOL Penrose Skelton / CORAYBONG
PLUG BACK DEPTH 3903 KB _____ ELEVATION 3822 GR



Hole Size 12 1/4

SURFACE CASING:

Size 8 5/8 Weight 24# Grade _____
Set at 291 with 200 Sacks Cement
Circulate _____ Sacks to Surface
Remarks: _____

Hole Size 7 7/8

PRODUCTION CASING:

Repaired Hole
in casing at
1150' w/ 200 sacks

Size 4 1/2 Weight 9.5 Grade _____
Set at 3903 with 400 Sacks Cement
Cement Top: Calculated _____ Temperature Survey 2325
Remarks: _____

TUBING: 2 3/8

Size 2 3/8 Weight _____ Grade _____
Number of Joints 125 Set at 3865
Packer Set at _____
Bottom Arrangement: _____

Perforations
3734.5 -
3882.5

RODS: 3/4
Size 3/4 Number _____
Gas Anchor Set at _____
Pump Set at 3860
Arrangement: _____

-TD - 3903