

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OGD

State of New Mexico
Energy, Minerals and Natural Resources

Form C-10
Revised July 18, 201

JUL 09 2014

RECEIVED

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO.
30-025-27684 ✓

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

TOPHAT AJQ STATE ✓

8. Well Number 1 ✓

9. OGRID Number 290484

10. Pool name or Wildcat

DELEWARE

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other SWD 1357

2. Name of Operator DELEWARE WATER COMPANY, LLC. ✓

3. Address of Operator P.O. BOX 1224 JAL, NM 88252

4. Well Location

Unit Letter H : 1980 feet from the N line and 660 feet from the E line

Section 35 Township 23S Range 33E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

DOWNHOLE COMMINGLE ☐

CLOSED-LOOP SYSTEM ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ P AND A ☐

CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6-18-14 MIRU PU TBG. ON SLIGHT VAC. RELEASED PKR. P.O.H.W/167 JTS.
3 1/2" IPC PIPE. + 9 5/8" ARROW SET X1 NICKEL PLATED PKR..
CHANGED SEALS ON LOCATION. TBG. WAS TALLIED OUT OF HOLE.
PKR WAS SET @ 5435'. R.I.H. W/PKR. + TESTING TBG. IN HOLE.
SET PKR. @ 5242'. HOOKED UP KILL TRUCK, CIRC. PKR FLOID + SET
PKR. RAN CHART FOR 30 MIN. HELD 600# STRAIGHT LINE.
NOTIFIED MARK WHITAKER - OGD TO WITNESS. MARK SAID
TO BOAHEAD + RUN. (SCHEMATIC + CHART ATTACHED)

Spud Date:

2-13-1982

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Gary W. Wink TITLE PRODUCTION FOREMAN DATE 7-8-2014

Type or print name GARY W. WINK E-mail address: garywink@leaenergy.com PHONE: 575-390-5095

For State Use Only

APPROVED BY: Mary Brown TITLE Dist Supervisor DATE 7/9/2014

Conditions of Approval (if any):

JUL 10 2014




CHART POOL USA
TOPHAT AQ STATE # L

6-19-2014

DELAWARE WATER CO.
30-025-27684

(TO FIT)
BR 2221

H 25-235-33E

HOBBS OGD

JUL 09 2014

RECEIVED

1000#/60min

30-025-27684

IS STRING CSNG)
 OPERATOR DELEWARE WATER COMPANY, LLC
 LEASENAME TOPHAT AJQ #1 SWD 1357

WELL # 1
 SECT 35 TWN 235 RNG 33E
 FROM 1980 NSL 660 BWL
 TD: 12,250' FORMATION @ TD
 PBTD: 7600' FORMATION @ PBTD

20"
 @ 650'
 TOC SURF

13 3/8"
 @ 5225'
 TOC SURF

95/8" NPPKR
 SET @ 5242'

PERFS
 -5494' to 7458'

PBTD 7600'
 CIBP 7700'

95/8"
 @ 12250'
 TOC SURF

TD

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	2.0"	650'	SURF		
INTMED 1	13 3/8"	5225'	SURF		
INTMED 2	95/8"	12,250'	SURF		
PROD					
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
	CUT & PULL @			TOP - BOTTOM	
INTMED 1			PERFS	-	
INTMED 2			OPENHOLE	-	
PROD					

* REQUIRED PLUGS DISTRICT 1

PLUGGER (AMTD)	
YATES	
QUEEN	
GRAYBOND	
SAN ANDRES	
CANTAN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BELLEVUE CANYON	
BONE SPRING	
FLORIDA	
GLIMBERTY	
TURB	
ORINCAARD	
ABO	
WC	
FERRY	
STRAWN	
ATOKA	
LOCKLOW	
JOSS	
DEVONIAN	

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMT	
EXAMPLES			
PLUG #1	OH	25 SCS	9850'
PLUG #2	SHOE	50 SCS	8700'-8800'
PLUG #3	CIBP/35'		5300'
PLUG #3	CIBP	25 SCS	5300'
PLUG #4	STUB	50 SCS	4600'-4700'
PLUG #4	RETNR SO2	200 SCS	400'
PLUG #7	SURF	10 SCS	0-10'
PLUG #1			
PLUG #2			
PLUG #3			
PLUG #4			
PLUG #5			
PLUG #6			
PLUG #7			
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			