

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-09806
1. Type of Well: Oil Well ☐ Gas Well ☒ Other SWD (SWD-1127)		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator FULEER OIL & CATTLE, LLC. HOBBS OCD		6. State Oil & Gas Lease No.
3. Address of Operator PO BOX 1224 JAL, NM 88252		7. Lease Name or Unit Agreement Name MARLO SHOLES B#2
4. Well Location Unit Letter P : 660 feet from the SOUTH line and 660 feet from the EAST line Section 25 Township 25S Range 36E NMPM County LEA		8. Well Number 2
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 021355 141402
		10. Pool name or Wildcat 33820/JALMAT

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☒	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL. ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: REPLACE TBG+PKR/MIT TEST ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**M.I.R.U.-P.U. REMOVE WH + INSTALL BOP. LAYED DOWN INTIRE 3 1/2" EVE 8RD
IPC COATED TBG. STRING. P.U. 90 JTS. OF 3 1/2" EVE 8RD IPC TBG.
R.I.H W/T"X 3 1/2" EVE 8RD 20# A5-1X LOCKING TYPE PKR, + 90
JTS. OF 3 1/2" TBG. PKR SET @ 2864'. TESTED TO 325#
F/35 MIN. SEE ATTACHED CHART
OH - 2938' to 3055'**

Spud Date:

5/25/47


Rig Release Date:

6/25/47

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE **Gary W. Wink** TITLE **PRODUCTION FOREMAN** DATE **3/8/14**
Type or print name **GARY W. WINK** E-mail address: **garywink@leaeenergy.com** PHONE: **575-390-5095**
For State Use Only
APPROVED BY: **Maureen Brown** TITLE **Compliance Officer** DATE **3/12/2014**
Conditions of Approval (if any):

JUL 15 2014



PLUGGING & ABANDONMENT WORKSHEET (3 STRING CSNG)

 OPERATOR FULLER DILT CATTLE

 LEASENAME MARLO SHOALS B.

 SECT 25 TWN 25 RNG 36 E

 FROM N/S L EWL

TD: FORMATION @ TD

 PBTD: OH FORMATION @ PBTD

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE		<u>410'</u>	<u>SUR.</u>	
INTMED 1		<u>1225'</u>	<u>— ?</u>	
INTMED 2		<u>2935'</u>	<u>— ?</u>	<u>150 SX ?</u>
PROD				

	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					

	CUT & PULL @	TOP - BOTTOM
INTMED 1	<u>PERFS</u>	<u>-</u>
INTMED 2	<u>OPENHOLE</u>	<u>-</u>
PROD		

* REQUIRED PLUGS DISTRICT *

PLUG	TYPE	SACKS	DEPTH
EXAMPLES			
PLUG #1	<u>OH</u>	<u>25 SXS</u>	<u>9850'</u>
PLUG #2	<u>SHOE</u>	<u>50 SXS</u>	<u>8700'-8800'</u>
PLUG #3	<u>CIRP/35'</u>		<u>5300'</u>
PLUG #4	<u>CIBP</u>	<u>25 SXS</u>	<u>5300'</u>
PLUG #5	<u>STUB</u>	<u>50 SXS</u>	<u>4600'-4700'</u>
PLUG #6	<u>REINFORCED</u>	<u>200 SXS</u>	<u>400'</u>
PLUG #7	<u>SURF</u>	<u>10 SXS</u>	<u>0-10'</u>
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			
PLUG #31			
PLUG #32			
PLUG #33			
PLUG #34			
PLUG #35			
PLUG #36			
PLUG #37			
PLUG #38			
PLUG #39			
PLUG #40			
PLUG #41			
PLUG #42			
PLUG #43			
PLUG #44			
PLUG #45			
PLUG #46			
PLUG #47			
PLUG #48			
PLUG #49			
PLUG #50			
PLUG #51			
PLUG #52			
PLUG #53			
PLUG #54			
PLUG #55			
PLUG #56			
PLUG #57			
PLUG #58			
PLUG #59			
PLUG #60			
PLUG #61			
PLUG #62			
PLUG #63			
PLUG #64			
PLUG #65			
PLUG #66			
PLUG #67			
PLUG #68			
PLUG #69			
PLUG #70			
PLUG #71			
PLUG #72			
PLUG #73			
PLUG #74			
PLUG #75			
PLUG #76			
PLUG #77			
PLUG #78			
PLUG #79			
PLUG #80			
PLUG #81			
PLUG #82			
PLUG #83			
PLUG #84			
PLUG #85			
PLUG #86			
PLUG #87			
PLUG #88			
PLUG #89			
PLUG #90			
PLUG #91			
PLUG #92			
PLUG #93			
PLUG #94			
PLUG #95			
PLUG #96			
PLUG #97			
PLUG #98			
PLUG #99			
PLUG #100			

PLUG	TYPE	SACKS	DEPTH
EXAMPLES			
PLUG #1	<u>OH</u>	<u>25 SXS</u>	<u>9850'</u>
PLUG #2	<u>SHOE</u>	<u>50 SXS</u>	<u>8700'-8800'</u>
PLUG #3	<u>CIRP/35'</u>		<u>5300'</u>
PLUG #4	<u>CIBP</u>	<u>25 SXS</u>	<u>5300'</u>
PLUG #5	<u>STUB</u>	<u>50 SXS</u>	<u>4600'-4700'</u>
PLUG #6	<u>REINFORCED</u>	<u>200 SXS</u>	<u>400'</u>
PLUG #7	<u>SURF</u>	<u>10 SXS</u>	<u>0-10'</u>
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			
PLUG #31			
PLUG #32			
PLUG #33			
PLUG #34			
PLUG #35			
PLUG #36			
PLUG #37			
PLUG #38			
PLUG #39			
PLUG #40			
PLUG #41			
PLUG #42			
PLUG #43			
PLUG #44			
PLUG #45			
PLUG #46			
PLUG #47			
PLUG #48			
PLUG #49			
PLUG #50			
PLUG #51			
PLUG #52			
PLUG #53			
PLUG #54			
PLUG #55			
PLUG #56			
PLUG #57			
PLUG #58			
PLUG #59			
PLUG #60			
PLUG #61			
PLUG #62			
PLUG #63			
PLUG #64			
PLUG #65			
PLUG #66			
PLUG #67			
PLUG #68			
PLUG #69			
PLUG #70			
PLUG #71			
PLUG #72			
PLUG #73			
PLUG #74			
PLUG #75			
PLUG #76			
PLUG #77			
PLUG #78			
PLUG #79			
PLUG #80			
PLUG #81			
PLUG #82			
PLUG #83			
PLUG #84			
PLUG #85			
PLUG #86			
PLUG #87			
PLUG #88			
PLUG #89			
PLUG #90			
PLUG #91			
PLUG #92			
PLUG #93			
PLUG #94			
PLUG #95			
PLUG #96			
PLUG #97			
PLUG #98			
PLUG #99			
PLUG #100			

10 3/4"
@ 410'
TOC SURF

8 5/8"
@ 1225'
TOC

PKR SET
@ 2864'
OPEN
HOLE
F/2938'-3055'

7"
@ 2935'
TOC ?
150 SX

TD

h