

Submit 1 Copy To Appropriate District Office  
 District I - (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II - (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III - (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV - (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

HOBBS OGD

JUL 14 2014

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-05597 ✓
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <u>Injection</u>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator OXY USA WTP Limited Partnership		6. State Oil & Gas Lease No. E2721
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name East Eumont Unit ✓
4. Well Location Unit Letter <u>K</u> : <u>1980</u> feet from the <u>South</u> line and <u>1980</u> feet from the <u>west</u> line Section <u>15</u> Township <u>19S</u> Range <u>37E</u> NMPM County <u>Lea</u>		8. Well Number <u>45</u> ✓ 9. OGRID Number 192463
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>3643'</u>		10. Pool name or Wildcat Eumont Yates 7R QN

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-4045' PBD-3634' Perfs-3984-4003' CIBP-3634'

8-5/8" 29# csg @ 382' w/ 200sx, 12-1/4" hole, TOC-Surf-Circ  
 5-1/2" 14# csg @ 4045' w/ 1600sx, 7-7/8" hole, TOC-465'-TS

1. RIH & tag CIBP @ 3634', M&P 25sx cmt to 3480'
2. M&P 25sx cmt @ 2830-2670' WOC-Tag
3. M&P 25sx cmt @ 1670-1520' WOC-Tag
4. Perf @ 432' sqz 145sx cmt to surface  
 10# MLF between plugs  
 Above ground steel tanks will be utilized.

**The Oil Conservation Division  
 MUST BE NOTIFIED 24 Hours  
 Prior to the beginning of operations**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 7/10/14

Type or print name David Stewart E-mail address: david\_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Maley Brown TITLE Dist. Supervisor DATE 7/15/2014


Conditions of Approval (if any):

JUL 15 2014

OXY USA WTP LP - Proposed  
East Eumont Unit #45  
API No. 30-025-05597

145sx @ 432'-Surface

12-1/4" hole @ 382'  
8-5/8" csg @ 382'  
w/ 200sx-TOC-Surf-Circ



Perf @ 432'

25sx @ 1670-1520'

25sx @ 2830-2670' WOC-Tag

25sx @ 3634-3480'

1992-CIBP @ 3634'


7-7/8" hole @ 4045'  
5-1/2" csg @ 4045'  
w/ 1600sx-TOC-465'-TS

Perfs @ 3984-4003'

TD-4045'

OXY USA WTP LP - Current  
East Eumont Unit #45  
API No. 30-025-05597

12-1/4" hole @ 382'  
8-5/8" csg @ 382'  
w/ 200sx-TOC-Surf-Circ



7-7/8" hole @ 4045'  
5-1/2" csg @ 4045'  
w/ 1600sx-TOC-465'-TS

1992-CIBP @ 3634'

Perfs @ 3984-4003'

TD-4045'