

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-25047
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B229
7. Lease Name or Unit Agreement Name Annot Ramsey NCT E
8. Well Number 6
9. OGRID Number 16696
10. Pool name or Wildcat Jalmat Tan Yates 7E(0:1)

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other **HOBBS OCD**

2. Name of Operator
OXY USA Inc.

3. Address of Operator
P.O. Box 50250 Midland, TX 79710 **AUG 08 2014**

4. Well Location
Unit Letter K : 2310 feet from the South line and 2310 feet from the west line
 Section 16 Township 25S Range 37E NMPM County Lea **RECEIVED**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3098' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3817' PBDT-2880' Perfs-2929-3030' 3412-3646' CIBP-2880'

8-5/8" 24# csg @ 1120' w/ 435sx, 11" hole, TOC-Surf-Circ
 4-1/2" 11.6# csg @ 3817' w/ 350sx, 7-7/8" hole, TOC-2550'-TS

1. RIH & tag CIBP @ 2880', M&P 25sx cmt to 2630'
 2. Perf @ 1950', sqz 25sx cmt to 1850' WOC-Tag
 3. Perf @ 1170', sqz 50sx cmt to 1025' WOC-Tag
- 10# MLF between plugs
 Above ground steel tanks will be utilized.

**The Oil Conservation Division
 MUST BE NOTIFIED 24 Hours
 Prior to the beginning of operations**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 7/15/14 ed/14

Type or print name David Stewart E-mail address: david.stewart@oxy.com PHONE: 432-685-5717

For State Use Only
 APPROVED BY: Mary Brown TITLE Dist. Supervisor DATE 8/13/2014
 Conditions of Approval (if any) AUG 13 2014

OXY USA Inc. - Proposed
Arnett Ramsey NCT E #6
API No. 30-025-25047

105sx @ 300'-Surface


50sx @ 1170-1025' WOC-Tag

~~35sx @ 1950-1860' WOC-Tag~~

25sx @ 2880-2630'

2009-CIBP @ 2880'

9/75-PBTD-3357'



Perf @ 300'

Perf @ 1170'

OMIT
Perf @ 1950'

Perfs @ 2929-3030'

Perfs @ 3412-3646'


11" hole @ 1120'
8-5/8" csg @ 1120'
w/ 435sx-TOC-Surf-Circ

7-7/8" hole @ 3817'
4-1/2" csg @ 3817'
w/ 350sx-TOC-2550'-TS


TD-3817'

OXY USA Inc. - Current
Arnott Ramsey NCT E #6
API No. 30-025-25047

11" hole @ 1120'
8-5/8" csg @ 1120'
w/ 435sx-TOC-Surf-Circ



2009-CIBP @ 2880'



Perfs @ 2929-3030'

9/75-PBTD-3357'

7-7/8" hole @ 3817'
4-1/2" csg @ 3817'
w/ 350sx-TOC-2550'-TS

Perfs @ 3412-3646'

TD-3817'