

Submit 1 Copy To Appropriate District
Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103

October 13, 2009

HOBBS OGD

OIL CONSERVATION DIVISION

AUG 14 2014
20 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

WELL API NO. 3002532394
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Salado Brine well
8. Well Number 002
9. OGRID Number 246368
10. Pool name or Wildcat BSW: SALADO
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other Brine

2. Name of Operator
BASiC Energy Services

3. Address of Operator
P.O. Box 10460 Midland Tx. 79702

4. Well Location

Unit Letter A: 1305 feet from the North line and 60 feet from the East line

Section 20

Township 25 S

Range 37 E

NMPM

County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: Extraction of 2 7/8 J-55 Tubing ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

8/13/14 Hobbs Anchors set 1 dead man anchor and tested the other three.

Waited on matting board, MIR & RU SUR un-flanged well head. RU to POH W/ Tbg.

Had 5 foot of travel down and up worked tubing for two hours.

Tbg. came free after applying 10 points pull. Extracted 40 jts tubing and LD on ground.

SDFN

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Alvarado TITLE SENM DISTRICT MGR. Fluid Sales DATE 8/13/14

Type or print name DAVID ALVARADO E-mail address: david.alvarado@basicenergyservices.com PHONE: 575.746.2072

For State Use Only

APPROVED BY: Mary Brown TITLE Dist. Supervisor DATE 8/14/2014

Conditions of Approval (if any):

AUG 14 2014

Basic Energy Services

SALADO BRINE No. 2 BW - 025

Unit A 1305 ft North 60 ft East Sec. 20 T. 25 S. R. 37 E API # 30-025-32394 Lea County NM


Current 8/14/14

14 3/4" Hole
10" csg. @ 60'
30 sks class (C) to Surf..

9 7/8" Hole
7" csg. @ 1100' per 6/16/09 Log
475 sks class C to Surf.

6 1/8" Open Hole
down to 1420'

8/13/14 Extracted & LD 40 jnts 2 7/8 J-55 tubing



TD @ 1650'

0 - 1'	Top soil
1 - 12'	Broken cliché
12 - 15'	Granite
15 - 40'	Red sand
40 - 60'	Gray & red shale
60 - 120'	Red bed
120 - 130'	Blue shale
130 - 137'	Brown lime
137 - 145'	Red & brown rock - hard
145 - 165'	Gray shale
165 - 175'	Red bed
175 - 205'	Brown shale w / streaks of gray
205 - 325'	Red bed
325 - 340'	Brown lime, medium
340 - 355'	Red sand & water
355 - 485'	Hard red sandy shale
485 - 495'	Red rock
495 - 525'	Brown sand & water
525 - 580'	Red bed
580 - 600'	Red rock
600 - 675'	Red bed
675 - 1025'	Red rock & anhydrite
1025 - 1080'	Gray lime
1080 - 1095'	Anhydrite
1095 - 1125'	Red sand
1125 - 1140'	Gray lime
1140 - 1185'	Salt & anhydrite
1185 - 1230'	Blue shale
1230 - 1240'	Anhydrite & potash, some salt
1240 - 1400'	Salt