

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-25228
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. B-2229
7. Lease Name or Unit Agreement Name Phillips State E
8. Well Number 004 22
9. OGRID Number 217817
10. Pool name or Wildcat Maljamar GB/SA

4. Well Location Unit Letter M : 990 feet from the South line and 330 feet from the West line Section 11 Township 17-S Range 33-E NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4138' GL

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐

2. Name of Operator
ConocoPhillips Company

3. Address of Operator
P.O. Box 51810 Midland, TX 79710

HOBBS OCD

AUG 15 2014

RECEIVED

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

--MIRU. ND WH, NU BOP
--RIH WL - Set 4 1/2" CIBP @ 4294'
--RIH Tbg - Tag BP @ 4294'. Circ hole w/ MLF. Cap BP w/ 45sx cmt to 3682'. WOC-Tag
--Spot 50sx cmt @ 3250' - 2653'. WOC-Tag
--Perf @ 1721' - Sqz 140sx cmt to 1230' - WOC-Tag
--Perf @ 450' - Sqz 40sx cmt to 350' - WOC-Tag
--Perf @ 60' - Circ 25sx cmt to surface
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

OR CIRC CMT TO SURFACE FROM 450' TO SURFACE.

**The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations**

A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17

Spud Date: **1/31/76**


Rig Release Date: **2/11/76**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE **P&A Tech - Basic Energy Services** DATE **8/13/14**

Type or print name **Greg Bryant** E-mail address: _____ PHONE: **432-563-3355**

For State Use Only

APPROVED BY:  TITLE **Dist. Supervisor** DATE **8/18/2014**

Conditions of Approval (if any):

AUG 18 2014

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: July 22, 2014

RKB @ 4148'
 DF @ 4147'
 GL @ 4138'

Subarea : Buckeye
 Lease & Well No. : Phillips State E 22
 Legal Description : 990 FSL & 330 FWL, Sec. 11, T-17-S, R-33-E,
 County : Lea State : New Mexico
 Field : Maljamar (Grayburg San Andres)
 Date Spudded : 1/31/1976 Rig Released: 2/11/1976
 API Number : 30-025-25228
 Status: Shut-In
 State Lease No. B-2229

12-1/4" Hole
 8-5/8" 24# K-55 @ 400
 Cmt'd w/ 400 sx, circ 20 sxs
 TOC @ Surface
 Tight Spot 450'

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	2/12/1976	Perf 4394-99, 4422-27, 4445-50, 4482-87, w/ 4 SPF						
4394-4487	2/18/1976	12% MCA	2000					
4394-4487	2/21/1976	RO	27,000	26,000	5200			
	7/9/2014	Cut tbg @ 4438'						
	7/10/2014	Tight spot @ 450'; Mill, TIH w/ muleshoe, tag up @ 4299' inside tbg						
	7/14/2014	PU swivel, formation @ 4363'; circ clean @ 4331'						

TOC 4 1/2" @ 2625 (TS)

Top of Salt @ 2703'

Base of Salt @ 2928'

4394-4399

4422-4427
 TOF @ 4438'
 4445-4450

4482-4487

7-7/8" Hole
 4-1/2" 11.6# N-80 @ 4575'
 Cmt'd w/ 300 sx
 TOC @ 2625' (TS)

PBTD: 4533'
 TD: 4575'

Formation Tops:

Santa Rosa Base	1280'
Rustler	1473'
Salado	1671'
Yates	2760'
Seven Rivers	3200'
Queen	3732'
Grayburg	4235'
San Andres	4521'

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations


Date: July 22, 2014

RKB @ 4148'
 DF @ 4147'
 GL @ 4138'

Subarea : Buckeye
 Lease & Well No. : Phillips State E 22
 Legal Description : 990 FSL & 330 FWL, Sec. 11, T-17-S, R-33-E,
 County : Lea State : New Mexico
 Field : Maljamar (Grayburg San Andres)
 Date Spudded : 1/31/1976 Rig Released: 2/11/1976
 API Number : 30-025-25228
 Status: Shut-In
 State Lease No. B-2229

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	2/12/1976	Perf 4394-99, 4422-27, 4445-50, 4482-87, w/ 4 SPF						
4394-4487	2/18/1976	12% MCA	2000					
4394-4487	2/21/1976	RO	27,000	26,000	5200			
	7/9/2014	Cut tbg @ 4438'						
	7/10/2014	Tight spot @ 450'; Mill, TIH w/ muleshoe, tag up @ 4299'						
	7/14/2014	inside tbg PU swivel, formation @ 4363'; circ clean @ 4331'						



Formation Tops:

Santa Rosa Base	1280'
Rustler	1473'
Salado	1671'
Yates	2760'
Seven Rivers	3200'
Queen	3732'
Grayburg	4235'
San Andres	4521'