

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-20787
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. B-2073
7. Lease Name or Unit Agreement Name East Vacuum GB-SA Unit, Tract 0546
8. Well Number 093
9. OGRID Number 217817
10. Pool name or Wildcat Vacuum; GB-SA
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3955' GL

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	HOBBS OCD AUG 18 2014 RECEIVED
2. Name of Operator ConocoPhillips Company	
3. Address of Operator P.O. Box 51810 Midland, TX 79710	
4. Well Location Unit Letter G : 1650 feet from the North line and 2285 feet from the East line Section 5 Township 18-S Range 35-E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3955' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

--MIRU. ND WH, NU BOP
--Tag BP @ 4554'. Dumpbail 3sx cmt @ 4554' - 4534'
--RIH WL - Set 5 1/2" CIBP @ 4308'
--RIH Tbg - Tag BP @ 4308'. Circ hole w/ MLF. Cap BP w/ 70sx cmt to 3650'. WOC-Tag
--Spot 30sx cmt @ 3050' - 2814'. WOC-Tag
--Perf @ 1600' - Sqz 40sx cmt to 1485' - WOC-Tag
--Perf @ 350' - Circ 120sx cmt to surface
--POOH. Fill wellbore. Verify cmt @ surface in all annuli

**The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations**

****A closed-loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17****


Spud Date: **12/12/64** Rig Release Date: **12/22/64**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE **P&A Tech - Basic Energy Services** DATE **8/14/14**

Type or print name **Greg Bryant** E-mail address: _____ PHONE: **432-563-3355**

For State Use Only

APPROVED BY:  TITLE **Dist. Supervisor** DATE **8/18/2014**


Conditions of Approval (if any): _____

AUG 18 2014

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: July 29, 2014

RKB @ 3968'
 DF @ 3967'
 CF @ 3955'



Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 0546 093
 Legal Description : 1650 FNL & 2285 FEL, Sec 5, T-18-S, R-35-E, UL "G"
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 12/12/1964 Rig Released: 12/22/1964
 API Number : 30-025-20787
 Status: Producing
 Drilled as State Santa Fe #93 State Lease No. P-15370-2

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
4570-4609	12/26/1964	Perf 4570-90, 4596-4609 w/ 2 JHPF						
		15% NEA	1000		800	Vac	1.4	2 3/8"
	10/1/1986	Set CIBP @ 4554'						
4408-4523	10/1/1986	Perf 4408-16, 4474-88, 4495-4506, 4510-23 w/ 1 JHPF						
	10/3/1986	15% NEFE	4600	40 BS	1800		3.7	2 3/8"
	2/11/2005	Tag btm @ 4554'; no fill						
	5/18/2011	Isolate Csg leak @ 593-609'						
	5/20/2011	Pmp'd 50 sxs cmt @ 593-609'; TOC @ 321'						
		DO to 815'						

Formation Tops:


Rustler	1535'
Yates	2864'
Queen	3800'
Grayburg	4060'
San Andres	4396'
Glorieta	

PBTD @ 4617'
 TD @ 4650'

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: July 29, 2014

RKB @ 3968'
 DF @ 3967'
 CF @ 3955'



Subarea : Buckeye
 Lease & Well No. : East Vacuum GB/SA Unit, Tract 0546 093
 Legal Description : 1650 FNL & 2285 FEL, Sec 5, T-18-S, R-35-E, UL "G"
 County : Lea State : New Mexico
 Field : Vacuum (Grayburg-San Andres)
 Date Spudded : 12/12/1964 Rig Released: 12/22/1964
 API Number : 30-025-20787
 Status : Producing
 Drilled as State Santa Fe #93 State Lease No. P-15370-2

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Down
4570-4609	12/26/1964	Perf 4570-90, 4596-4609 w/ 2 JHPF						
		15% NEA 1000			800	Vac	1.4	2 3/8"
4408-4523	10/1/1986	Set CIBP @ 4554'						
	10/1/1986	Perf 4408-16, 4474-88, 4495-4506, 4510-23 w/ 1 JHPF						
	10/3/1986	15% NEFE 4600 40 BS 1800					3.7	2 3/8"
	2/11/2005	Tag btm @ 4554'; no fill						
	5/18/2011	Isolate Csg leak @ 593-609'						
	5/20/2011	Pmp'd 50 sxs cmt @ 593-609'; TOC @ 321'						
		DO to 815'						

Formation Tops:

Rustler	1535'
Yates	2864'
Queen	3800'
Grayburg	4060'
San Andres	4396'
Glorieta	