	UNITED STATES DEPARTMENT OF THE INT		bs	OMB N	APPROVED O. 1004-0135 July 31, 2010
SUNDRY	BUREAU OF LAND MANAGEMENT ORY NOTICES AND REPORTS ON WELLS			5. Lease Serial No. NMNM27508	
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposal 5 BBS				6. If Indian, Allottee or Tribe Name	
SUBMIT IN TF	RIPLICATE - Other instruction	ons on reverse side.	8 2014	7. If Unit or CA/Agre	ement, Name and/or I
1. Type of Well □ Gas Well □ C)ther			8. Well Name and No. WILDER 28 AC F	EDERAL COM 1H
2. Name of Operator				. •	
3a. Address 600 N DAIRY ASHFORD P1 HOUSTON, TX 77079		b. Phone No. (include area code Ph: 281-206-5282	2)	10. Field and Pool, or Exploratory JENNINGS; BS UPPER SHALE	
4. Location of Well <i>(Footage, Sec.,</i>	T., R., M., or Survey Description)	<u> </u>		1. County or Parish,	and State
Sec 28 T26S R32E NENE 6	10FNL 835FEL			LEA COUNTY,	NM
12. CHECK API	PROPRIATE BOX(ES) TO II	NDICATE NATURE OF	· NOTICE, REP	ORT, OR OTHE	R DATA
TYPE OF SUBMISSION		ТҮРЕ О	F ACTION		
Nation of Intent	☐ Acidize	Deepen	Production	ı (Start/Resume)	U Water Shut-C
🛛 Notice of Intent	□ Alter Casing	Fracture Treat	🗖 Reclamati	on	🗖 Well Integrity
Subsequent Report	🗖 Casing Repair	New Construction	🗖 Recomple	te	🛛 Other
Final Abandonment Notice	🗖 Change Plans	Plug and Abandon	🗖 Temporar	ly Abandon	
	Convert to Injection	Plug Back	🗖 Water Dis	posal	
Attach the Bond under which the w following completion of the involvi testing has been completed. Final <i>A</i> determined that the site is ready for	nally or recomplete horizontally, giv ork will be performed or provide the ed operations. If the operation result Abandonment Notices shall be filed o final inspection.)	e subsurface locations and meas Bond No. on file with BLM/BI. s in a multiple completion or rec only after all requirements, inclu-	ured and true verti A. Required subsecompletion in a new ding reclamation, l	cal depths of all pertin quent reports shall be v interval, a Form 316	tent markers and zone filed within 30 days 50-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involv- testing has been completed. Final A determined that the site is ready for ConocoPhillips Company res- current flow line that is on the	nally or recomplete horizontally, giv ork will be performed or provide the ed operations. If the operation result Abandonment Notices shall be filed of	e subsurface locations and meas Bond No. on file with BLM/BL s in a multiple completion or rec only after all requirements, inclu- inch Steel flow line in lieu peline has not changed. T	ured and true verti A. Required subsecompletion in a new ding reclamation, l of the 'he flow line	cal depths of all pertin quent reports shall be v interval, a Form 316	tent markers and zone filed within 30 days 50-4 shall be filed onc
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final <i>i</i> determined that the site is ready for ConocoPhillips Company res current flow line that is on the will be buried in the same tree at 250# psi pressure.	nally or recomplete horizontally, giv ork will be performed or provide the ed operations. If the operation result Abandonment Notices shall be filed or final inspection.) spectfully requests to bury a 4 e surface. The route for the pi	e subsurface locations and meas Bond No. on file with BLM/BL s in a multiple completion or rec only after all requirements, inclu- inch Steel flow line in lieu peline has not changed. T s supply line. The flow line	ured and true verti A. Required subsecompletion in a new ding reclamation, l of the 'he flow line	cal depths of all pertin quent reports shall be v interval, a Form 316	tent markers and zone filed within 30 days 50-4 shall be filed onc
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final <i>i</i> determined that the site is ready for ConocoPhillips Company res current flow line that is on the will be buried in the same tree at 250# psi pressure.	mally or recomplete horizontally, giv ork will be performed or provide the ed operations. If the operation result Abandonment Notices shall be filed or final inspection.) spectfully requests to bury a 4 e surface. The route for the pi ench as the already buried gas	e subsurface locations and meas Bond No. on file with BLM/BL s in a multiple completion or rec only after all requirements, inclu- inch Steel flow line in lieu peline has not changed. T s supply line. The flow line	ured and true verti A. Required subsecompletion in a new ding reclamation, l of the 'he flow line	cal depths of all pertin quent reports shall be v interval, a Form 316	tent markers and zone filed within 30 days 50-4 shall be filed onc
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final <i>i</i> determined that the site is ready for ConocoPhillips Company res current flow line that is on the will be buried in the same tree at 250# psi pressure.	mally or recomplete horizontally, giv ork will be performed or provide the ed operations. If the operation result Abandonment Notices shall be filed or final inspection.) spectfully requests to bury a 4 e surface. The route for the pi ench as the already buried gas	e subsurface locations and meas Bond No. on file with BLM/BL s in a multiple completion or rec only after all requirements, inclu- inch Steel flow line in lieu peline has not changed. T s supply line. The flow line	ured and true verti A. Required subsecompletion in a new ding reclamation, l of the 'he flow line	cal depths of all pertin quent reports shall be v interval, a Form 316	tent markers and zone filed within 30 days 50-4 shall be filed once
If the proposal is to deepen directio Attach the Bond under which the w following completion of the involv testing has been completed. Final A determined that the site is ready for ConocoPhillips Company res current flow line that is on the will be buried in the same tre at 250# psi pressure. All activity will be kept in the	nally or recomplete horizontally, giv ork will be performed or provide the ed operations. If the operation result Abandonment Notices shall be filed of final inspection.) spectfully requests to bury a 4 e surface. The route for the pi ench as the already buried gas utility corridor already authorit	e subsurface locations and meas Bond No. on file with BLM/BL s in a multiple completion or rec only after all requirements, inclu- inch Steel flow line in lieu peline has not changed. T s supply line. The flow line	ured and true verti A. Required subsecompletion in a new ding reclamation, l of the 'he flow line	cal depths of all pertin quent reports shall be v interval, a Form 316	tent markers and zone filed within 30 days 50-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final 4 determined that the site is ready for ConocoPhillips Company res current flow line that is on the will be buried in the same tree at 250# psi pressure.	nally or recomplete horizontally, giv ork will be performed or provide the ed operations. If the operation result Abandonment Notices shall be filed of final inspection.) spectfully requests to bury a 4 e surface. The route for the pi ench as the already buried gas utility corridor already authoric is true and correct.	e subsurface locations and meas Bond No. on file with BLM/BL s in a multiple completion or rec only after all requirements, inclu- inch Steel flow line in lieu peline has not changed. T s supply line. The flow line zed.	ured and true verti A. Required subse completion in a new ding reclamation, l of the 'he flow line will operate	cal depths of all pertin quent reports shall be v interval, a Form 316 tave been completed,	tent markers and zone filed within 30 days 50-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involv- testing has been completed. Final <i>A</i> determined that the site is ready for ConocoPhillips Company res current flow line that is on the will be buried in the same tre at 250# psi pressure. All activity will be kept in the 14. Thereby certify that the foregoing	nally or recomplete horizontally, giv ork will be performed or provide the ed operations. If the operation result Abandonment Notices shall be filed of final inspection.) spectfully requests to bury a 4 e surface. The route for the pi ench as the already buried gas utility corridor already authoric is true and correct.	e subsurface locations and meas Bond No. on file with BLM/BL s in a multiple completion or rec only after all requirements, inclu- inch Steel flow line in lieu peline has not changed. T s supply line. The flow line zed.	ured and true verti A. Required subse completion in a new ding reclamation, l of the 'he flow line will operate	cal depths of all pertin quent reports shall be v interval, a Form 316 nave been completed,	tent markers and zone filed within 30 days 50-4 shall be filed once
If the proposal is to deepen directio Attach the Bond under which the w following completion of the involv- testing has been completed. Final 4 determined that the site is ready for ConocoPhillips Company res current flow line that is on the will be buried in the same tre at 250# psi pressure. All activity will be kept in the 14. Thereby certify that the foregoing Name (<i>Printed/Typed</i>) KRISTIN	nally or recomplete horizontally, giv ork will be performed or provide the ed operations. If the operation result Abandonment Notices shall be filed of final inspection.) spectfully requests to bury a 4 e surface. The route for the pi ench as the already buried gas utility corridor already authoric is true and correct. Electronic Submission #252 For CONOCOPH	e subsurface locations and meas Bond No. on file with BLM/BL s in a multiple completion or rec only after all requirements, inclu- inch Steel flow line in lieu peline has not changed. T s supply line. The flow line zed.	ured and true verti A. Required subse completion in a new ding reclamation, l of the he flow line will operate ell Information S the Hobbs	cal depths of all pertin quent reports shall be v interval, a Form 316 nave been completed,	tent markers and zone filed within 30 days 50-4 shall be filed onc
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involvit esting has been completed. Final <i>A</i> determined that the site is ready for ConocoPhillips Company res current flow line that is on the will be buried in the same tree at 250# psi pressure. All activity will be kept in the 14. Thereby certify that the foregoing Name (Printed/Typed) KRISTIN	nally or recomplete horizontally, giv ork will be performed or provide the ed operations. If the operation result Abandonment Notices shall be filed of final inspection.) spectfully requests to bury a 4 e surface. The route for the pi ench as the already buried gas utility corridor already authorit Electronic Submission #252 For CONOCOPH JA MICKENS	e subsurface locations and meas Bond No. on file with BLM/BL s in a multiple completion or rec only after all requirements, inclu- inch Steel flow line in lieu peline has not changed. T s supply line. The flow line zed. 2896 verified by the BLM We ILLIPS COMPANY, sent to Title SR. RE	ured and true verti A. Required subse completion in a new ding reclamation, l of the he flow line will operate ell Information S the Hobbs EGULATORY S	cal depths of all pertin quent reports shall be v interval, a Form 316 nave been completed, system SPECIALIST	tent markers and zone filed within 30 days 50-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involvit esting has been completed. Final <i>A</i> determined that the site is ready for ConocoPhillips Company res current flow line that is on the will be buried in the same tree at 250# psi pressure. All activity will be kept in the 14. Thereby certify that the foregoing Name (Printed/Typed) KRISTIN	nally or recomplete horizontally, giv ork will be performed or provide the ed operations. If the operation result Abandonment Notices shall be filed of final inspection.) spectfully requests to bury a 4 e surface. The route for the pi ench as the already buried gas utility corridor already authorit Electronic Submission #252 For CONOCOPH JA MICKENS	e subsurface locations and meas Bond No. on file with BLM/BL s in a multiple completion or rec inly after all requirements, inclu- inch Steel flow line in lieu peline has not changed. T s supply line. The flow line zed. 2896 verified by the BLM We ILLIPS COMPANY, sent to Title SR. RE Date 07/14/2	ured and true verti A. Required subse completion in a new ding reclamation, l of the he flow line will operate ell Information S the Hobbs EGULATORY S	cal depths of all pertin quent reports shall be v interval, a Form 316 nave been completed, system SPECIALIST	tent markers and zone filed within 30 days 50-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final <i>A</i> determined that the site is ready for ConocoPhillips Company res current flow line that is on the will be buried in the same tree at 250# psi pressure. All activity will be kept in the 14. I hereby certify that the foregoing Name (<i>Printed/Typed</i>) KRISTIN Signature (Electronic	nally or recomplete horizontally, giv rork will be performed or provide the doperations. If the operation result Abandonment Notices shall be filed of final inspection.) spectfully requests to bury a 4 e surface. The route for the pi ench as the already buried gas utility corridor already authoric is true and correct. Electronic Submission #252 For CONOCOPH IA MICKENS c Submission) THIS SPACE FOR Med. Approval of this notice does no requitable title to those rights in the su	e subsurface locations and meas Bond No. on file with BLM/BL s in a multiple completion or rec inly after all requirements, inclu- inch Steel flow line in lieu peline has not changed. T s supply line. The flow line zed. 2896 verified by the BLM We IILLIPS COMPANY, sent to Title SR. RE Date 07/14/2 FEDERAL OR STATE	ured and true verti A. Required subse completion in a new ding reclamation, l of the he flow line will operate ell Information S the Hobbs EGULATORY S	cal depths of all pertin quent reports shall be v interval, a Form 316 nave been completed, system SPECIALIST	ent markers and zone filed within 30 days 50-4 shall be filed once and the operator has
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involvite testing has been completed. Final <i>A</i> determined that the site is ready for ConocoPhillips Company rescurrent flow line that is on the will be buried in the same treat at 250# psi pressure. All activity will be kept in the 14. Thereby certify that the foregoing Name (<i>Printed/Typed</i>) KRISTIN Signature (Electronic Approved By Conditions of approval, if any, are attach certify that the applicant holds legal or e	nally or recomplete horizontally, giv ork will be performed or provide the doperations. If the operation result Abandonment Notices shall be filed of final inspection.) spectfully requests to bury a 4 e surface. The route for the pi ench as the already buried gas utility corridor already authorit is true and correct. Electronic Submission #252 For CONOCOPH JA MICKENS c Submission) THIS SPACE FOR for a consection the submission the submis	e subsurface locations and meas Bond No. on file with BLM/BL s in a multiple completion or rec inly after all requirements, inclu- inch Steel flow line in lieu peline has not changed. T s supply line. The flow line zed. 2896 verified by the BLM We IILLIPS COMPANY, sent to Title SR. RE Date 07/14/2 FEDERAL OR STATE Title t warrant or bject lease Office me for any person knowingly an	ured and true verti A. Required subse completion in a new ding reclamation, l of the he flow line will operate all Information S the Hobbs EGULATORY S 2014 ÓFFICE USI	cal depths of all pertin quent reports shall be v interval, a Form 316 have been completed,	ent markers and zone filed within 30 days 50-4 shall be filed once and the operator has

·

BLM LEASE NUMBER: NM-27508

COMPANY NAME: ConocoPhillips Company

ASSOCIATED WELL NAME: Wilder 28 AC Federal Com 1H, Wilder 28 AC Federal Com 2H, Wilder Federal AC Com 28 8H, Wilder 29 Federal 1H

BURIED PIPELINE STIPULATIONS

A copy of the application (Grant, APD, or Sundry Notice) and attachments, including conditions of approval, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C.6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil or other pollutant, wherever found, shall be the responsibility of holder, regardless of fault. Upon failure of holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

5. All construction and maintenance activity will be confined to the authorized right-of-way.

6. The pipeline will be buried with a minimum cover of 36 inches between the top of the pipe and ground level.

- 7. The maximum allowable disturbance for construction in this right-of-way will be **30** feet:
 - Blading of vegetation within the right-of-way will be allowed: maximum width of blading operations will not exceed $\underline{20}$ feet. The trench is included in this area. (*Blading is defined as the complete removal of brush and ground vegetation.*)
 - Clearing of brush species within the right-of-way will be allowed: maximum width of clearing operations will not exceed <u>30</u> feet. The trench and bladed area are included in this area. (*Clearing is defined as the removal of brush while leaving ground vegetation (grasses, weeds, etc.) intact. Clearing is best accomplished by holding the blade 4 to 6 inches above the ground surface.*)
 - The remaining area of the right-of-way (if any) shall only be disturbed by compressing the vegetation. (*Compressing can be caused by vehicle tires, placement of equipment, etc.*)

8. The holder shall stockpile an adequate amount of topsoil where blading is allowed. The topsoil to be stripped is approximately <u>6</u> inches in depth. The topsoil will be segregated from other spoil piles from trench construction. The topsoil will be evenly distributed over the bladed area for the preparation of seeding.

9. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

10. Vegetation, soil, and rocks left as a result of construction or maintenance activity will be randomly scattered on this right-of-way and will not be left in rows, piles, or berms, unless otherwise approved by the Authorized Officer. The entire right-of-way shall be recontoured to match the surrounding landscape. The backfilled soil shall be compacted and a 6 inch berm will be left over the ditch line to allow for settling back to grade.

11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.

12. The holder will reseed all disturbed areas. Seeding will be done according to the attached seeding requirements, using the following seed mix.

() seed mixture 1	() seed mixture 3	
() seed mixture 2	() seed mixture 4	
() seed mixture 2/LPC	() Aplomado Falcon Mixture	е

2

13. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be color which simulates "Standard Environmental Colors" – **Shale Green**, Munsell Soil Color No. 5Y 4/2.

14. The pipeline will be identified by signs at the point of origin and completion of the right-ofway and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. All signs and information thereon will be posted in a permanent, conspicuous manner, and will be maintained in a legible condition for the life of the pipeline.

15. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder before maintenance begins. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway. As determined necessary during the life of the pipeline, the Authorized Officer may ask the holder to construct temporary deterrence structures.

16. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer.

17. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes associated roads, pipeline corridor and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

18. <u>Escape Ramps</u> - The operator will construct and maintain pipeline/utility trenches that are not otherwise fenced, screened, or netted to prevent livestock, wildlife, and humans from becoming entrapped. At a minimum, the operator will construct and maintain escape ramps, ladders, or other methods of avian and terrestrial wildlife escape in the trenches according to the following criteria:

- a. Any trench left open for eight (8) hours or less is not required to have escape ramps; however, before the trench is backfilled, the contractor/operator shall inspect the trench for wildlife, remove all trapped wildlife, and release them at least 100 yards from the trench.
- b. For trenches left open for eight (8) hours or more, earthen escape ramps (built at no more than a 30 degree slope and spaced no more than 500 feet apart) shall be placed in the trench.
- 19. Special Stipulations:

Lesser Prairie-Chicken

Oil and gas activities will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except

3

between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.

4