

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-37790
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name CENTURY STATE
8. Well Number 001
9. OGRID Number 229137
10. Pool name or Wildcat LEAMEX PADDOCK, NORTH

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

HOBBS OCD

2. Name of Operator
COG OPERATING LLC

AUG 22 2014

3. Address of Operator
600 W. ILLINOIS AVE., MIDLAND, TEXAS 79701

RECEIVED

4. Well Location

Unit Letter: G ; 2310 feet from the NORTH line and 2310 feet from the EAST line
Section 03 Township 17S Range 33E NMPM LEA County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4,180' - GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

RE E-PERMITTING
CC P&A NR P&A R CASING ☐
CA INT to P&A ☒
CSNG CHG Loc
TA
OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 5-1/2" CIBP @ 6,150'; PUMP 95 SXS. CMT. @ 6,150'-5,406' (T/GLOR., DV TOOL); CIRC. WELL W/ PXA MUD.
2) PUMP 55 SXS. CMT. @ 4,570'-4,160' (T/S.A., T/GRBG.).
3) PUMP 30 SXS. CMT. @ 2,967'-2,763' (8-5/8" CSG.SHOE, T/YATES); WOC X TAG CMT. PLUG.
4) CUT X PULL 5-1/2" CSG. @ +/-1,600'.
5) PUMP 25 SXS. CMT. @ 1,660'-1,550' (5-1/2" CSG.STUB); WOC X TAG CMT. PLUG.
6) PUMP 40 SXS. CMT. @ 400'-300' (13-3/8" CSG.SHOE); WOC X TAG CMT. PLUG.
7) MIX X CIRC. 25 SXS. CMT. @ 63'-3'.
8) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM W/ A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RULE 19.15.17.

Spud Date:

Rig Release Date:

The Oil Conservation Division

MUST BE NOTIFIED 24 Hours

Prior to the beginning of operations

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE: AGENT

DATE: 08/15/14

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILAGRO-RES.COM

PHONE: 432.687.3033

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):


AUG 27 2014

COG Operating LLC

Lease & Well # Century State #1
 API#: 30-025-37790
 G-03-17S- 33E 2310FNL 2310 FEL
 7/25/2006

Elevation - 4180'

KB -



13 3/8" 48 # H-40 @ 350', 400 sx C. circ 128 sx.

TOC @ 1,610' FS

8 5/8" 24# 8rd J-55 STC @ 2917', 900 lite, 200 sx C , circ. 10 sx.

TBG	Rods
BP	20' pump
4' perf sub	10 X 7/8" rods
sn	142 X 3/4" rods
TAC	93 X 7/8" rods
2' marker sub	
199 JT 2-7/8" J-55	

DV tool - 5456'

Paddock

6172.5 - 6200.5, 24 holes
 Acidized w/2,000 gal 15% NEFE
 Frac w/78,155 gal lg, 95,690 # sd

Marker jt-6518'
 PBTD - 6645' 35' CMT on top
 CIBP - 6680'

6739 - 6904.5', 40 holes
 Acidized w/2,500 gal 15% NEFE
 Frac w/85,500 gal lg, 96,959 # sd
 (PLUGGED)

1st stage: 620 sx 50/50/2 poz
 2nd stage: 1350 sx 50/50/C, d/n circ. cmt, top of cement @ 1,610' FS.
 5 1/2" 17# J-55 LTC csg @ 7827'.

COG Operating LLC


Lease & Well # Century State #1

API#: 30-025-37790

G-03-17S- 33E 2310FNL 2310 FEL

7/25/2006

Elevation - 4180'



7/28/2014

Century State #1 Wellbore diagram

DAE 08/15/14 SHodges