

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR FILL A WELL OR TO CHANGE A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-02175
1. Type of Well: Oil Well ☐ Gas Well ☒ Other -Injection ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator Burgundy Oil & Gas of New Mexico, Inc.		6. State Oil & Gas Lease No. 002360
3. Address of Operator 401 W. Texas Ave., Suite 1003 Midland, TX 79701		7. Lease Name or Unit Agreement Name State Vacuum Unit
4. Well Location Unit Letter <u>K</u> : <u>1980</u> feet from the <u>South</u> line and <u>1980</u> feet from the <u>West</u> line Section <u>32</u> Township <u>17 South</u> Range <u>34 East</u> NMPM Lea County		8. Well Number <u>13</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4075' GL		9. OGRID Number 003044
		10. Pool name or Wildcat Vacuum; Grayburg-San Andres

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☒
OTHER: ☐

E-PERMITTING

P&A NR P&A R
INT TO P&A COMP
CSNG CHG Loc
TA RBDMS CHART
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Well has unrecoverable junk inside the casing with TOF @ 4217'
Wellbore is packed off & will hold pressure; 5 1/2" csg has cement circ

- Spot 25 sx plug from TOF 4217'
- Spot 25 sx plug from 2665' @ base of salt
- Spot 25 sx plug from 1587'; 50' below 8 3/8" shoe; tag after WOC
- Spot 25 sx plug from 300' to GL
- Clean location

Hole to be loaded with 9.2# mud between plugs

The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Andy Campbell TITLE Production Accountant DATE 10/22/2014

Type or print name Andy Campbell E-mail address: ccampbell.bogi@att.net PHONE: 432-684-4033

For State Use Only

APPROVED BY: Mary Brown TITLE Dist. Supervisor DATE 10/27/2014

Conditions of Approval (if any)

OCT 28 2014

Company BOG NM
 Lease STATE VACUUM UNIT
 Well No 13 WIW
 Field VACUUM (LB-SA)
 County LEA
 State NM
 Location 1980' FSX WL; UL; Sect. 32
T17S, R34E
 Formerly ARLO ST "C" TG No. 3

WI _____
 NRI _____
 Yr Dril'd 4-'48
 TD 4738'
 PBTB 4738'
 DF 4096'
 KB-GL 11'


Completion

Year 4-'48
 Perforations 4564-4738' OH
 Formation SAN Andres
 Stimulation A/2000g - R&A/6000gal
 Potential IP 360 BOPD on 1/2" chlk

Additional

Year 2-'77
 Perforations 4660-4710'
 Formation CONV to WIW
 Stimulation *3 1/2" 9.2" Liner 4421-4717
 Potential A/2000g
INS BEAR. 6-6-'77

Proposed
well bore



Company BOG NM
 Lease STATE VACUUM UNIT
 Well No 13 WIW
 Field VACUUM (LB-SA)
 County LEA
 State NM
 Location 1980' FSX WL; UL; Sect. 32
T17S, R34E
 Formerly ARLO ST "C" TG No. 3

WI _____
 NRI _____
 Yr Dril'd 4-'48
 TD 4738'
 PBTB 4738'
 DF 4096'
 KB-GL 11'

Completion

Year 4-'48
 Perforations 4564-4738' OH
 Formation SAN Andres
 Stimulation A/2000g - R&A/6000gal
 Potential IP 360 BOPD on 1/2" chlk

Additional

Year 2-77
 Perforations 4660-4710'
 Formation CONV to WIW
 Stimulation *3 1/2" 9.2" Liner 4421-4717
 Potential A/2000g
INS Beadn. 6-6-'77

CURRENT
Well bore

