Submit 1 Copy To Appropriate District Office	State of N	lew Mexico	Form C-103
District I	·	id Natural Resources	Revised August 1, 2011 WELL API NO.
1625 N. French Dr., Hobbs, NM 88240	Lifergy, willierais ai	iu Naturai Nesources	
District II	OIL CONSEDV	ATION DIVISION	30-025-31586
811 A. First St., Artesia, NM 88210	OIL CONSERVA	ATION DIVISION	5. Indicate Type of Lease
District III	1220 South 9	St Eropois Dr	STATE 🗹 FEE 🗌
1000 Rio Brazos Rd. Aztec, NM 87410 District IV		St. Francis Dr.	6. State Oil & Gas Lease NO.
1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe,	NM 87505	
			B-1431-3
SUNDRY NOTICES A			7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSAL	S TO DRILL OR DEEPE	NOR PLUG BACK TO A	North Monument G/SA Unit
DIFFERENT RESERVIOR. USE "APPLICATION DE L'APPLICATION DE	ON FOR PERMIT" (FOR	M C-101) 雨 G R 医 B S P P P	
PROPOSALS.) 1 Type of Well: Oil Well	704		8. Well Number
1. Type of Well: Oil Well Gas Well 2. Name of Operator	Other	OCT 2 4 2014	9. OGRID Numer
	Corporation		873
3. Address of Operator	Corporation	RECEIVED	10. Pool Name
303 Veterans Airpark Lane	, Ste. 3000, Midland,	TX 79705	Eunice Monument G/SA
4. Well Location	· · · · · · · · · · · · · · · · · · ·		
Unit Letter C :	1295 feet from the	N line and	2560 feet from the W line
Section 25	Township 19S	Range 36E	NMPM County Lea
[11. E	levation (Show whether L	· · · · · · · · · · · · · · · · · · ·	· *
	3	676' GL	
12 Check Apr	ronriate Boy To Indica	te Nature of Notice, Re	nort or Other Data
12. Officer App	ropriate box 10 indica	le Nature of Notice, INep	port, or Other Data
NOTICE OF INTE	NTION TO:	-	RMITTING
	PLUG AND ABANDON	[77]	
	CHANGE PLANS	F C POAT	
PULL OR ALTER CASING	MULTIPLE COMPL	1 1 10	OP&A RM. COMP
DOWNHOLE COMMINGLE		CSNG	6 CHG Loc
		F TA	RBDMS CHART
OTHER:	(0) 1 () 1	<u> </u>	
			inent dates, including estimated date of starting or proposed completion or recompletion.
any proposed work.) SEE NOLE 1103.	roi Multiple Completions	. Attach wellbore diagram	or proposed completion or recompletion.
	. District		
The Oil Conservation Division			
MUST BE NOTIFIED 24 Hours			
Prior to the beginning of operations			
Augusta Ogus and San augusta De A	áb b	المصطفع علام عام المدينة المسا	manager A classed to an areatom will
• • •			procedure. A closed loop system will
be used for all fluids fi	om this wellbore and	alsposed of required	by OCD Rule 19.15.17.
Spud Date:		Rig Release Date:	
· · · · · · · · · · · · · · · · · · ·			
I hereby certify that the information above is true an	complete to the best of my	knowledge and belief.	
SIGNATURE Sung XI	W/D_TITLE	Sr. Reclamation Fo	oreman DATE10/20/14
Type or print name Guinn Bu	urks E-mail add.	guinn.burks@apache	corp.com PHONE: 432-556-9143
For State Use Only)	N:+<	11 1 /
APPROVED BY:	MOWN TITLE	TISL JUPEWU	DATE 10/27/2014
Conditions of Approval (if any):			- , , , , , , , , , , , , , , , , , , ,

Appenche

 LEASE NAME
 North Monument G/SA Unit

 WELL #
 919

 API #
 30-025-31586

 COUNTY
 Lea

WELL BORE INFO. 0 17 1/2" Hole 13 3/8" 48# @ 435' 450 w/ 500 sx to surf 900 1350 1800 2250 2699 TOC @ 2919' Cal 3149 3599 12 1/4" Hole 9 5/8" 36# @ 3774' w/ 1570 sx to surf CIBP @ 3900' w/ 35' cmt 4049

8 3/4" Hole

7" 20&26# @ 4499'

w/ 225 sx, TOC @ 2919' Cal

4499

PBTD @ 3856' TD @ 4500'

Grayburg perfs @ 3910'-4084'

CICR @ 4090', Sqzd w/ 114 sx cmt Grayburg perfs @ 4098'-4116' (Sqzd 93)



North Monument G/SA Unit		
919		
30-025-31586		
Lea		

PROPOSED PROCEDURE

WELL BORE INFO.

0

17 1/2" Hole 13 3/8" 48# @ 435' 450 w/ 500 sx to surf

900

1350

1800

2250

2699

3149

3599

12 1/4" Hole 9 5/8" 36# @ 3774 w/ 1570 sx to surf


CIBP @ 3900' w/ 35' cmt

TOC @ 2919' Cal

4049

4499

8 3/4" Hole 7" 20&26# @ 4499' w/ 225 sx, TOC @ 2919' Cal



PBTD @ 3856

TD @ 4500'

4. PUH & perf @ 485' & sqz 160 sx Class "C" cmt from 485' to surf. Attempt to CIRC 7' to surf. (Surface Shoe & Water Board)

3. PUH & perf @ 1400' & sqz 60 sx Class "C" cmt from 1400'-1300', WOC/TAG (Top of Salt)

1300' - 1200'

2. PUH & perf @ 2600' & sqz 60 sx Class "C" cmt from 2600' - 2429' WOC/TAG (Base of Salt)

 MIRU P&A unit, RIH w/ tbg & verify CIBP @ 3865', CIRC w/ MLF & spot 25 sx Class "C" cmt from 3865'-3711' (Top of Grayburg)

Grayburg perfs @ 3910'-4084'

CICR @ 4090', Sqzd w/ 114 sx cmt Grayburg perfs @ 4098'-4116' (Sqzd 93)