

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-32256
5. Indicate Type of Lease STATE XX FEE
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name West Pearl Queen Unit
8. Well Number 220
9. OGRID Number 25482
10. Pool name or Wildcat Pearl Queen

SUDDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well XX Gas Well Other	HOBBS OCD
2. Name of Operator State of New Mexico formerly Xeric Oil & Gas Corp.	NOV 04 2014
3. Address of Operator 1625 N. French Drive Hobbs, New Mexico 88240	RECEIVED
4. Well Location Unit Letter E: 1980 feet from the N line and 440 feet from the W line Section 28 Township 19S Range 35E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON XX	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHMENTS: PROCEDURE & SCHEMATIC

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Maley S Brown TITLE Compliance Officer DATE 7/22/2013

Type or print name _____ E-mail address: _____ PHONE: 575-393-6161

For State Use Only

APPROVED BY: [Signature] TITLE DIST MGR DATE 10-22-2013
Conditions of Approval (if any): NOV 04 2014

State of New Mexico formerly __XERIC OIL & GAS__

LEASE NAME WEST_PEARL QUEEN UNIT #220 API 30-0 25-32256

U.L. E Section 28-T 19 S-R 35 E FROM 1980 N / 3 L, 440 3 / W L.

SPECIAL NOTE—Mud Laden Fluid will consist of 9.5# brine with 12.5# Salt Gel per BBL (25 sacks of gel/ per 100 BBLS Brine). All cement plugs will be 25 sacks of cement or 100', whichever is greater. **Unless otherwise specified in the approved procedure**, cement plugs shall consist of class "C" for depths to 7500'. Class "H" will be used for plugs deeper than 7500'.

1. MIRU plugging unit. Lay down production equipment.
2. Set CIBP @ 4675'. Circulate MLF. Spot 25 sxs cmt on CIBP. **PRESSURE TEST CSG.**
3. ~~Perf/Sqz~~ or Spot 25 sxs cmt @ 3300'. If perf, WOC & TAG.
4. ~~Perf/Sqz~~ or Spot 25 sxs cmt @ 1700'. If perf, WOC and TAG.
5. ~~Perf/Sqz~~ or Spot @ 464', w/ sufficient volume to circ cmt to ^{100'} surface inside/outside of csg strings. **WOC & TAG. PERF @ 100'. CIRC CMT TO SURFACE.**
6. Cutoff wellhead and anchors, install marker.

-----SPECIAL NOTES-----

PLUGGING & ABANDONMENT WORKSHEET

OPERATOR STATE OF NM FORMERLY XERTIC OIL & GAS
 LEASENAME WEST PEARL QUEEN UNIT

WELL # 220
 SECT 28 TWN 19S RNG 35E
 FROM 1980 N/S L 440 B/W L
 TD: _____ FORMATION @ TD _____
 PBD: _____ FORMATION @ PBD _____

PERF? →
 SQZ @
 100'

SPOT CMT
 @ 464'

SPOT 25 SKS
 CMT @ 1700'

SPOT 25 SKS
 CMT @
 3300'

SET CIBP
 @ 4675'

8 5/8" 24#
 @ 414'
 TOC SURF
CIRC

SPOT 25 SKS
 CMT

4752'-5022'

4 1/2" 9.5#
 @ 5083
 TOC SURF?
CALC.

TD 5087

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	8 5/8	414	SURF	CIRC
INTMED 1				
INTMED 2				
PROD	4 1/2	5083	SURF?	CALC.
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @		TOP - BOTTOM	
INTMED 1			PERFS	-
INTMED 2			OPENHOLE	-
PROD				

* REQUIRED PLUGS DISTRICT I

BEUTLER (ANYO)	
YATES	
QUEEN	
GRAYSON	
DAY ANDREY	
CANTAN REE	
DELAWARE	
BELL CANYON	
CHESTY CANYON	
ELBERT CANYON	
BONE BURN	
BUCKETA	
BUNBRY	
TUES	
DEWALD	
ALSO	
TC	
PERN	
STRAWN	
ATOKA	
BLACKLOW	
SEMI	
DEVOREAN	

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMT	
EXAMPLE			
PLUG #1	OH	25 SKS	9350'
PLUG #2	SHOE	50 SKS	8700-8800'
PLUG #3	CIBP/35'		5300'
PLUG #4	CIBP	25 SKS	5300'
PLUG #5	STUB	50 SKS	4600-4700'
PLUG #6	PETAR SQZ	200 SKS	400'
PLUG #7	SURF	10 SKS	0-10'
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			