NOV 1 2 2014

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St. Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
RECHIES Minerals and Natural Resources
Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Proposed Alternative Method Pr				
Proposed Alternative Method Permit or Closure Plan Application				
Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method				
S Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method				
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request				
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules; regulations or ordinances.				
Operator: Yates Petroleum Corporation OGRID #: 025575				
Address: 105 South 4th Street, Artesia, New Mexico 88210				
Facility or well name: HeartThrob "BSX" State No.1H				
API Number: 30-025-41056 OCD Permit Number: P1-05889				
U/L or Qtr/Qtr D Section 17 Township T24S Range R33E County: Eddy:				
Center of Proposed Design: Latitude 200° FNI: Longitude 660° FWI. NAD: 1927 X 1983				
Surface Owner: Federal X State Private Tribal Trust or Indian Allotment				
X Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: X Drilling				
Below-grade tank: Subsection I of 19.15:17.14 NMAC				
Volume: bbl Type of fluid:				
Tank Construction material:				
Secondary containment with leak detection [Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off				
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other				
□ Visible sidewalls and liner □ Visible sidewalls only □ Other Liner type: Thickness mil □ HDPE □ PVC □ Other				
Liner type: Thickness mil HDPE PVC Other Alternative Method:				
Liner type: Thickness				
Liner type: Thickness				

N_{OV} ,	CO
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	2014
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
Signed in compliance with 19:15:16.8 NMAC	
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	ptable source
General siting	3
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	☐ Yes ⊠ N ☐ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes ⊠ No ☐ NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes ☑ No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or werification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ⊠ No
Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	☐ Yes ☑ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☑ No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption, - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	Yes No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes☐ No.
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300 feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	☐ Yes ☐ No

NOV 1 2 2014

Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (critification) of the proposed site	☐ Yes ☐ No	
Temporary Pit Non-low chloride drilling fluid		
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	☐ Yes⊠ No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	☐ Yes ☑ No	
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☑ No	
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ⊠ No	
Permanent Pit or Multi-Well Fluid Management Pit		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map, Visual inspection (certification) of the proposed site	Yes No	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	☐ Yes ☐ No	
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Fach of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:		
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the datached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:		

NOV 1 2 2014

_		
	Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC RECEIVED	
	Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached.	ocuments are
	☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	•
	☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
	Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
	Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
-	☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Quality Control/Quality Assurance Construction and Installation Plan	•
	Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	1
	☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
	☐ Nuisance or Hazardous Odors, including H2S, Prevention Plan ☐ Emergency Response Plan	•
	Oil Field Waste Stream Characterization	
	☐ Monitoring and Inspection Plan ☐ Erosion Control Plan	3
	Closure Plan = based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
ı		
	Proposed Closure: 19.15.17.13 NMAC	-
	Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
	Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Fl	uid Management Pit
	Alternative Alternative	
	Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)	
	On-site Closure Method (Only for temporary pits and closed-loop systems)	
	☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method	
1	14.	
	Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be	attached to the
Ì	closure plan. Please indicate, by a check mark in the box, that the documents are attached.	
	☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC	
	Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)	
	Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19:15:17.13 NMAC	
	☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
ı	C one continued that the special and appropriate special and a special a	
	15.	
	Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour	rce material are
	provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. I	lease refer to
	19.15.17.10 NMAC for guidance	~
	Ground water is less than 25 feet below the bottom of the buried waste.	☐ Yes ⊠ No
	- NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	□ NA
ļ	Ground water is between 25-50 feet below the bottom of the buried waste	☐ Yes ☑ No
	NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	□ NA
	Ground water is more than 100 feet below the bottom of the buried waste.	⊠ Yes □ No
	- NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	□ NA
	Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa	☐ Yes ☑ No
-	lake (measured from the ordinary high-water mark). Topographic map, Visual inspection (certification) of the proposed site	
	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
	Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence	☐ Yes ☑ No
-	at the time of initial application NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	
		D V N
	Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes ☑ No
	Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
		☐ Yes ⊠ No
	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

NOV 1 2 2014

adopted pursuant to NMSA 1978, Section 3-27-3, as amended				
- Written confirmation or verification from the municipality; Written approval obtained from the municipality (□ Yes❷ No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS: NM Geological				
Society; Topographic map	☐ Yes ☑ No			
Within a 100-year floodplain. FEMA map	☐ Yes ☑ No			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate. by a check mark in the box, that the documents are attached Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
17. Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believe to the best of my knowl	ief			
Name (Print): Mike Stubblefield Title: Agent for Yates Petroleum Corporation	ici.			
Signature Date: 11/3/2014				
e-mail address: mike@rthicksconsult.com Telephone: 575-365-5034				
18. OCD Approval: ☐ Permit Application (including closure plan) ☑ Closure Plan (only) ☐ OCD Conditions (see attachment)				
OCD Representative Signature: Approval Date: 1-12	/4			
Title: Em. Spenlin OCD Permit Number: 103889				
19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:				
26. Closure Method: Waste Excavation and Removal Con-Site Closure Method Alternative Closure Method Waste Removal (Closed-life Life Life From from approved plan, please explain.	oog gysens origi			
11. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division:				
☐ Proof of Deed Notice (required for on-site closure for private land only) ☐ Plot Plan (for on-site closures and temporary pits) ☐ Confirmation Sampling Analytical Results (if applicable) ☐ Warte Material Sampling Analytical Results (required for on site closure)				
 ☐ Waste Material Sampling Analytical Results (required for on-site closure) ☐ Disposal Facility Name and Permit Number 				
 ☑ Soil Backfilling and Cover Installation ☑ Re-vegetation Application Rates and Seeding Technique ☑ Site Reclamation (Photo Documentation) 				
☐ Site Reclamation (Photo Documentation) On-site Closure Location: Latitude N 32° 13" 28.93' Longitude W 103° 36" 02.89' NAD: ☐ 1927 ☑ 1983				

22.	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with belief. I also certify that the closure complies with all applicable cl	h this closure report is true, accurate and complete to the best of my knowledge and osure requirements and conditions specified in the approved closure plan.
Name (Print): Mike Stubblefield	Title: Project Manager/R.T. Hicks Consultants, LTD
Signature: Miss (St. Olly ol	Date: November 3, 2014
e-mail address: mike@rthichsconsult.com	Telephone: <u>575-365-5034</u>

HOBBS OCD

NOV I 2 2014

RECEIVED