

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-06045
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: L Van Etten
8. Well Number 5
9. OGRID Number 005380
10. Pool name or Wildcat Eumont Yates 7R On

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG OR TO
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other	NOV 14 2014 RECEIVED
2. Name of Operator XTO Energy, Inc.	
3. Address of Operator 500 W. Illinois St Ste 100 Midland, TX 79701	
4. Well Location Unit Letter J : 1980 feet from the South line and 1980 feet from the East line Section 9 Township 20S Range 37E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3553' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

E-PERMITTING
P&A NR **DM**
INT TO P&A **DM**
CSNG
TA
P&A R
COMP
CHG Loc
RBDMS CHART

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO Energy, Inc respectfully requests to PxA the L Van Etten #5 well with the following procedure:

1. Set CIBP @ 3300' w/35' cmt (wireline) or 25sx thru tbg. WOC. Tag.
2. P&S @ 2500. Spot cmt to 2400'. WOC. Tag.
3. P&S @ 1250'. SPot 25sx to 1100'. WOC. Tag.
4. P&S @ 200'. Circ cmt in & out of csg to surf.
5. Cut off WH, install dry hole marker.

A closed-loop system will be used to perform this procedure.

Spud Date:

05/12/1937

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Stephanie Rabadue TITLE Regulatory Analyst DATE 11/05/2014

Type or print name Stephanie Rabadue E-mail address: stephanie_rabadue@xtoenergy.com PHONE 432-620-6714

For State Use Only

APPROVED BY Mary Brown TITLE Dist. Supervisor DATE 11/17/2014


Conditions of Approval (if any):

NOV 18 2014

L. Van Etten #5E

API #: 30-025-06045

Current WBD



L. Van Etten #5E

API #: 30-025-06045

Proposed WBD

