

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 A. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd. Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr. HOBBS OCD
Santa Fe, NM 87505

WELL API NO. 30-025-06822
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease NO.
7. Lease Name or Unit Agreement Name W.S. Marshall "B"
8. Well Number 7
9. OGRID Number 873
10. Pool Name Tubb Oil & Gas
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3420' GL

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/>
2. Name of Operator Apache Corporation
3. Address of Operator 303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705
4. Well Location Unit Letter L : 2310 feet from the S line and 330 feet from the W line Section 27 Township 21S Range 37E NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3420' GL

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	

OTHER: ☐

E-PERMITTING

P&A NR	P&A R
INT TO P&A P.M.	COMP
CSNG	CHG Loc
TA	RBDMS CHART

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

Apache Corporation proposes to P&A the above mentioned well by the attached procedure. A closed loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17.

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Guinn Burks TITLE Sr. Reclamation Foreman DATE 11/12/14Type or print name Guinn Burks E-mail add. guinn.burks@apachecorp.com PHONE: 432-556-9143

For State Use Only

APPROVED BY: Mary E Brown TITLE Dist. Supervisor DATE 11/17/2014

Conditions of Approval (if any):

NOV 18 2014



Lea, NM

PBTD @ 6675'
TD @ 7774'

Ellenburger perms @ 7480'-7518'
CIBP @ 7558' w/ 11' cmt



WELL BORE INFO.

0

17 1/2" Hole
13 3/8" 48# @ 298'
w/ 250 sx to surf

777

1555

2332

11" Hole
8 5/8" 32# @ 2798'
w/1200 sx to surf

TOC @ 2400'

3110

3887

4664

5442

6219

Tubb perfs @ 6032'-6306'
205 jts of 2 3/8" & SN, rods & pump

CIBP @ 6675' w/ no cmt

6997

CIBP @ 7430' w/ 45' cmt
7 3/4" Hole
5 1/2" 17# @ 7574'
w/ 1000 sx cmt, TOC @ 2400'

7774

OH @ 7574'-7774'

LEASE NAME

W.S. Marshall "B"

WELL #

7


API #

30-025-06822

COUNTY

Lea, NM

PROPOSED PROCEDURE



8. PUH & perf @ 350' & sqz 100 sx Class "C" cmt from 350' to surf. Attempt to CIRC 5 1/2" to surf. (Surf Shoe & Water Board)

7. PUH & perf @ 1360' & sqz 50 sx Class "C" cmt from 1360'-1260' WOC/TAG (Top of Salt)

6. PUH & perf @ 2440' & sqz 50 sx Class "C" cmt from 2440'-2340' WOC/TAG (Base of Salt)

5. PUH & spot 25 sx Class "C" cmt from 2850'-2600' WOC/TAG (Inter Shoe)

4. PUH & spot 50 sx Class "C" cmt from 3920'-3420' WOC/TAG (San Andres & Grayburg)

3. PUH & spot 55 sx Class "C" cmt from 5537'-4998' (Blinberry, Glorieta, & Paddock)

2. MIRU P&A unit. RIH w/ tbg & verify CIBP @ 6675', CIRC w/MLF & spot 25 sx Class "C" cmt from 6675'-6425'. POOH, RIH w/ WL & set CIBP @ 5980', & spot 25 sx Class "C" cmt from 5980'-5730'. (Cmt on Abo CIBP & Tubb perfs)

1. MIRU SU prior to P&A, POOH w/ rods & tbg, LD, RDMO.

Abo perfs @ 6746'-7378'

Ellenburger perfs @ 7480'-7518'
CIBP @ 7558' w/ 11' cmt

PBTD @ 6675'
TD @ 7774'