

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised August 1, 2011

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) PROPOSALS.)		WELL API NO. 30-025-24507
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		5. Indicate Type of Lease STATE X FEE
2. Name of Operator CIMAREX ENERGY CO. OF COLORADO		6. State Oil & Gas Lease No.
3. Address of Operator 600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701		7. Lease Name or Unit Agreement Name RHODES STATE COM.
4. Well Location Unit Letter: M : 660 feet from the SOUTH line and 660 feet from the WEST line Section 16 Township 26S Range 37E NMPM LEA County		8. Well Number 021
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 2,985' - GR		9. OGRID Number 162683
10. Pool name or Wildcat RHODES; YATES-7 RIVERS, GAS		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/>		E-PERMITTING RI P&A NR _____ P&A R _____ C(INT TO P&A <u>P.M.</u> COMP _____ C(CSNG _____ CHG Loc _____ TA _____ RBDMS CHART _____
OTHER: <input type="checkbox"/>	OTHER: _____	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 4-1/2" CIBP @ 2,900'; PUMP 25 SXS. CMT. @ 2,900'-2,700' (T/YATES, B/SALT, B/ANHY.).
- 2) CIRC. WELL W/ PXA MUD X PRES. TEST 4-1/2" CSG. TO 750# X HOLD.
- 3) PERF. X ATTEMPT TO SQZ. 110 SXS. CMT. @ 1,350'-980'; (T/SALT, T/ANHY.); WOC X TAG CMT. PLUG.
- 4) PERF. X ATTEMPT TO SQZ. 50 SXS. CMT. @ 692'-592' (8-5/8" CSG. SHOE); WOC X TAG CMT. PLUG.
- 5) PERF. X ATTEMPT TO CIRC. TO SURF., FILLING ALL ANNULI, 50 SXS. CMT. @ 150'-3'.
- 6) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM WITH A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RULE 19.15.17.

Spud Date: Rig Release Date:

The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David A. Eyer TITLE: AGENT DATE: 11/17/14


Type or print name: DAVID A. EYLER E-mail address: DEYLER@MILGRO-RES.COM PHONE: 432.687.3033

For State Use Only

APPROVED BY: Melissa Brown TITLE Dist. Supervisor DATE 11/19/2014
 Conditions of Approval (if any): NOV 24 2014



Spudded 9/5/1973
Original Operator: El Paso Natl



TD = 3298'
PBD = 3254'

Cimarex Energy Co. of Colorado

Rhodes State Com #21

660' FSL & 660' FWL

Sec. 16, T-26-S, R-37E, Lea Co., NM

J Piwetz

2/26/2014

GL = 2985'

API #30-025-24507

8 5/8", 20# MU46 csg @ 642'

cmtd w/300 sx, Cmt Circulated

Tubing Detail (2/14/2000)

101 Jts 2-3/8" J-55 + SN and notched collar

Rod Detail

2" x 1-1/4" c 12' RHBC pump + 1" x 1' GAC,

3/4" x 2' Pony rod

124 3/4" x 25' rods

2 ea 3/4" x 6' Pony rods

1 ea 3/4" x 4' Pony rod

1 ea 1-1/4" x 22' PSPR

Yates Perfs: 2912 - 3174' (2 JSPF, Noncontinuous)

4-1/2", 10.5 # K-55 @ 3298' cmtd w/200 sx 50/50 Poz "C"
FB 200 sx "C", TOC = 1395' by CBL.



Spudded 9/5/1973
Original Operator: El Paso Natl

Cimarex Energy Co. of Colorado

Rhodes State Com #21

660' FSL & 660' FWL


Sec. 16, T-26-S, R-37E, Lea Co., NM

J Piwetz

2/26/2014

GL = 2985'

API #30-025-24507



PERF. X CIRC. 50 SXS. @ 150'-3!

8 5/8", 20# MU46 csg @ 642'
cmtd w/300 sx, Cmt Circulated

PERF. X SQ Z. 45 SXS @ 692'-592'-176

PERF. X SQ Z. 110 SXS. @ 1350'-980'-176

1 ea 1-1/4" x 22' PSPR

Pump 25 SXS. @ 2900'-2700!

SET 4 1/2" OJBPG @ 2900!

Yates Perfs: 2912 - 3174' (2 JSPF, Noncontinuous)

4-1/2", 10.5 # K-55 @ 3298' cmtd w/200 sx 50/50 Poz "C"
FB 200 sx "C", TOC = 1395' by CBL.

TD = 3298'
PBD = 3254'

2/26/14