

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-01467
1. Type of Well: Oil Well ☐ Gas Well ☒ Other INJECTION		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator LINN Operating, Inc.		6. State Oil & Gas Lease No.
3. Address of Operator 600 Travis Street, Ste. 5100, Houston, TX 7002		7. Lease Name or Unit Agreement Name CAPROCK MALJAMAR UNIT
4. Well Location Unit Letter <u>A</u> : 660 feet from the <u>NORTH</u> line and 660 feet from the <u>EAST</u> line Section <u>18</u> Township <u>17S</u> Range <u>33E</u> NMPM County <u>LEA</u>		8. Well Number 002
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3110'		9. OGRID Number 309534
		10. Pool name or Wildcat MALJAMAR; GRAYBURG-SAN ANDRES

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

E-PERMITTING P&A NR <u>in</u> INT TO P&A CSNG TA OTHER:	P&A R COMP CHG Loc RBDMS CHART	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☒ CASING/CEMENT JOB ☐ OTHER:
--	---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

PLEASE SEE THE ATTACHED WELLBORE DIAGRAM ALONG WITH PLUG & ABANDONMENT REPORT

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Alex Bolanos TITLE: Reg Compl Spec.2 DATE 12/23/14

Type or print name Alex Bolanos E-mail address: abolanos@linnenergy.com PHONE: 281-840-4352

For State Use Only

APPROVED BY: Mary Brown TITLE: Dist. Supervisor DATE: 12/29/2014

Conditions of Approval (if any):

JAN 07 2015

CAPROCK MALJAMAR UNIT #002
API: 30-025-01467 – LEA COUNTY, NM
COMPLETED PLUG & ABANDONMENT REPORT
ATTACHMENT TO FORM C-103

12/04/14

MIRU plugging equipment. Dug out cellar. NU BOP. POH w/ 124 jts of 2-3/8" tbg.

12/05/14

Circulated hole w/ 97 bbls mud laden fluid. Spotted 40 sx cement @ 4084' – 3689' (per Mark Whitaker-OCD). POH w/ tbg.

12/08/14

Tagged plug @ 3890'. POH. Set 5 1/2 packer @ 1200'. Pressured tested csg to 500 psi. Ok. Perf'd csg @ 2550'. Pressured up on perfs. POH w/ packer. PIH w. tbg open ended to 2600'. Spotted 30 sx cement @ 2600'. Pulled out of cement. WOC. Tagged plug @ 2303'. Perf'd csg @ 1450'. Pressured up on csg to 500 psi. Ok. RIH w/ tbg to 1500'. Spotted 25 sx cement @ 1500'. Pulled out of cmt. WOC.

12/09/14

RIH and Tagged plug @ 1283'. Perf'd csg @ 1100'. RIH w/ tbg open ended to 1150'. Spotted 60 sx cement @ 1150'-557' (per Mark Whitaker-OCD). Pulled out of cement and set packer @ 30'. Displaced cement to 725'. WOC. RIH W/ Wireline and tag plug @ 820'. POH. Set packer @ 30'. Pressured up on csg. to 500 psi. Ok. RIH w/ tbg to 820'. Spotted 30 sx cement @ 820'-524'. POH. Set packer @ 30' and pressured up on csg to 500 psi. ok.

12/10/14

RIH and Tagged plug @ 556'. Perf'd csg @ 385'. Set packer @ 30'. Sqz'd 130 sx cement and circulated to surface. Notified Mark Whitaker-OCD. Rigged down, cleaned location, and moved off.

12/11/14

Moved in welder and backhoe. Dug out cellar. Cut off wellhead. Welded on "Above Ground Dry Hole Marker". Backfilled cellar. Removed deadmen. Cleaned location and moved off well.



NM P&A Schematic

Well Name: CAPROCK MALJAMAR UNIT 002

API/UWI	Field Name	County	State/Prov	Section	Township	Range	Survey	Block
3002501467	PBNM - PB - CAPROCK MALJAMAR	Lea	NM	18	017-S	033-E		
Ground Elevation (ft)	Orig KB Elev (ft)	KB-Grd (ft)	Initial Spud Date	Rig Release Date	TD Date	Latitude (°)	Longitude (°)	Operated?
4,205.00	4,215.00	10.00	6/26/1965		6/27/1965	32° 50' 23.712" N	103° 41' 43.692" W	Yes

