

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103

Revised August 1, 2011

HOBBSOCD

JAN 13 2015

RECEIVED

OIL CONSERVATION DIVISION

220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30-025-26447

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

W.T. MCCORMACK

8. Well Number: 18T

9. OGRID Number: 4323

10. Pool name or Wildcat

TUBB

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other Water Injection

2. Name of Operator

Chevron U.S.A. INC.

3. Address of Operator

15 Smith Road Midland, TX 79705

4. Well Location

Unit Letter B : 210' feet from the NORTH line and 2390' feet from the EAST line
Section 32 Township 21-S Range 37-E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3458' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

E-PERMITTING

REN
COM
CAS

P&A NR

INT TO P&A IM

CSNG

TA

P&A R

COMP

CHG Loc

RBDMS CHART

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD 6630', PBTD 6351' PERFS: 6047' - 6212', 6381' - 6540' 6381' - 6630, CIBP @ 6354'
8-5/8" 24# csg. @ 1208" w/550 sks 11" hole, CIRC
5-1/2" 14# csg. @ 6550' w/1650 sks 7-7/8" hole, TOC, CIRC

1. MIRUWSU, NDWH, NUBOPE.

2. Tag CIBP @ 6354' W 10 SKS of Class C cement - CAP CIBP w/25 SKS CMT.

3. Pressure Test casing to 500 psi and record/report findings

4. Set Plug w/25 sks of Class C cement, @ 4400' - 4200'

5. Set Plugs w/ 25 sks, @ ~~2300' - 2100'~~ WOC & TAG (Bottom & Top of Salt)

6. Set Plug w/25 sks of C cement @ 1308' - 1108', (Shoe) TOP OF SALT

7. Perf & Circulate w/50 sks of C cement 300'-Surface.

8. Cut off wellhead and anchors 3' below grade. Weld on dry hole marker. Clean location.

9. CLOSED LOOP SYSTEM USED.

The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

Representative

DATE

01/09/2014

Type or print name

Robert Holden

E-mail address:

rholden@keyenergy.com

PHONE:

432/523-5155

For State Use Only

APPROVED BY:

TITLE

Dist. Supervisor

DATE

1/13/2015


Conditions of Approval (if any):

JAN 14 2015

Proposed

Chevron U.S.A. Inc. Wellbore Diagram : WTMCCOMACK 18T

Lease: OEU EUNICE FMT		Well No.: MCCOMACK W T T/A 18		Field: FLD-TUBB OIL & GAS	
Location: 210FNL2390FEL		Sec.: N/A		Blk:	Survey: N/A
County: Lea	St.: New Mexico	Refno: EQ6283		API: 3002526447	Cost Center: UCU472900
Section: 32		Township: 021 S			Range: 037 E
Current Status: ACTIVE				Dead Man Anchors Test Date: 11/11/2004	
Directions:					




Ground Elevation (MSL): 3458.00	Spud Date: 11/02/1979	Compl. Date: 07/10/1995
Well Depth Datum: Kelly Bushing	Elevation (MSL): 0.00	Correction Factor: 11.00
Last Updated by: jackssl	Date: 03/15/2010	

CURRENT

Chevron U.S.A. Inc. Wellbore Diagram : WTMCCOMACK 18T

Lease: OEU EUNICE FMT		Well No.: MCCOMACK W T T/A 18		Field: FLD-TUBB OIL & GAS	
Location: 210FNL2390FEL		Sec.: N/A		Blk:	Survey: N/A
County: Lea	St.: New Mexico	Refno: EQ6283		API: 3002526447	Cost Center: UCU472900
Section: 32		Township: 021 S			Range: 037 E
Current Status: ACTIVE				Dead Man Anchors Test Date: 11/11/2004	
Directions:					



Ground Elevation (MSL): 3458.00	Spud Date: 11/02/1979	Compl. Date: 07/10/1995
Well Depth Datum: Kelly Bushing	Elevation (MSL): 0.00	Correction Factor: 11.00
Last Updated by: jackssl	Date: 03/15/2010	