

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-31002
1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator DAVID H. ARRINGTON OIL AND GAS, JAN 20 2015		6. State Oil & Gas Lease No.
3. Address of Operator P.O. BOX 2071 MIDLAND, TX 79702		7. Lease Name or Unit Agreement Name B V Culp NCT A Com
4. Well Location Unit Letter A : 840 feet from the N line and 990 feet from the E line Section 19 Township 19S Range 37E NMPM County Lea		8. Well Number 10
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL 3687		9. OGRID Number 5898
		10. Pool name or Wildcat Eumont: Yates-7 Rvrs-Queen (GAS)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐	E-PERMITTING P&A NR ☐ P&A R ☐ INT TO P&A ☒ COMP ☐ CSNG ☐ CHG Loc ☐ TA ☐ RBDMS CHART ☐
---	---

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 25 sx @ 2450' - WOC & tag @ 2250'.
- 25 sx @ 1285' - 65 sx from 630' surface.
- Verify visual. Install DHM

TAP RBP @ 3390'
CAP W/ 25 SXs CMT. CIRC MLF.
SET CIRP @ 2560'. CAP W/ 25 SXs.

Closed loop system to be used and 10lb gel brine between plugs.

WOC & TAG CMT PLUG @ 1285' - 10 35'.

The Oil Conservation Division

MUST BE NOTIFIED 24 Hours

Spud Date:

Rig Release Date:

Prior to the beginning of operations

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Debbie Whiting TITLE ENGINEERING TECH DATE 01/17/2015

Type or print name DEBBIE WHITING E-mail address: debbie.whiting@arringtonoil.com PHONE: (432)682-6685

For State Use Only

APPROVED BY: Mary Brown TITLE Dist. Supervisor DATE 1/21/2015

Conditions of Approval (if any):

JAN 26 2015


840' FNL
990' FEL
Sec 19
T19S
R37E

B.V. Culp No. 10
Eumont Field
Lea County, NM

KB: 3690'
GL: 3687'

API: 30-025-31002
Existing Wellbore

Spud: 11/15/90
Rig Rel: 11/22/90



TD: 3700'
PBTD: 3675'

MEE: 08/29/06

840' FNL
990' FEL
Sec 19
T19S
R37E

B.V. Culp No. 10
Eumont Field
Lea County, NM

KB: 3690'
GL: 3687'

API: 30-025-31002
After P11 Wellbore

Spud: 11/15/90
Rig Rel: 11/22/90

