

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-05697 ✓
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Fast Eumont Unit ✓
8. Well Number 68 ✓
9. OGRID Number 192463
10. Pool name or Wildcat Eumont Yates TR Qu ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3550

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other Injective **HOBSOCD**

2. Name of Operator
OXY USA WTP Limited Partnership ✓

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
 Unit Letter E : 1980 feet from the north line and 660 feet from the west line
 Section 27 Township 19S Range 37E NMPM County lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3550

JAN 26 2015
 RECEIVED

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REN <input type="checkbox"/>	E-PERMITTING
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COM <input type="checkbox"/>	P&A NR _____ P&A R _____
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CAS <input type="checkbox"/>	INT TO P&A <u>ln</u> COMP _____
DOWNHOLE COMMINGLE <input type="checkbox"/>			CSNG _____ CHG Loc _____
CLOSED-LOOP SYSTEM <input type="checkbox"/>			TA _____ RBDMS CHART _____
OTHER: <input type="checkbox"/>			OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3982' PB-3745' Perfs-3756-3836' CIBP-3745'
 13-3/8" 48# csg @ 65' w/ 80sx, 17-1/4" hole, TOC-Surf-Circ
 9-5/8" 36# csg @ 502' w/ 375sx, 12-1/4" hole, TOC-Surf-Circ
 7" 23# csg @ 3977' w/ 1275sx, 8-3/4" hole, TOC-770'-TS
 1. RIH & tag CIBP @ 3745', M&P 45sx cmt to 3540' — CIRC M.L.F.
 2. M&P 60sx cmt @ 2970-2690' WOC-Tag
 3. M&P 40sx cmt @ 1530-1350' WOC-Tag
 4. Perf @ 552' sqz 210sx cmt to surface
 10# MLF between plugs
 Above ground steel tanks will be utilized

**The Oil Conservation Division
 MUST BE NOTIFIED 24 Hours
 Prior to the beginning of operations**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 1/22/15

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717


For State Use Only

APPROVED BY: Mary Brown TITLE Dist. Supervisor DATE 1/26/2015
 Conditions of Approval (if any):

JAN 29 2015

OXY USA WTP LP - Proposed
East Eumont Unit #68
API No. 30-025-05697

210sx @ 552'-Surface



17-1/4" hole @ 65'
13-3/8" csg @ 65'
w/ 80sx-TOC-Surf-Circ

12-1/4" hole @ 502'
9-5/8" csg @ 502'
w/ 375sx-TOC-Surf-Circ

Perf @ 552'

40sx @ 1530-1350' WOC-Tag

60sx @ 2970-2690' WOC-Tag

45sx @ 3745-3540'

CIBP @ 3745'

8-3/4" hole @ 3982'
7" csg @ 3977'
w/ 1275sx-TOC-770'-TS


Perfs @ 3756-3836'

Perfs @ 3866-3914'

PB-3850'

TD-3982'

OXY USA WTP LP - Current
East Eumont Unit #68
API No. 30-025-05697



17-1/4" hole @ 65'
13-3/8" csg @ 65'
w/ 80sx-TOC-Surf-Circ

12-1/4" hole @ 502'
9-5/8" csg @ 502'
w/ 375sx-TOC-Surf-Circ

8-3/4" hole @ 3982'
7" csg @ 3977'
w/ 1275sx-TOC-770'-TS

CIBP @ 3745'

PB-3850'

Perfs @ 3756-3836'

Perfs @ 3866-3914'

TD-3982'