

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-07215
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name USA Harris "35"
8. Well Number: 2
9. OGRID Number: 4323
10. Pool name or Wildcat TRINITY WOLFCAMP

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other Water Injection ☐

2. Name of Operator

Chevron USA INC.

3. Address of Operator

15 Smith Road Midland, TX 79705

4. Well Location

Unit Letter J : 2310' feet from the South line and 1390' feet from the East line
Section 35 Township 12-S Range 38-E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3351' DF

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

E-PERMITTING

P&A NR INT TO P&A P&A R COMP
CSNG TA CHG Loc RBDMS CHART

REM
COM
CAS

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD- 9800' Perf 9478' - 9534' CIBP @ 9400' 3 SKS OF CEMENT
13-3/8" 50# csg @ 331' w/435 sks 17-1/2 hole, TOC, Surface
9-5/8" 36# csg @ 4559' w/2100 sks, 12-1/4" hole, Circulated,
5-1/2" 17# csg @ 9800' w/1800 sks, 8-3/4" hole, TOC: 4000'

1. MIRUWSU. NDWH. NUBOP. 255X5
2. Tag CIBP @ 9400' w/20 sks of Class H cement
3. Circulate well with 9.5 PPG plugging mud. Pressure Test casing to 500 psi and record/report findings.
4. Set Plug w/20 sks of Class C cement @ 8619' to 8419', CTOC
5. Set Plug w/20 sks of Class C cement @ 6068' - 5868', CTOC, (Glorieta)
6. Set Plug w/20 sks of Class C cement @ 4659' - 4459', WOC & TAG, (covers Shoe) 3000' - 2900'
7. Perf & Sqz w/50 sks of Class C cement @ 2800' to 2600', CTOC, WOC & TAG, (Bottom of Salt)
8. Perf & Sqz w/50 sks of Class C cement 2240' to 2040', CTOC, WOC & TAG, (Top of Salt)
9. Perf & Circulate 140 sks of C cement @ 400' to Surface.
10. Cut off wellhead and anchors 3' below grade. Weld on dry hole marker. Clean location.
11. CLOSED LOOP SYSTEM WILL BE USED

The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Representative DATE 01/21/2015

Type or print name Robert Holden E-mail address: rholden@keyenergy.com PHONE: 432-523-5155

For State Use Only

APPROVED BY: Malay Brown TITLE Dist. Supervisor DATE 1/26/2015

Conditions of Approval (if any):

JAN 28 2015


Current Wellbore Schematic

WELL (PN): HARRIS 35-2 RE(CVX) (819488)
 FIELD OFFICE: HOBBS
 FIELD: TRINITY WOLFCAMP
 STATE / COUNTY: NEW MEXICO / LEA
 LOCATION: SEC 35-12S-38E, 2310 FSL & 1390 FEL
 ROUTE: HOB-NM-ROUTE 16- CRAIG COLLINS
 ELEVATION: GL: 3,787.0 KB: 3,800.0 KB Height: 13.0
 DEPTHS: TD: 11,953.0

Proposed

API #: 3002507215
 Serial #:
 SPUD DATE: 3/2/2004
 RIG RELEASE: 3/6/2004
 1ST SALES GAS: 4/12/2004
 1ST SALES OIL: 4/12/2004
 Current Status: T/A

Original Hole, 5/16/2013 1:53:24 PM



CURRENT

Current Wellbore Schematic

WELL (PN): HARRIS 35-2 RE(CVX) (819488)
 FIELD OFFICE: HOBBS
 FIELD: TRINITY WOLFCAMP
 STATE / COUNTY: NEW MEXICO / LEA
 LOCATION: SEC 35-12S-38E, 2310 FSL & 1390 FEL
 ROUTE: HOB-NM-ROUTE 16- CRAIG COLLINS
 ELEVATION: GL: 3,787.0 KB: 3,800.0 KB Height: 13.0
 DEPTHS: TD: 11,953.0

API #: 3002507215
 Serial #:
 SPUD DATE: 3/2/2004
 RIG RELEASE: 3/6/2004
 1ST SALES GAS: 4/12/2004
 1ST SALES OIL: 4/12/2004
 Current Status: T/A

Original Hole, 5/16/2013 1:53:24 PM

Vertical schematic (actual)

