Form 3160-5 (August 2007)


UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Hobbs

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

	Expires.	•
5.	Lease Serial No.	
	NIMANIMOGEZO	

SUNDRY	NMNM06570					
Do not use thi abandoned wel	6. If Indian, Allottee or Tribe Name					
SUBMIT IN TRII	7. If Unit or CA/Agreement, Name and/or No.					
Type of Well ☐ Gas Well ☐ Oth	8. Well Name and No. MARATHON ROAD 15 PA FEDERAL 1H					
Name of Operator MEWBOURNE OIL COMPAN	9. API Well No. 30-025-41575-00-S1					
3a. Address	3b. Ph:	Phone No. (include area and 575-393-5905	BSOCD	10. Field and Pool, or I	Exploratory	
HOBBS, NM 88241						
4. Location of Well (Footage, Sec., T.	., R., M., or Survey Description)	JAN	2 2 2019	11. County or Parish, and State		
Sec 15 T20S R34E SESE 030 32.566589 N Lat, 103.540099				LEA COUNTY, I	NM	
32.300363 N Eat, 103.340033	VV LOIT	R	CEWED			
12. CHECK APPR	ROPRIATE BOX(ES) TO INI	DICATE NATURE OF 1	NOTICE, REI	PORT, OR OTHER	R DATA	
TYPE OF SUBMISSION		TYPE OI	FACTION			
□ Notice of Intent	☐ Acidize	☐ Deepen	☐ Productio	n (Start/Resume)	☐ Water Shut-Off	
_	☐ Alter Casing	☐ Fracture Treat	☐ Reclamat	ion .	☐ Well Integrity	
Subsequent Report	☐ Casing Repair	☐ New Construction	☐ Recomple		☑ Other Drilling Operations	
				rily Abandon	Diffing Operations	
13. Describe Proposed or Completed Ope	☐ Convert to Injection	☐ Plug Back	☐ Water Di	<u> </u>		
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for final of the complete of the compl	rk will be performed or provide the B loperations. If the operation results i bandonment Notices shall be filed onlinal inspection.) 385'. Ran 11385' of 7" 26# P1	ond No. on file with BLM/BIA n a multiple completion or reco y after all requirements, includ 10 BT&C & LT&C csq. C	 Required subsompletion in a neling reclamation, emented with 	equent reports shall be w interval, a Form 316 have been completed, a 1050 sks	filed within 30 days 0-4 shall be filed once	
Lite Class H (35:65:6) w/addit Mixed @ 15.6 #/g w/1.18 yd. I Csg to 7500#. Tested BOPE t	Plug down @ 6:00 PM 02/08/1 o 3000# & Annular to 1500#. I	4. Circ 90 sks of cement Drilled out with 6 1/8" bit.	to pit. WOC.	Tested		
Chart & schematic attached.						
Bond on file: NM1693 nationw	vide & NMB000919					
Bond off me; NW 1000 hationw	nac a minbood to					
•						
14. I hereby certify that the foregoing is					· · · · · · · · · · · · · · · · · · ·	
	Electronic Submission #2388 For MEWBOURNE	78 verified by the BLM We EOIL COMPANY, sent to t		System		
	D on 05/06/201	4 (14BMW0364SE)				
Name (Printed/Typed) JACKIE L	Name (Printed/Typed) JACKIE LATHAN Title AUTHORIZED REPRESENTATIVE					
Signature (Electronic S	Submission)	Date 03/14/2	.014			
	THIS SPACE FOR F	EDERAL OR STATE	OFFICE US	E		
Approved By ACCEPT	ED	JAMES A _{Title} SUPERVI			Date 01/17/2015	
Conditions of approval, if any, are attache certify that the applicant holds legal or eqwhich would entitle the applicant to conduct the applicant the applicant to conduct the applicant the applicant the applicant the applicant the applicant the applicant to conduct the applicant	uitable title to those rights in the subj	varrant or ect lease Office Hobbs				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent				te to any department or	agency of the United	





WELDING • BOP TESTING NIPPLE UP SERVICE • BOP LIFTS • TANDEM MUD AND GAS SEPARATORS

Lovington; NM 0 575-396-4540

· 4, 1.	٠,,		 1:30	4.4	1.	1	· 6.
Pc	<u> </u>	1 E	 1	ol	, <u></u>	The state of	a di Sul Santa

Company: Mountain	Date: 2.40-14	linvolce	. 643/2
The state of the state of the state of the state of the	Drilling Contractor:	Rig	· Market St.
Plug Size & Type:	Drill Pipe Size	Tester:	and the state of the
Required BOP:	Installed BOP:		
Appropriate Casing Valve Must Be Open During BOP Test Annular #15	#8B Mud.Gauge Valve #5 #6	* Check Valve Must Be; Open/Diss	Dart Valve #19 Stand Pipe Valve #24
Blind Rams #13	#3 #4 #2 #48 #28	#17:	Valve #18
	#1 P268	Manual 5 Pump #16 Valve	Pump Valve
#11 #10 #9 #7 #8 Pipe:Rams #14	#25 Super Choke	#20	#21

TEOT AS	A TEMO TEOTED	TEOT LEMOTH	S. CHI-DOL	LHOUSDOL	PCAADOO
TEST	ITEMS TESTED	TEST LENGTH	LOW PSI	HIGH PSI	REMARKS
WE !	THE SELECTION OF THE SE	MHV	2577	3000	
2	HAM COLORS	AATU.	NIL	1500	
	1297	10-11	100	400)	
17.6	12.101	10-10	30	3,00	
3	REAL WAYS	NO W	10	2000	1.00
64	13 NATEL TO COMM	oill-v	00	3200	
7	17/125/16. H. B. L. L. Kone	AU U	100	タの)	
	BITTA ZOA SO TANK	10-10	30)	2000	
1	William State of	Wille	117	2000	
		:/ <i>Ú-lu:</i>	10	JOOY	
$H \otimes$		またり	147.	4000	
14	12 11 3 11 3 12	12-0	450	2000	West 50 mile when we at 1800
	and the second s				Finds to Fin at much
				Same of the Same	
(a.)					
- Concella					