Submit I Copy To Appropriate District Form C-103 State of New Mexico Office Revised July 18, 2013 Energy, Minerals and Natural Resources District I - (575) 393-6161 WELL API NO. 1625 N. French Dr., Hobbs, NM 88240 30-025-05343 District II - (575) 748-1283 OIL CONSERVATION DIVISION 811 S. First St., Artesia, NM 88210 5. Indicate Type of Lease District III - (505) 334-6178 1220 South St. Francis Dr. STATE 🗹 FEE 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 6. State Oil & Gas Lease No. <u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM B1667 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO East Eumont Unit DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SHO JAN 3 0 2015 8. Well Number 103 1. Type of Well: Oil Well Gas Well Other In 9. OGRID Number 2. Name of Operator OXY USA WTP Limited Partnership 192463 10. Pool name or Wildcat 3. Address of Operator P.O. Box 50250 Midland, TX 79710 Eumont Tates TR Qn 4. Well Location 660 feet from the South line and 660 Unit Letter feet from the west line Section 36 Township (% Range 37E **NMPM** County Lea 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3555 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data **E-PERMITTING** NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REI P&A NR P&AR M **TEMPORARILY ABANDON CHANGE PLANS** CO INT TO P&A COMP PULL OR ALTER CASING П MULTIPLE COMPL CA! **CHG Loc** CSNG DOWNHOLE COMMINGLE TA **RBDMS CHART** CLOSED-LOOP SYSTEM OTHER: OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. TD-3945' PB-3774' Perfs-3824-3945' CIBP-3774' 8-5/8" 32# csg @ 308' w/ 350sx, 11" hole, TOC-Surf-Circ 5-1/2" 15.5# csg @ 3824' w/ 800sx, 7-7/8" hole, TOC-Surf-Calc 1. RIH & tag CIBP @ 3774', M&P 30sx cmt to 3545' 2. M&P 40sx cmt @ 3050-2750' WOC-Tag The Oil Conservation Division 3. M&P 25sx cmt @ 1570-1420' WOC-Tag MUST BE NOTIFIED 24 Hours 4. Perf @ 358' sqz 110sx cmt to surface 10# MLF between plugs Prior to the beginning of operations Above ground steel tanks will be utilized JERIFY CMT TO SURFACE AFTER WELLHEAD COTOFF. Rig Release Date: Spud Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief. TITLE Sr. Regulatory Advisor DATE 1/27/15 **SIGNATURE** _____ E-mail address: ___david_stewart@oxy.com__ PHONE: __432-685-5717 Type or print name _____David Stewart_ rown TITLE Dist Supervisor

Conditions of Approval (if any)

FEB 0 3 2015

OXY USA WTP LP - Proposed East Eumont Unit #103 API No. 30-025-05843

110sx @ 358'-Surface

12-1/4" hole @ 308' 8-5/8" csg @ 308' w/ 350sx-TOC-Surf-Circ

Perf @ 358'

25sx @ 1570-1420' WOC-Tag

40sx @ 3050-2750' WOC-Tag

30sx @ 3774-3545'


CIBP @ 3774'

7-7/8" hole @ 3824' 5-1/2" csg @ 3824' w/ 800sx-TOC-Surf-Calc

OH @ 3824-3945'

TD-3945'

OXY USA WTP LP - Current East Eumont Unit #103 API No. 30-025-05843



12-1/4" hole @ 308' 8-5/8" csg @ 308' w/ 350sx-TOC-Surf-Circ

7-7/8" hole @ 3824' 5-1/2" csg @ 3824' w/ 800sx-TOC-Surf-Calc

CIBP @ 3774'

OH @ 3824-3945'